



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
	Psi	Feet									
200	96	222	3THF9	230	100	3550	44.0	40	N.A.	40	MOTOR
200	98	226	4THF12	235	102	2950	44.0	40	N.A.	40	MOTOR
200	140	323	4THF12	330	143	3550	75.0	75	N.A.	75	MOTOR
200	149	344	3THF9	350	152	3550	70.5	75	N.A.	75	MOTOR
200	169	390	4THF12	410	177	2950	85.5	75	N.A.	75	MOTOR
200	210	485	4THF12	490	212	3550	127.0	125	N.A.	125	MOTOR
250	40	92	2ADF8	111	48	3550	12.0	15	15	15	MOTOR
250	40	92	2ADF8	94	41	2600	6.0	N.A.	YES	N.A.	ENGINE
250	45	104	2ADF8	122	53	3550	12.8	15	15	15	MOTOR
250	45	104	2ADF8	102	44	2600	7.0	N.A.	YES	N.A.	ENGINE
250	50	116	2ADF8	136	59	3550	14.0	15	15	15	MOTOR
250	50	116	2ADF8	125	54	2600	9.1	N.A.	YES	N.A.	ENGINE
250	55	127	2ADF8	148	64	3550	15.0	15	15	15	MOTOR
250	55	127	2ADF8	135	58	2600	10.0	N.A.	YES	N.A.	ENGINE
250	60	139	2ADF8	162	70	3550	16.0	15	15	15	MOTOR
250	60	139	2ADF8	147	64	2600	11.5	N.A.	YES	N.A.	ENGINE
250	62	143	2ADF8	147	64	2600	11.5	N.A.	YES	N.A.	ENGINE
250	65	150	2ADF8	173	75	3550	18.0	20	20	20	MOTOR
250	70	162	2ADF8	187	81	3550	19.0	20	20	20	MOTOR
250	75	173	2ADF8	198	86	3550	21.0	20	20	20	MOTOR
250	80	185	2ADF8	213	92	3550	22.0	20	20	20	MOTOR
250	85	196	2ADF8	224	97	3550	23.0	20	20	25	MOTOR
250	90	208	2ADF8	238	103	3550	25.0	25	25	25	MOTOR
250	94	217	3THF9	230	100	3550	44.0	40	N.A.	40	MOTOR
250	95	219	2ADF8	250	108	3550	26.0	25	25	25	MOTOR
250	97	224	4THF12	235	102	2950	44.0	40	N.A.	40	MOTOR
250	100	231	2ADF8	263	114	3550	27.0	25	25	25	MOTOR
250	139	321	4THF12	330	143	3550	75.0	75	N.A.	75	MOTOR
250	147	340	3THF9	350	152	3550	70.5	75	N.A.	75	MOTOR
250	168	388	4THF12	410	177	2950	85.5	75	N.A.	75	MOTOR
250	209	483	4THF12	490	212	3550	127.0	125	N.A.	125	MOTOR
300	93	215	3THF9	230	100	3550	44.0	40	N.A.	40	MOTOR
300	96	222	4THF12	235	102	2950	44.0	40	N.A.	40	MOTOR
300	138	319	4THF12	330	143	3550	75.0	75	N.A.	75	MOTOR
300	145	335	3THF9	350	152	3550	70.5	75	N.A.	75	MOTOR
300	167	386	4THF12	410	177	2950	85.5	75	N.A.	75	MOTOR
300	207	478	4THF12	490	212	3550	127.0	125	N.A.	125	MOTOR
400	87	201	3THF9	230	100	3550	44.0	40	N.A.	40	MOTOR
400	92	213	4THF12	235	102	2950	44.0	40	N.A.	40	MOTOR
400	105	243	4THF10	260	113	3550	70.0	70	N.A.	70	MOTOR
400	134	310	4THF12	330	143	3550	75.0	75	N.A.	75	MOTOR
400	139	321	3THF9	350	152	3550	70.5	75	N.A.	75	MOTOR
400	144	333	4THF10	355	154	3550	96.0	100	N.A.	100	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
400	164	379	4THF12	410	177	2950	85.5	75	N.A.	75	MOTOR
400	205	474	4THF12	490	212	3550	127.0	125	N.A.	125	MOTOR
500	40	92	4AEF11G	106	46	1760	19.0	20	20	20	MOTOR
500	40	92	4AEF11G	108	47	1760	20.0	YES	YES	YES	ENGINE
500	40	92	5AEF14	98	42	1460	25.0	25	25	25	MOTOR
500	45	104	4AEF11	110	48	1760	26.0	25	25	25	MOTOR
500	45	104	4AEF11	113	49	1760	27.0	YES	YES	YES	ENGINE
500	45	104	4AEF11G	118	51	1760	22.0	20	20	20	MOTOR
500	45	104	4AEF11G	120	52	1760	22.0	YES	YES	YES	ENGINE
500	45	104	5AEF14	109	47	1460	28.0	25	25	30	MOTOR
500	50	116	4AEF10G	137	59	2950	22.0	20	20	20	MOTOR
500	50	116	4AEF10G	142	61	3000	23.0	YES	YES	YES	ENGINE
500	50	116	4AEF11	124	54	1760	32.0	30	30	30	MOTOR
500	50	116	4AEF11	124	54	1760	32.0	YES	YES	YES	ENGINE
500	50	116	4AEF11G	129	56	1760	23.0	20	20	20	MOTOR
500	50	116	4AEF11G	128	55	1760	23.0	YES	YES	YES	ENGINE
500	50	116	4AEF12	143	62	2100	24.0	YES	YES	YES	ENGINE
500	50	116	5AEF14	121	52	1460	31.0	30	30	30	MOTOR
500	50	116	5AEF14N	129	56	1760	27.6	25	25	25	MOTOR
500	50	116	6AEF12	122	53	1760	37.0	40	40	40	MOTOR
500	50	116	6AEF12	122	53	1760	38.0	YES	YES	YES	ENGINE
500	55	127	4AEF10G	151	65	2950	24.0	25	25	25	MOTOR
500	55	127	4AEF10G	143	62	3525	26.0	25	25	25	MOTOR
500	55	127	4AEF10G	155	67	3000	25.0	YES	YES	YES	ENGINE
500	55	127	4AEF10G	147	64	3550	27.0	YES	YES	YES	ENGINE
500	55	127	4AEF11	129	56	1760	34.0	30	30	30	MOTOR
500	55	127	4AEF11	135	58	1760	37.0	YES	YES	YES	ENGINE
500	55	127	4AEF12	155	67	2100	27.0	YES	YES	YES	ENGINE
500	55	127	5AEF14	133	58	1460	35.0	40	40	40	MOTOR
500	55	127	5AEF14N	141	61	1760	30.1	30	30	30	MOTOR
500	55	127	5AEF8N	141	61	3525	27.0	25	25	25	MOTOR
500	55	127	5AEF8N	148	64	3550	28.0	YES	YES	YES	ENGINE
500	55	127	6AEF12	135	58	1760	42.0	40	40	40	MOTOR
500	55	127	6AEF12	135	58	1760	43.0	YES	YES	YES	ENGINE
500	60	139	4AEF10G	165	71	2950	26.0	25	25	25	MOTOR
500	60	139	4AEF10G	154	67	3525	28.0	25	25	25	MOTOR
500	60	139	4AEF10G	169	73	3000	27.0	YES	YES	YES	ENGINE
500	60	139	4AEF10G	159	69	3550	30.0	YES	YES	YES	ENGINE
500	60	139	4AEF11	140	61	1760	38.0	40	40	40	MOTOR
500	60	139	4AEF11	142	61	1760	39.0	YES	YES	YES	ENGINE
500	60	139	4AEF12	168	73	2100	30.0	YES	YES	YES	ENGINE
500	60	139	5AEF14	144	62	1460	40.0	40	40	40	MOTOR
500	60	139	5AEF14N	153	66	1760	33.0	30	30	30	MOTOR
500	60	139	5AEF8N	159	69	3525	31.0	30	30	30	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	60	139	5AEF8N	161	70	3550	31.0	YES	YES	YES	ENGINE
500	60	139	6AEF12	145	63	1760	46.0	40	40	40	MOTOR
500	60	139	6AEF12	147	64	1760	47.0	YES	YES	YES	ENGINE
500	65	150	4AEF10G	179	77	2950	28.0	25	25	25	MOTOR
500	65	150	4AEF10G	168	73	3525	31.0	30	30	30	MOTOR
500	65	150	4AEF10G	183	79	3000	29.0	YES	YES	YES	ENGINE
500	65	150	4AEF10G	172	74	3550	32.0	YES	YES	YES	ENGINE
500	65	150	4AEF12	180	78	2100	32.0	YES	YES	YES	ENGINE
500	65	150	4AEF12	169	73	2350	32.0	YES	YES	YES	ENGINE
500	65	150	4THF15	172	74	2100	40.0	YES	NO	YES	ENGINE
500	65	150	5AEF14	155	67	1460	49.0	50	50	50	MOTOR
500	65	150	5AEF14N	164	71	1760	35.9	40	40	40	MOTOR
500	65	150	5AEF8N	169	73	3525	33.0	30	30	30	MOTOR
500	65	150	5AEF8N	174	75	3550	34.0	YES	YES	YES	ENGINE
500	65	150	6AEF12	158	68	1760	51.0	50	50	50	MOTOR
500	65	150	6AEF12	159	69	1760	51.0	YES	YES	YES	ENGINE
500	70	162	4AEF10G	193	84	2950	30.0	30	30	30	MOTOR
500	70	162	4AEF10G	176	76	3525	33.0	30	30	30	MOTOR
500	70	162	4AEF10G	197	85	3000	31.0	YES	YES	YES	ENGINE
500	70	162	4AEF10G	184	80	3550	35.0	YES	YES	YES	ENGINE
500	70	162	4AEF12	195	84	2100	35.0	YES	YES	YES	ENGINE
500	70	162	4AEF12	187	81	2350	35.0	YES	YES	YES	ENGINE
500	70	162	5AEF14N	175	76	1760	39.3	40	40	40	MOTOR
500	70	162	5AEF8N	186	81	3525	36.0	40	40	40	MOTOR
500	70	162	5AEF8N	188	81	3550	37.0	YES	YES	YES	ENGINE
500	70	162	6AEF12	166	72	1760	54.0	50	50	50	MOTOR
500	70	162	6AEF12	166	72	1760	54.0	YES	YES	YES	ENGINE
500	72	166	4THF15	190	82	2200	46.0	YES	NO	YES	ENGINE
500	72	166	5THF15	190	82	2100	50.0	YES	NO	YES	ENGINE
500	75	173	4AEF10G	206	89	2950	32.0	30	30	30	MOTOR
500	75	173	4AEF10G	211	91	3000	34.0	YES	YES	YES	ENGINE
500	75	173	4AEF10G	196	85	3550	38.0	YES	YES	YES	ENGINE
500	75	173	4AEF12	209	90	2100	37.0	YES	YES	YES	ENGINE
500	75	173	4AEF12	199	86	2350	38.0	YES	YES	YES	ENGINE
500	75	173	5AEF14N	186	81	1760	43.4	40	40	40	MOTOR
500	75	173	5AEF8N	199	86	3525	39.0	40	40	40	MOTOR
500	75	173	5AEF8N	201	87	3550	40.0	YES	YES	YES	ENGINE
500	80	185	4AEF10	204	88	2600	42.5	YES	YES	N.A.	ENGINE
500	80	185	4AEF10G	218	94	2950	34.0	30	30	30	MOTOR
500	80	185	4AEF10G	206	89	3525	39.0	40	40	40	MOTOR
500	80	185	4AEF10G	225	97	3000	36.0	YES	YES	YES	ENGINE
500	80	185	4AEF10G	210	91	3550	40.0	YES	YES	YES	ENGINE
500	80	185	4AEF12	223	97	2100	40.0	YES	YES	YES	ENGINE
500	80	185	4AEF12	211	91	2350	42.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	80	185	5AEF14N	198	86	1760	47.9	50	50	50	MOTOR
500	80	185	5AEF8N	213	92	3525	42.0	40	40	40	MOTOR
500	80	185	5AEF8N	215	93	3550	43.0	YES	YES	YES	ENGINE
500	80	185	5THF15	205	89	2200	58.0	YES	NO	YES	ENGINE
500	81	187	3THF9	230	100	3550	44.0	40	N.A.	40	MOTOR
500	81	187	4THF15	210	91	2300	52.0	YES	NO	YES	ENGINE
500	85	196	4AEF10	215	93	2600	45.5	YES	YES	N.A.	ENGINE
500	85	196	4AEF10G	219	95	3525	42.0	40	40	40	MOTOR
500	85	196	4AEF10G	223	97	3550	43.0	YES	YES	YES	ENGINE
500	85	196	4AEF12	227	98	2100	40.0	YES	YES	YES	ENGINE
500	85	196	4AEF12	223	97	2350	44.0	YES	YES	YES	ENGINE
500	85	196	5AEF8N	228	99	3525	44.0	40	40	40	MOTOR
500	85	196	5AEF8N	230	100	3550	45.0	YES	YES	YES	ENGINE
500	86	199	4THF12	235	102	2950	44.0	40	N.A.	40	MOTOR
500	87	201	4THF15	230	100	2400	60.0	YES	NO	YES	ENGINE
500	87	201	5THF15	230	100	2300	62.0	YES	NO	YES	ENGINE
500	90	208	4AEF10	218	94	2600	46.3	YES	YES	N.A.	ENGINE
500	90	208	4AEF10	213	92	2800	51.0	N.A.	YES	YES	ENGINE
500	90	208	4AEF10	225	97	3300	54.0	N.A.	YES	YES	ENGINE
500	90	208	4AEF10G	231	100	3525	44.0	40	40	40	MOTOR
500	90	208	4AEF10G	236	102	3550	45.0	YES	YES	YES	ENGINE
500	90	208	4AEF12	237	103	2350	48.0	YES	YES	YES	ENGINE
500	90	208	5AEF8N	242	105	3525	46.0	40	40	40	MOTOR
500	90	208	5AEF8N	245	106	3550	47.0	YES	YES	YES	ENGINE
500	93	215	4AEF10	230	100	2950	53.0	50	50	50	MOTOR
500	93	215	4AEF10	235	102	2800	53.0	YES	YES	YES	ENGINE
500	93	215	4AEF10	233	101	3300	56.0	YES	YES	YES	ENGINE
500	95	219	3AEF9	252	109	3525	44.0	40	40	40	MOTOR
500	95	219	3AEF9	261	113	3550	46.0	YES	YES	YES	ENGINE
500	95	219	4AEF10	235	102	2950	54.0	50	50	50	MOTOR
500	95	219	4AEF10	234	101	3550	60.0	N.A.	60	60	MOTOR
500	95	219	4AEF10	240	104	2800	54.0	YES	YES	YES	ENGINE
500	95	219	4AEF10	239	103	3000	55.0	N.A.	YES	YES	ENGINE
500	95	219	4AEF10	238	103	3300	58.0	YES	YES	YES	ENGINE
500	95	219	4AEF10	237	103	3550	61.0	N.A.	YES	YES	ENGINE
500	95	219	4AEF10G	245	106	3525	46.5	50	50	50	MOTOR
500	95	219	4AEF10G	250	108	3550	48.0	YES	YES	YES	ENGINE
500	95	219	4AEF12	250	108	2350	50.0	YES	YES	YES	ENGINE
500	96	221	4AEF10	235	102	3550	61.0	60	60	60	MOTOR
500	96	222	4AEF10	238	103	3550	61.0	YES	YES	YES	ENGINE
500	96	222	4THF15	245	106	2500	65.0	YES	NO	YES	ENGINE
500	97	224	4AEF10	243	105	3000	57.0	YES	YES	YES	ENGINE
500	97	224	4THF12		0	3100		YES	NO	YES	ENGINE
500	97	224	5THF15	225	97	2400	70.0	YES	NO	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	100	231	3AEF9	263	114	3525	46.0	40	40	50	MOTOR
500	100	231	3AEF9	271	117	3550	48.0	YES	YES	YES	ENGINE
500	100	231	4AEF10	247	107	2950	57.0	50	50	50	MOTOR
500	100	231	4AEF10	246	106	3550	63.0	60	60	60	MOTOR
500	100	231	4AEF10	251	109	2800	57.0	YES	YES	YES	ENGINE
500	100	231	4AEF10	250	108	3000	59.0	YES	YES	YES	ENGINE
500	100	231	4AEF10	248	107	3300	61.0	YES	YES	YES	ENGINE
500	100	231	4AEF10	248	107	3550	64.0	YES	YES	YES	ENGINE
500	100	231	4AEF10G	259	112	3525	48.9	50	50	50	MOTOR
500	100	231	4AEF10G	263	114	3550	50.0	YES	YES	YES	ENGINE
500	100	231	4AEF12	266	115	2350	53.0	YES	YES	YES	ENGINE
500	100	231	4TUF5	259	112	1760	52.0	50	50	50	MOTOR
500	100	231	4TUF5	259	112	1760	53.0	YES	YES	YES	ENGINE
500	102	236	4THF10	260	113	3550	70.0	70	N.A.	70	MOTOR
500	104	240	4THF15	275	119	2600	75.0	YES	NO	YES	ENGINE
500	104	240	5THF15	275	119	2500	80.0	YES	NO	YES	ENGINE
500	105	243	3AEF9	280	121	3525	49.0	50	50	50	MOTOR
500	105	243	3AEF9	286	124	3550	50.0	YES	YES	YES	ENGINE
500	105	243	4AEF10	259	112	2950	61.0	60	60	60	MOTOR
500	105	243	4AEF10	255	110	3550	66.0	60	60	60	MOTOR
500	105	243	4AEF10	253	110	2800	60.0	YES	N.A.	N.A.	ENGINE
500	105	243	4AEF10	261	113	3000	62.0	YES	YES	YES	ENGINE
500	105	243	4AEF10	260	113	3300	64.0	YES	YES	YES	ENGINE
500	105	243	4AEF10	259	112	3550	67.0	YES	YES	YES	ENGINE
500	105	243	4AEF10G	272	118	3525	51.2	50	50	50	MOTOR
500	105	243	4AEF10G	276	119	3550	52.0	YES	YES	YES	ENGINE
500	105	243	4AEF12	267	116	2950	63.0	60	60	60	MOTOR
500	105	243	4AEF12	279	121	2350	55.0	YES	YES	YES	ENGINE
500	105	243	4TUF5	268	116	1760	55.0	50	50	50	MOTOR
500	105	243	4TUF5	268	116	1760	56.0	YES	YES	YES	ENGINE
500	110	254	3AEF9	293	127	3525	51.0	50	50	50	MOTOR
500	110	254	3AEF9	300	130	3550	53.0	YES	YES	YES	ENGINE
500	110	254	4AEF10	271	117	2950	65.0	60	60	60	MOTOR
500	110	254	4AEF10	269	116	3550	70.0	75	75	75	MOTOR
500	110	254	4AEF10	273	118	3000	66.0	YES	YES	YES	ENGINE
500	110	254	4AEF10	271	117	3300	68.0	YES	YES	YES	ENGINE
500	110	254	4AEF10	271	117	3550	71.0	YES	YES	YES	ENGINE
500	110	254	4AEF10G	285	123	3525	53.5	50	50	50	MOTOR
500	110	254	4AEF10G	290	126	3550	55.0	YES	YES	YES	ENGINE
500	110	254	4AEF12	267	116	2950	63.0	60	60	60	MOTOR
500	110	254	4AEF12	280	121	2350	55.0	YES	YES	YES	ENGINE
500	110	254	4TUF5	277	120	1760	60.0	60	60	60	MOTOR
500	110	254	4TUF5	277	120	1760	61.0	YES	YES	YES	ENGINE
500	112	259	5THF10	280	121	3550	92.0	100	N.A.	100	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	115	266	3AEF9	307	133	3525	54.0	50	50	50	MOTOR
500	115	266	3AEF9	313	135	3550	55.0	YES	YES	YES	ENGINE
500	115	266	4AEF10	281	122	3550	74.0	75	75	75	MOTOR
500	115	266	4AEF10	285	123	3000	70.0	YES	YES	YES	ENGINE
500	115	266	4AEF10	283	123	3300	72.0	YES	YES	YES	ENGINE
500	115	266	4AEF10	282	122	3550	74.0	YES	YES	YES	ENGINE
500	115	266	4AEF10G	298	129	3525	55.7	50	50	50	MOTOR
500	115	266	4AEF10G	303	131	3550	57.0	YES	YES	YES	ENGINE
500	115	266	4AEF12	280	121	2950	66.0	60	60	60	MOTOR
500	115	266	4AEF12	282	122	3000	68.0	YES	YES	YES	ENGINE
500	115	266	4TUF5	284	123	1760	63.0	60	60	60	MOTOR
500	115	266	4TUF5	284	123	1760	64.0	YES	YES	YES	ENGINE
500	116	268	4AEF10	281	122	2950	68.0	60	60	60	MOTOR
500	118	273	5THF11	200	87	3550	55.0	100	N.A.	100	MOTOR
500	120	277	3AEF9	314	136	3525	55.0	50	50	50	MOTOR
500	120	277	3AEF9	327	142	3550	57.0	YES	YES	YES	ENGINE
500	120	277	4AEF10	292	126	3550	77.0	75	75	75	MOTOR
500	120	277	4AEF10	290	126	3000	71.0	YES	YES	YES	ENGINE
500	120	277	4AEF10	295	128	3300	76.0	YES	YES	YES	ENGINE
500	120	277	4AEF10	294	127	3550	78.0	YES	YES	YES	ENGINE
500	120	277	4AEF10G	311	135	3525	58.0	60	60	60	MOTOR
500	120	277	4AEF10G	315	136	3550	59.0	YES	YES	YES	ENGINE
500	120	277	4AEF12	293	127	2950	69.0	60	60	60	MOTOR
500	120	277	4AEF12	295	128	3000	71.0	YES	YES	YES	ENGINE
500	120	277	4TUF5	293	127	1760	65.0	60	60	60	MOTOR
500	120	277	4TUF5	293	127	1760	66.0	YES	YES	YES	ENGINE
500	121	280	4THF15	320	139	2800	90.0	YES	NO	YES	ENGINE
500	121	280	5TUF7	292	126	1760	74.0	N.A.	N.A.	75	MOTOR
500	121	280	5TUF7	292	126	1760	74.0	N.A.	N.A.	YES	ENGINE
500	122	282	4THF15	325	141	2100	75.0	YES	NO	YES	ENGINE
500	125	289	3AEF9	329	142	3525	57.0	50	50	50	MOTOR
500	125	289	3AEF9	340	147	3550	60.0	YES	YES	YES	ENGINE
500	125	289	3AEF9G	311	135	3525	66.0	60	60	60	MOTOR
500	125	289	3AEF9G	317	137	3550	68.0	YES	YES	YES	ENGINE
500	125	289	4AEF10	306	132	3550	81.0	75	75	75	MOTOR
500	125	289	4AEF10	307	133	3300	80.0	YES	YES	YES	ENGINE
500	125	289	4AEF10	306	132	3550	81.0	YES	YES	YES	ENGINE
500	125	289	4AEF12	305	132	2950	73.0	75	75	75	MOTOR
500	125	289	4AEF12	307	133	3000	74.0	YES	YES	YES	ENGINE
500	125	289	4TUF5	303	131	1760	68.0	60	60	60	MOTOR
500	125	289	4TUF5	303	131	1760	69.0	YES	YES	YES	ENGINE
500	125	289	5TUF7	303	131	1760	78.0	N.A.	N.A.	75	MOTOR
500	125	289	5TUF7	303	131	1760	79.0	N.A.	N.A.	YES	ENGINE
500	128	296	3THF16	370	160	2600	65.0	YES	NO	NO	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	129	298	4THF12	330	143	3550	75.0	75	N.A.	75	MOTOR
500	130	300	3AEF9	342	148	3525	60.0	60	60	60	MOTOR
500	130	300	3AEF9	342	148	3550	60.0	YES	YES	YES	ENGINE
500	130	300	3AEF9G	322	139	3525	69.0	60	60	75	MOTOR
500	130	300	3AEF9G	328	142	3550	71.0	YES	YES	YES	ENGINE
500	130	300	4AEF10	316	137	3550	85.0	75	75	100	MOTOR
500	130	300	4AEF10	319	138	3300	84.0	YES	YES	YES	ENGINE
500	130	300	4AEF10	318	138	3550	85.0	YES	YES	YES	ENGINE
500	130	300	4AEF12	317	137	2950	76.0	75	75	75	MOTOR
500	130	300	4AEF12	319	138	3000	78.0	YES	YES	YES	ENGINE
500	130	300	4TUF5	319	138	1760	71.0	75	75	75	MOTOR
500	130	300	4TUF5	319	138	1760	72.0	YES	YES	YES	ENGINE
500	130	300	5TUF7	315	136	1760	82.0	N.A.	N.A.	75	MOTOR
500	130	300	5TUF7	315	136	1760	83.0	N.A.	N.A.	YES	ENGINE
500	131	303	4THF15	340	147	2900	130.0	YES	NO	YES	ENGINE
500	131	303	5THF15	325	141	2100	92.0	YES	NO	YES	ENGINE
500	132	305	5TUF7	327	142	1760	82.0	75	N.A.	75	MOTOR
500	132	305	5TUF7	319	138	1760	85.0	YES	N.A.	YES	ENGINE
500	133	307	3THF16	385	167	2950	65.0	60	NO	NO	MOTOR
500	133	307	3THF9	350	152	3550	70.5	75	N.A.	75	MOTOR
500	135	312	3AEF9G	335	145	3525	73.0	75	75	75	MOTOR
500	135	312	3AEF9G	339	147	3550	74.0	YES	YES	YES	ENGINE
500	135	312	4AEF10	328	142	3550	89.0	100	100	100	MOTOR
500	135	312	4AEF10	331	143	3300	88.0	YES	YES	YES	ENGINE
500	135	312	4AEF10	330	143	3550	90.0	YES	YES	YES	ENGINE
500	135	312	4AEF12	329	142	2950	80.0	75	75	75	MOTOR
500	135	312	4AEF12	332	144	3000	82.0	YES	YES	YES	ENGINE
500	135	312	4THF15	350	152	2950	110.0	100	N.A.	100	MOTOR
500	135	311	4TUF5	330	143	1760	74.0	75	75	75	MOTOR
500	135	311	4TUF5	335	145	1760	75.0	YES	YES	YES	ENGINE
500	135	311	5TUF7	339	147	1760	86.0	75	N.A.	75	MOTOR
500	135	311	5TUF7	327	142	1760	87.0	YES	N.A.	YES	ENGINE
500	137	316	4THF15	345	149	2200	87.0	YES	NO	YES	ENGINE
500	139	321	3THF16	400	173	3000	65.0	YES	NO	NO	ENGINE
500	139	321	4THF10	355	154	3550	96.0	100	N.A.	100	MOTOR
500	140	323	3AEF9G	346	150	3525	76.0	75	75	75	MOTOR
500	140	323	3AEF9G	350	152	3550	77.0	YES	YES	YES	ENGINE
500	140	323	4AEF10	339	147	3550	93.0	100	100	100	MOTOR
500	140	323	4AEF10	343	148	3300	92.0	YES	YES	YES	ENGINE
500	140	323	4AEF10	341	148	3550	94.0	YES	YES	YES	ENGINE
500	140	323	4AEF12	341	148	2950	84.0	75	75	75	MOTOR
500	140	323	4AEF12	344	149	3000	86.0	YES	YES	YES	ENGINE
500	140	323	4AEF12	336	145	3300	89.0	YES	YES	YES	ENGINE
500	140	324	4TUF5	340	147	1760	77.0	75	75	75	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	140	324	4TUF5	349	151	1760	78.0	YES	YES	YES	ENGINE
500	140	324	5TUF7	350	152	1760	91.0	100	N.A.	100	MOTOR
500	140	324	5TUF7	333	144	1760	91.0	YES	N.A.	YES	ENGINE
500	141	326	4THF15	360	156	3000	115.0	YES	NO	YES	ENGINE
500	143	330	5THF15	365	158	2200	105.0	YES	NO	YES	ENGINE
500	144	333	4THF13	350	152	2950	125.0	NO	NO	125	MOTOR
500	145	335	3AEF9G	359	155	3525	81.0	75	75	75	MOTOR
500	145	335	3AEF9G	359	155	3550	81.0	YES	YES	YES	ENGINE
500	145	335	4AEF10	352	152	3550	98.0	100	100	100	MOTOR
500	145	335	4AEF10	351	152	3300	95.0	YES	YES	YES	ENGINE
500	145	335	4AEF10	353	153	3550	98.0	YES	YES	YES	ENGINE
500	145	335	4AEF12	353	153	2950	88.0	100	100	100	MOTOR
500	145	335	4AEF12	356	154	3000	90.0	YES	YES	YES	ENGINE
500	145	335	4AEF12	349	151	3300	92.0	YES	YES	YES	ENGINE
500	145	336	4TUF5	351	152	1760	81.0	75	75	75	MOTOR
500	145	336	4TUF5	349	151	1760	83.0	YES	YES	YES	ENGINE
500	145	336	5TUF7	362	157	1760	95.0	100	N.A.	100	MOTOR
500	145	336	5TUF7	342	148	1760	96.0	YES	N.A.	YES	ENGINE
500	148	342	5THF10	370	160	3550	127.0	125	N.A.	125	MOTOR
500	150	347	4AEF10	364	158	3550	102.0	100	100	100	MOTOR
500	150	347	4AEF10	366	158	3550	103.0	YES	YES	YES	ENGINE
500	150	347	4AEF12	367	159	2950	92.0	100	100	100	MOTOR
500	150	347	4AEF12	368	159	3000	94.0	YES	YES	YES	ENGINE
500	150	347	4AEF12	361	156	3300	95.0	YES	YES	YES	ENGINE
500	150	347	4THF15	380	165	2300	100.0	YES	NO	YES	ENGINE
500	150	347	4TUF5	360	156	1760	86.0	75	75	75	MOTOR
500	150	347	4TUF5	358	155	1760	88.0	YES	YES	YES	ENGINE
500	150	347	5TUF7	374	162	1760	100.0	100	N.A.	100	MOTOR
500	150	347	5TUF7	358	155	1760	102.0	YES	N.A.	YES	ENGINE
500	152	351	3THF16	430	186	2800	80.0	YES	NO	NO	ENGINE
500	155	358	4AEF10	376	163	3550	107.0	100	100	100	MOTOR
500	155	358	4AEF10	377	163	3550	107.0	YES	YES	YES	ENGINE
500	155	358	4AEF12	380	165	2950	95.0	100	100	100	MOTOR
500	155	358	4AEF12	381	165	3000	97.0	YES	YES	YES	ENGINE
500	155	358	4AEF12	374	162	3300	99.0	YES	YES	YES	ENGINE
500	155	358	4TUF5	372	161	1760	90.0	100	100	100	MOTOR
500	155	358	4TUF5	370	160	1760	92.0	YES	YES	YES	ENGINE
500	155	358	5TUF7	386	167	1760	104.0	100	N.A.	100	MOTOR
500	155	358	5TUF7	370	160	1760	106.0	YES	N.A.	YES	ENGINE
500	158	365	4THF12	410	177	2950	85.5	75	N.A.	75	MOTOR
500	158	365	4TUF11	453	196	2800	93.0	YES	YES	YES	ENGINE
500	158	365	5THF15	395	171	2300	121.0	YES	NO	YES	ENGINE
500	160	370	4AEF10	385	167	3550	110.0	100	100	100	MOTOR
500	160	370	4AEF10	390	169	3550	112.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	160	370	4AEF12	394	171	2950	98.0	100	100	100	MOTOR
500	160	370	4AEF12	395	171	3000	100.0	YES	YES	YES	ENGINE
500	160	370	4AEF12	386	167	3300	103.0	YES	YES	YES	ENGINE
500	160	370	4AEF12	386	167	3550	110.0	YES	YES	YES	ENGINE
500	160	370	4TUF11	453	196	2800	93.1	YES	YES	YES	ENGINE
500	160	370	4TUF5	381	165	1760	94.0	100	100	100	MOTOR
500	160	370	4TUF5	381	165	1760	96.0	YES	YES	YES	ENGINE
500	160	370	5TUF7	398	172	1760	108.0	100	N.A.	100	MOTOR
500	160	370	5TUF7	381	165	1760	110.0	YES	N.A.	YES	ENGINE
500	162	374	4THF15	420	182	2400	114.0	YES	NO	YES	ENGINE
500	165	381	4AEF10	400	173	3550	115.0	100	100	100	MOTOR
500	165	381	4AEF10	401	174	3550	116.0	YES	YES	YES	ENGINE
500	165	381	4AEF12	407	176	2950	101.0	100	100	100	MOTOR
500	165	381	4AEF12	408	177	3000	104.0	YES	YES	YES	ENGINE
500	165	381	4AEF12	398	172	3300	108.0	YES	YES	YES	ENGINE
500	165	381	4AEF12	391	169	3550	111.0	YES	YES	YES	ENGINE
500	165	381	4TUF11	402	174	2800	116.0	YES	YES	YES	ENGINE
500	165	382	4TUF5	393	170	1760	98.0	100	100	100	MOTOR
500	165	381	4TUF5	393	170	1760	100.0	YES	YES	YES	ENGINE
500	165	382	5TUF7	409	177	1760	112.0	100	N.A.	100	MOTOR
500	165	381	5TUF7	390	169	1760	114.0	YES	N.A.	YES	ENGINE
500	170	393	4AEF10	406	176	3550	118.0	125	125	125	MOTOR
500	170	393	4AEF10	406	176	3550	118.0	YES	YES	YES	ENGINE
500	170	393	4AEF12	421	182	2950	105.0	100	100	100	MOTOR
500	170	393	4AEF12	422	183	3000	107.0	YES	YES	YES	ENGINE
500	170	393	4AEF12	410	177	3300	112.0	YES	YES	YES	ENGINE
500	170	393	4AEF12	404	175	3550	115.0	YES	YES	YES	ENGINE
500	170	393	4TUF11	415	179	2800	120.0	YES	YES	YES	ENGINE
500	170	393	4TUF5	404	175	1760	102.0	100	100	100	MOTOR
500	170	393	4TUF5	404	175	1760	104.0	YES	YES	YES	ENGINE
500	170	393	5TUF7	421	182	1760	117.0	125	N.A.	125	MOTOR
500	170	393	5TUF7	402	174	1760	118.0	YES	N.A.	YES	ENGINE
500	171	395	5THF15	430	186	2400	138.0	YES	NO	YES	ENGINE
500	173	400	4AEF12	421	182	2950	107.0	100	100	100	MOTOR
500	173	400	5TUF7	416	180	2100	133.0	YES	N.A.	YES	ENGINE
500	175	404	4AEF12	435	188	3000	110.0	YES	YES	YES	ENGINE
500	175	404	4AEF12	422	183	3300	116.0	YES	YES	YES	ENGINE
500	175	404	4AEF12	416	180	3550	118.0	YES	YES	YES	ENGINE
500	175	404	4TUF11	427	185	2800	123.0	YES	YES	YES	ENGINE
500	175	404	4TUF5	415	180	1760	105.0	100	100	100	MOTOR
500	175	404	4TUF5	416	180	1760	107.0	YES	YES	YES	ENGINE
500	175	404	5TUF7	433	187	1760	121.0	125	N.A.	125	MOTOR
500	175	404	5TUF7	413	179	1760	122.0	YES	N.A.	YES	ENGINE
500	175	404	5TUF7	416	180	2100	133.0	YES	N.A.	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	176	407	4THF12		0	3100		YES	NO	YES	ENGINE
500	176	407	4THF15	460	199	2500	127.0	YES	NO	YES	ENGINE
500	176	406	4TUTF14	449	194	1760	104.0	100	100	100	MOTOR
500	177	409	4TUF11	498	216	2950	103.0	100	100	100	MOTOR
500	180	416	4AEF12	449	194	3000	113.0	YES	YES	YES	ENGINE
500	180	416	4AEF12	434	188	3300	121.0	YES	YES	YES	ENGINE
500	180	416	4AEF12	430	186	3550	122.0	YES	YES	YES	ENGINE
500	180	416	4TUF11	505	219	2950	105.0	100	100	100	MOTOR
500	180	416	4TUF11	516	223	2800	110.0	YES	YES	YES	ENGINE
500	180	416	4TUTF14	450	195	1760	105.0	100	100	100	MOTOR
500	180	416	4TUTF14	446	193	1760	101.0	YES	YES	N.A.	ENGINE
500	180	416	5TUF7	445	193	1760	125.0	125	N.A.	125	MOTOR
500	180	416	5TUF7	425	184	1760	126.0	YES	N.A.	YES	ENGINE
500	180	416	5TUF7	427	185	2100	138.0	YES	N.A.	YES	ENGINE
500	183	423	4TUF11	513	222	3000	114.0	YES	YES	YES	ENGINE
500	185	427	4AEF12	448	194	3300	125.0	YES	YES	YES	ENGINE
500	185	427	4AEF12	441	191	3550	126.0	YES	YES	YES	ENGINE
500	185	427	4TUF11	515	223	2950	111.0	100	100	100	MOTOR
500	185	427	4TUF11	527	228	2800	115.1	YES	YES	YES	ENGINE
500	185	427	4TUF11	523	226	3000	118.0	YES	YES	YES	ENGINE
500	185	427	4TUTF14	462	200	1760	108.0	100	100	N.A.	MOTOR
500	185	427	4TUTF14	457	198	1760	105.0	YES	YES	N.A.	ENGINE
500	185	427	5TUF7	458	198	1760	129.0	125	N.A.	125	MOTOR
500	185	427	5TUF7	434	188	1760	131.0	YES	N.A.	YES	ENGINE
500	185	427	5TUF7	439	190	2100	143.0	YES	N.A.	YES	ENGINE
500	187	432	5THF15	470	203	2500	156.0	YES	NO	YES	ENGINE
500	190	439	4AEF12	460	199	3300	129.0	YES	YES	YES	ENGINE
500	190	439	4AEF12	453	196	3550	131.0	YES	YES	YES	ENGINE
500	190	439	4TUF11	525	227	2950	115.0	100	100	100	MOTOR
500	190	439	4TUF11	537	233	2800	119.1	YES	YES	YES	ENGINE
500	190	439	4TUF11	533	231	3000	123.0	YES	YES	YES	ENGINE
500	190	439	4TUTF14	471	204	1760	110.0	100	100	N.A.	MOTOR
500	190	439	4TUTF14	469	203	1760	109.0	YES	YES	N.A.	ENGINE
500	190	439	5TUF7	469	203	1760	134.0	125	N.A.	125	MOTOR
500	190	439	5TUF7	457	198	1760	137.0	YES	N.A.	YES	ENGINE
500	190	439	5TUF7	450	195	2100	148.0	YES	N.A.	YES	ENGINE
500	193	446	4THF15	490	212	2600	145.0	YES	NO	YES	ENGINE
500	195	450	3THF16	525	227	2600	105.5	YES	NO	NO	ENGINE
500	195	450	4AEF12	473	205	3300	132.0	YES	YES	YES	ENGINE
500	195	450	4AEF12	466	202	3550	136.0	YES	YES	YES	ENGINE
500	195	450	4TUF11	535	232	2950	121.0	150	150	150	MOTOR
500	195	450	4TUF11	547	237	2800	125.1	YES	YES	YES	ENGINE
500	195	450	4TUF11	543	235	3000	127.0	YES	YES	YES	ENGINE
500	195	450	4TUTF14	483	209	1760	114.0	100	100	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	195	450	5TUF7	469	203	1760	138.0	125	N.A.	N.A.	MOTOR
500	195	450	5TUF7	462	200	2100	153.0	YES	N.A.	YES	ENGINE
500	196	453	5TUF13B	512	222	2800	172.5	YES	N.A.	N.A.	ENGINE
500	197	455	5TUF7	292	126	1760	138.0	125	N.A.	N.A.	MOTOR
500	197	455	5TUF7	475	206	1760	146.0	YES	N.A.	YES	ENGINE
500	200	462	4AEF12	487	211	3300	136.0	YES	YES	YES	ENGINE
500	200	462	4AEF12	478	207	3550	140.0	YES	YES	YES	ENGINE
500	200	462	4THF12	490	212	3550	127.0	125	N.A.	125	MOTOR
500	200	462	4TUF11	545	236	2950	126.0	150	150	150	MOTOR
500	200	462	4TUF11	557	241	2800	130.1	YES	YES	YES	ENGINE
500	200	462	4TUF11	553	239	3000	131.0	YES	YES	YES	ENGINE
500	200	462	4TUTF14	492	213	1760	117.0	125	125	N.A.	MOTOR
500	200	462	4TUTF14	490	212	1760	117.0	YES	YES	N.A.	ENGINE
500	200	462	5TUF13B	525	227	2800	182.2	YES	N.A.	N.A.	ENGINE
500	200	462	5TUF7	474	205	2100	158.0	YES	N.A.	YES	ENGINE
500	205	474	4AEF12	500	216	3300	140.0	YES	YES	YES	ENGINE
500	205	474	4AEF12	490	212	3550	145.0	YES	YES	YES	ENGINE
500	205	474	4TUF11	555	240	2950	132.0	150	150	150	MOTOR
500	205	474	4TUF11	567	246	2800	136.1	YES	YES	YES	ENGINE
500	205	474	4TUF11	563	244	3000	136.0	YES	YES	YES	ENGINE
500	205	473	4TUTF14	504	218	1760	120.0	125	125	N.A.	MOTOR
500	205	473	5TUF13B	535	232	2800	186.1	YES	N.A.	N.A.	ENGINE
500	205	473	5TUF7	485	210	2100	163.0	YES	N.A.	YES	ENGINE
500	208	480	5THF11	350	152	3550	105.0	200	N.A.	200	MOTOR
500	210	485	4AEF12	513	222	3300	143.0	YES	YES	YES	ENGINE
500	210	485	4AEF12	502	217	3550	150.0	YES	YES	YES	ENGINE
500	210	485	4TUF11	570	247	2950	137.0	150	150	150	MOTOR
500	210	485	4TUF11	582	252	2800	141.1	YES	YES	YES	ENGINE
500	210	485	4TUF11	573	248	3000	140.0	YES	YES	YES	ENGINE
500	210	485	4TUTF14	513	222	1760	123.0	125	125	N.A.	MOTOR
500	210	485	4TUTF14	511	221	1760	125.0	YES	YES	N.A.	ENGINE
500	210	485	5TUF13B	546	236	2800	190.6	YES	N.A.	N.A.	ENGINE
500	210	485	5TUF7	497	215	2100	168.0	YES	N.A.	YES	ENGINE
500	215	497	4AEF12	526	228	3300	146.0	YES	YES	YES	ENGINE
500	215	497	4AEF12	514	223	3550	154.0	YES	YES	YES	ENGINE
500	215	497	4TUF11	584	253	2950	143.0	150	150	150	MOTOR
500	215	497	4TUF11	596	258	2800	147.1	YES	YES	YES	ENGINE
500	215	497	4TUF11	587	254	3000	145.0	YES	YES	YES	ENGINE
500	215	496	4TUTF14	524	227	1760	126.0	125	125	N.A.	MOTOR
500	215	496	5TUF13B	557	241	2800	194.7	YES	N.A.	N.A.	ENGINE
500	215	496	5TUF7	508	220	2100	173.0	YES	N.A.	YES	ENGINE
500	219	506	4THF13	510	221	2950	227.0	NO	NO	200	MOTOR
500	220	508	4AEF12	540	234	3300	150.0	YES	YES	YES	ENGINE
500	220	508	4AEF12	527	228	3550	159.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	220	508	4TUF11	599	259	2950	148.0	150	150	150	MOTOR
500	220	508	4TUF11	611	265	2800	152.1	YES	YES	YES	ENGINE
500	220	508	4TUF11	601	260	3000	150.0	YES	YES	YES	ENGINE
500	220	508	4TUTF14	534	231	1760	129.0	125	125	N.A.	MOTOR
500	220	508	4TUTF14	531	230	1760	132.0	YES	YES	N.A.	ENGINE
500	220	508	5TUF13B	559	242	2800	195.6	YES	N.A.	N.A.	ENGINE
500	220	508	5TUF7	520	225	2100	178.0	YES	N.A.	YES	ENGINE
500	225	520	4AEF12	540	234	3550	162.0	YES	YES	YES	ENGINE
500	225	520	4TUF11	614	266	2950	153.0	150	150	150	MOTOR
500	225	520	4TUF11	626	271	2800	157.1	YES	YES	YES	ENGINE
500	225	520	4TUF11	614	266	3000	155.0	YES	YES	YES	ENGINE
500	225	520	4TUTF14	545	236	1760	132.0	125	125	N.A.	MOTOR
500	225	519	5TUF13B	569	246	2800	199.6	YES	N.A.	N.A.	ENGINE
500	225	520	5TUF7	531	230	2100	184.0	YES	N.A.	YES	ENGINE
500	226	522	5TUF13B	577	250	2950	207.9	200	N.A.	N.A.	MOTOR
500	229	529	3THF16	615	266	2800	132.0	YES	NO	NO	ENGINE
500	229	529	4THF15	575	249	2800	180.0	YES	NO	YES	ENGINE
500	229	529	4TUF11	622	269	3300	151.0	YES	YES	YES	ENGINE
500	230	531	4AEF12	553	239	3550	166.0	YES	YES	YES	ENGINE
500	230	531	4TUF11	628	272	2950	159.0	150	150	150	MOTOR
500	230	531	4TUF11	641	278	2800	164.9	YES	YES	YES	ENGINE
500	230	531	4TUF11	628	272	3000	160.0	YES	YES	YES	ENGINE
500	230	531	4TUF11	622	269	3300	150.5	YES	YES	YES	ENGINE
500	230	531	4TUTF14	554	240	1760	135.0	125	125	N.A.	MOTOR
500	230	531	4TUTF14	554	240	1760	138.0	YES	YES	N.A.	ENGINE
500	230	531	5TUF13B	587	254	2950	213.6	200	N.A.	N.A.	MOTOR
500	230	531	5TUF13B	581	252	2800	204.1	YES	N.A.	N.A.	ENGINE
500	230	531	5TUF7	543	235	2100	189.0	YES	N.A.	YES	ENGINE
500	234	540	5TUF13B	596	258	3000	217.5	YES	N.A.	N.A.	ENGINE
500	235	543	4AEF12	567	245	3550	170.0	YES	YES	YES	ENGINE
500	235	543	4TUF11	643	278	2950	164.0	150	150	150	MOTOR
500	235	543	4TUF11	656	284	2800	169.9	YES	YES	YES	ENGINE
500	235	543	4TUF11	641	277	3000	165.0	YES	YES	YES	ENGINE
500	235	543	4TUF11	651	282	3300	170.2	YES	YES	YES	ENGINE
500	235	543	4TUTF14	566	245	1760	138.0	125	125	N.A.	MOTOR
500	235	542	5TUF13B	597	258	2950	217.8	200	N.A.	N.A.	MOTOR
500	235	542	5TUF13B	591	256	2800	208.1	YES	N.A.	N.A.	ENGINE
500	235	542	5TUF13B	598	259	3000	219.3	YES	N.A.	N.A.	ENGINE
500	235	543	5TUF7	554	240	2100	194.0	YES	N.A.	YES	ENGINE
500	240	554	4AEF12	580	251	3550	174.0	YES	YES	YES	ENGINE
500	240	554	4TUF11	657	284	2950	169.0	150	150	150	MOTOR
500	240	554	4TUF11	670	290	2800	174.9	YES	YES	YES	ENGINE
500	240	554	4TUF11	655	284	3000	170.0	YES	YES	YES	ENGINE
500	240	554	4TUF11	665	288	3300	175.2	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	240	554	4TUTF14	575	249	1760	141.0	125	125	N.A.	MOTOR
500	240	554	4TUTF14	575	249	1760	144.0	YES	YES	N.A.	ENGINE
500	240	554	5TUF13B	608	263	2950	222.5	200	N.A.	N.A.	MOTOR
500	240	554	5TUF13B	602	261	2800	212.6	YES	N.A.	N.A.	ENGINE
500	240	554	5TUF13B	611	265	3000	225.7	YES	N.A.	N.A.	ENGINE
500	240	554	5TUF7	566	245	2100	199.0	YES	N.A.	YES	ENGINE
500	245	566	4AEF12	593	257	3550	178.0	YES	YES	YES	ENGINE
500	245	566	4TUF11	672	291	2950	175.0	200	200	200	MOTOR
500	245	566	4TUF11	685	297	2800	180.9	YES	YES	YES	ENGINE
500	245	566	4TUF11	668	289	3000	175.0	YES	YES	YES	ENGINE
500	245	566	4TUF11	678	294	3300	180.2	YES	YES	YES	ENGINE
500	245	566	4TUTF14	587	254	1760	144.0	150	150	N.A.	MOTOR
500	245	565	5TUF13B	619	268	2950	226.8	200	N.A.	N.A.	MOTOR
500	245	565	5TUF13B	613	265	2800	216.6	YES	N.A.	N.A.	ENGINE
500	245	565	5TUF13B	621	269	3000	230.1	YES	N.A.	N.A.	ENGINE
500	245	566	5TUF7	578	250	2100	204.0	YES	N.A.	YES	ENGINE
500	247	571	4THF15	620	268	2900	243.0	YES	NO	YES	ENGINE
500	250	578	4AEF12	606	262	3550	181.0	YES	YES	YES	ENGINE
500	250	578	4TUF11	683	296	2950	180.0	200	200	200	MOTOR
500	250	578	4TUF11	696	301	2800	185.9	YES	YES	YES	ENGINE
500	250	578	4TUF11	682	295	3000	180.0	YES	YES	YES	ENGINE
500	250	578	4TUF11	692	300	3300	185.2	YES	YES	YES	ENGINE
500	250	578	4TUTF14	596	258	1760	147.0	150	150	N.A.	MOTOR
500	250	578	4TUTF14	596	258	1760	150.0	YES	YES	N.A.	ENGINE
500	250	577	5TUF13B	630	273	2950	230.0	200	N.A.	N.A.	MOTOR
500	250	577	5TUF13B	624	270	2800	221.1	YES	N.A.	N.A.	ENGINE
500	250	577	5TUF13B	632	274	3000	234.8	YES	N.A.	N.A.	ENGINE
500	250	578	5TUF7	589	255	2100	209.0	YES	N.A.	YES	ENGINE
500	255	589	4AEF12	619	268	3550	185.0	YES	YES	YES	ENGINE
500	255	589	4THF15	640	277	2950	216.0	200	N.A.	200	MOTOR
500	255	589	4TUF11	693	300	2950	185.0	200	200	200	MOTOR
500	255	589	4TUF11	706	306	2800	190.9	YES	YES	YES	ENGINE
500	255	589	4TUF11	695	301	3000	185.0	YES	YES	YES	ENGINE
500	255	589	4TUF11	705	305	3300	190.2	YES	YES	YES	ENGINE
500	255	588	5TUF13B	640	277	2950	235.7	250	N.A.	N.A.	MOTOR
500	255	588	5TUF13B	634	274	2800	225.2	YES	N.A.	N.A.	ENGINE
500	255	588	5TUF13B	643	278	3000	239.2	YES	N.A.	N.A.	ENGINE
500	255	589	5TUF7	600	260	2100	214.0	YES	N.A.	YES	ENGINE
500	257	594	3THF16	680	294	2950	154.0	150	NO	NO	MOTOR
500	260	601	4AEF12	636	275	3550	190.0	YES	YES	YES	ENGINE
500	260	601	4TUF11	704	305	2950	190.0	200	200	200	MOTOR
500	260	601	4TUF11	717	310	2800	195.9	YES	YES	YES	ENGINE
500	260	601	4TUF11	706	306	3000	190.0	YES	YES	YES	ENGINE
500	260	601	4TUF11	716	310	3300	195.2	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	260	600	5TUF13B	652	282	2950	240.4	250	N.A.	N.A.	MOTOR
500	260	600	5TUF13B	646	280	2800	229.6	YES	N.A.	N.A.	ENGINE
500	260	600	5TUF13B	654	283	3000	243.9	YES	N.A.	N.A.	ENGINE
500	260	600	5TUF7	612	265	2100	219.0	YES	N.A.	YES	ENGINE
500	264	610	4THF15	660	286	3000	227.5	YES	NO	YES	ENGINE
500	265	612	4TUF11	715	310	2950	194.0	200	200	200	MOTOR
500	265	612	4TUF11	728	315	2800	199.9	YES	YES	YES	ENGINE
500	265	612	4TUF11	717	310	3000	195.0	YES	YES	YES	ENGINE
500	265	612	4TUF11	727	315	3300	200.2	YES	YES	YES	ENGINE
500	265	611	5TUF13B	662	287	2950	244.7	250	N.A.	N.A.	MOTOR
500	265	611	5TUF13B	656	284	2800	230.0	YES	N.A.	N.A.	ENGINE
500	265	611	5TUF13B	664	287	3000	245.0	YES	N.A.	N.A.	ENGINE
500	265	612	5TUF7	624	270	2100	224.0	YES	N.A.	YES	ENGINE
500	268	619	3THF16	705	305	3000	162.0	YES	NO	NO	ENGINE
500	269	621	4TUF11	710	308	2800	197.0	YES	YES	YES	ENGINE
500	270	624	4TUF11	725	314	2950	199.0	200	200	200	MOTOR
500	270	624	4TUF11	728	315	3000	201.0	YES	YES	YES	ENGINE
500	270	624	4TUF11	706	306	3300	192.0	YES	YES	YES	ENGINE
500	270	624	5TUF13B	674	292	2950	249.8	250	N.A.	N.A.	MOTOR
500	270	624	5TUF13B	668	289	2800	238.5	YES	N.A.	N.A.	ENGINE
500	270	624	5TUF13B	676	293	3000	253.5	YES	N.A.	N.A.	ENGINE
500	270	624	5TUF7	635	275	2100	230.0	YES	N.A.	YES	ENGINE
500	272	628	4TUF11	727	315	3550	190.0	200	200	200	MOTOR
500	275	635	4TUF11	736	319	2950	204.0	200	200	200	MOTOR
500	275	635	4TUF11	737	319	3550	196.0	200	200	200	MOTOR
500	275	635	4TUF11	739	320	3000	206.0	YES	YES	YES	ENGINE
500	275	635	4TUF11	753	326	3300	211.4	YES	YES	YES	ENGINE
500	275	635	5TUF13B	685	297	2950	254.1	250	N.A.	N.A.	MOTOR
500	275	635	5TUF13B	679	294	2800	242.6	YES	N.A.	N.A.	ENGINE
500	275	635	5TUF13B	687	297	3000	257.8	YES	N.A.	N.A.	ENGINE
500	275	635	5TUF7	647	280	2100	235.0	YES	N.A.	YES	ENGINE
500	277	640	5TUF7	649	281	2100	235.0	N.A.	N.A.	YES	ENGINE
500	280	647	4TUF11	746	323	2950	209.0	200	200	200	MOTOR
500	280	647	4TUF11	748	324	3550	201.0	200	200	200	MOTOR
500	280	647	4TUF11	750	325	3000	211.0	YES	YES	YES	ENGINE
500	280	647	4TUF11	764	331	3300	216.4	YES	YES	YES	ENGINE
500	280	647	5TUF13B	696	301	2950	258.8	250	N.A.	N.A.	MOTOR
500	280	647	5TUF13B	690	299	2800	247.1	YES	N.A.	N.A.	ENGINE
500	280	647	5TUF13B	697	302	3000	262.6	YES	N.A.	N.A.	ENGINE
500	285	658	4TUF11	757	328	2950	214.0	200	200	200	MOTOR
500	285	658	4TUF11	758	328	3550	207.0	200	200	200	MOTOR
500	285	658	4TUF11	761	329	3000	216.0	YES	YES	YES	ENGINE
500	285	658	4TUF11	775	336	3300	221.4	YES	YES	YES	ENGINE
500	285	658	5TUF13B	706	306	2950	263.1	250	N.A.	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	285	658	5TUF13B	701	303	2800	251.2	YES	N.A.	N.A.	ENGINE
500	285	658	5TUF13B	709	307	3000	267.0	YES	N.A.	N.A.	ENGINE
500	290	670	4TUF11	768	332	2950	219.0	200	200	200	MOTOR
500	290	670	4TUF11	769	333	3550	212.0	200	200	200	MOTOR
500	290	670	4TUF11	772	334	3000	221.0	YES	YES	YES	ENGINE
500	290	670	4TUF11	786	340	3300	226.4	YES	YES	YES	ENGINE
500	290	670	5TUF13B	718	311	2950	267.8	250	N.A.	N.A.	MOTOR
500	290	670	5TUF13B	712	308	2800	255.8	YES	N.A.	N.A.	ENGINE
500	290	670	5TUF13B	720	312	3000	271.8	YES	N.A.	N.A.	ENGINE
500	295	681	4TUF11	778	337	2950	224.0	200	200	200	MOTOR
500	295	681	4TUF11	779	337	3550	218.0	200	200	200	MOTOR
500	295	681	4TUF11	783	339	3000	226.0	YES	YES	YES	ENGINE
500	295	681	4TUF11	797	345	3300	231.4	YES	YES	YES	ENGINE
500	295	681	5TUF13B	728	315	2950	272.1	250	N.A.	N.A.	MOTOR
500	295	681	5TUF13B	723	313	2800	260.0	YES	N.A.	N.A.	ENGINE
500	295	681	5TUF13B	730	316	3000	276.1	YES	N.A.	N.A.	ENGINE
500	300	693	4TUF11	789	342	2950	229.0	200	200	200	MOTOR
500	300	693	4TUF11	790	342	3550	223.0	200	200	200	MOTOR
500	300	693	4TUF11	794	344	3000	232.0	YES	YES	YES	ENGINE
500	300	693	4TUF11	808	350	3300	237.4	YES	YES	YES	ENGINE
500	300	693	5TUF13B	740	320	2950	276.8	250	N.A.	N.A.	MOTOR
500	300	693	5TUF13B	735	318	2800	264.6	YES	N.A.	N.A.	ENGINE
500	300	693	5TUF13B	742	321	3000	280.9	YES	N.A.	N.A.	ENGINE
500	302	697	5TUF13B	758	328	3300	306.7	YES	N.A.	N.A.	ENGINE
500	305	705	4TUF11	800	346	3550	229.0	200	200	200	MOTOR
500	305	705	4TUF11	805	348	3000	237.0	YES	YES	YES	ENGINE
500	305	705	4TUF11	819	355	3300	242.4	YES	YES	YES	ENGINE
500	305	704	5TUF13B	750	325	2950	281.1	250	N.A.	N.A.	MOTOR
500	305	704	5TUF13B	746	323	2800	268.9	YES	N.A.	N.A.	ENGINE
500	305	704	5TUF13B	752	326	3000	285.3	YES	N.A.	N.A.	ENGINE
500	305	704	5TUF13B	765	331	3300	309.8	YES	N.A.	N.A.	ENGINE
500	310	716	4TUF11	808	350	3550	235.0	250	250	250	MOTOR
500	310	716	4TUF11	816	353	3000	242.0	YES	YES	YES	ENGINE
500	310	716	4TUF11	830	359	3300	247.4	YES	YES	YES	ENGINE
500	310	716	5TUF13B	761	329	2950	285.9	250	N.A.	N.A.	MOTOR
500	310	716	5TUF13B	758	328	2800	273.6	YES	N.A.	N.A.	ENGINE
500	310	716	5TUF13B	763	330	3000	287.5	YES	N.A.	N.A.	ENGINE
500	310	716	5TUF13B	776	336	3300	315.0	YES	N.A.	N.A.	ENGINE
500	312	721	4TUF11	816	353	3000	242.0	YES	YES	YES	ENGINE
500	315	728	4TUF11	815	353	3550	240.0	250	250	250	MOTOR
500	315	728	4TUF11	829	359	3300	245.4	YES	YES	YES	ENGINE
500	315	727	5TUF13B	772	334	2950	287.5	250	N.A.	N.A.	MOTOR
500	315	727	5TUF13B	768	332	2800	277.9	YES	N.A.	N.A.	ENGINE
500	315	727	5TUF13B	774	335	3000	294.5	YES	N.A.	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	315	727	5TUF13B	787	341	3300	319.8	YES	N.A.	N.A.	ENGINE
500	320	739	4TUF11	823	356	3550	246.0	250	250	250	MOTOR
500	320	739	4TUF11	837	362	3300	251.4	YES	YES	YES	ENGINE
500	320	739	5TUF13B	783	339	2950	294.9	300	N.A.	N.A.	MOTOR
500	320	739	5TUF13B	780	338	2800	282.6	YES	N.A.	N.A.	ENGINE
500	320	739	5TUF13B	785	340	3000	299.3	YES	N.A.	N.A.	ENGINE
500	320	739	5TUF13B	798	345	3300	325.1	YES	N.A.	N.A.	ENGINE
500	325	751	4TUF11	831	360	3550	252.0	250	250	250	MOTOR
500	325	751	4TUF11	842	364	3300	257.9	YES	YES	YES	ENGINE
500	325	750	5TUF13B	791	342	2950	297.9	300	N.A.	N.A.	MOTOR
500	325	750	5TUF13B	791	342	2800	286.9	YES	N.A.	N.A.	ENGINE
500	325	750	5TUF13B	796	345	3000	303.7	YES	N.A.	N.A.	ENGINE
500	325	750	5TUF13B	808	350	3300	329.9	YES	N.A.	N.A.	ENGINE
500	330	762	4TUF11	838	363	3550	257.0	250	250	250	MOTOR
500	330	762	4TUF11	849	368	3300	262.9	YES	YES	YES	ENGINE
500	330	762	5TUF13B	806	349	2950	304.2	300	N.A.	N.A.	MOTOR
500	330	762	5TUF13B	803	348	2800	291.5	YES	N.A.	N.A.	ENGINE
500	330	762	5TUF13B	807	349	3000	308.5	YES	N.A.	N.A.	ENGINE
500	330	762	5TUF13B	820	355	3300	335.2	YES	N.A.	N.A.	ENGINE
500	335	774	4TUF11	846	366	3550	263.0	250	250	250	MOTOR
500	335	774	4TUF11	857	371	3300	268.9	YES	YES	YES	ENGINE
500	335	773	5TUF13B	817	354	2950	308.7	300	N.A.	N.A.	MOTOR
500	335	773	5TUF13B	814	352	2800	295.8	YES	N.A.	N.A.	ENGINE
500	335	773	5TUF13B	818	354	3000	313.0	YES	N.A.	N.A.	ENGINE
500	335	773	5TUF13B	830	359	3300	340.0	YES	N.A.	N.A.	ENGINE
500	340	785	4TUF11	854	370	3550	269.0	250	250	250	MOTOR
500	340	785	4TUF11	865	374	3300	274.9	YES	YES	YES	ENGINE
500	340	785	5TUF13B	829	359	2950	313.7	300	N.A.	N.A.	MOTOR
500	340	785	5TUF13B	826	358	2800	300.5	YES	N.A.	N.A.	ENGINE
500	340	785	5TUF13B	830	359	3000	317.9	YES	N.A.	N.A.	ENGINE
500	340	785	5TUF13B	842	365	3300	345.3	YES	N.A.	N.A.	ENGINE
500	345	797	4TUF11	862	373	3550	275.0	250	250	250	MOTOR
500	345	797	4TUF11	872	378	3300	280.9	YES	YES	YES	ENGINE
500	345	796	5TUF13B	839	363	2950	318.2	300	N.A.	N.A.	MOTOR
500	345	796	5TUF13B	837	362	2800	304.7	YES	N.A.	N.A.	ENGINE
500	345	796	5TUF13B	840	364	3000	322.5	YES	N.A.	N.A.	ENGINE
500	345	796	5TUF13B	852	369	3300	350.1	YES	N.A.	N.A.	ENGINE
500	350	809	4TUF11	869	376	3550	280.0	250	250	250	MOTOR
500	350	809	4TUF11	880	381	3300	285.9	YES	YES	YES	ENGINE
500	350	808	5TUF13B	851	368	2950	323.1	300	N.A.	N.A.	MOTOR
500	350	808	5TUF13B	849	368	2800	309.4	YES	N.A.	N.A.	ENGINE
500	350	808	5TUF13B	852	369	3000	327.5	YES	N.A.	N.A.	ENGINE
500	350	808	5TUF13B	863	374	3300	355.4	YES	N.A.	N.A.	ENGINE
500	351	811	5TUF13B	877	380	3550	366.7	350	N.A.	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	355	820	4TUF11	877	380	3550	286.0	250	250	250	MOTOR
500	355	820	4TUF11	888	384	3300	291.9	YES	YES	YES	ENGINE
500	355	820	5TUF13B	863	374	2950	328.0	300	N.A.	N.A.	MOTOR
500	355	820	5TUF13B	886	384	3550	370.9	350	N.A.	N.A.	MOTOR
500	355	820	5TUF13B	860	372	2800	314.0	YES	N.A.	N.A.	ENGINE
500	355	820	5TUF13B	864	374	3000	332.5	YES	N.A.	N.A.	ENGINE
500	355	820	5TUF13B	875	379	3300	360.7	YES	N.A.	N.A.	ENGINE
500	360	832	4TUF11	885	383	3550	292.0	300	300	300	MOTOR
500	360	832	4TUF11	896	388	3300	297.9	YES	YES	YES	ENGINE
500	360	832	5TUF13B	875	379	2950	332.9	300	N.A.	N.A.	MOTOR
500	360	832	5TUF13B	897	388	3550	376.6	350	N.A.	N.A.	MOTOR
500	360	832	5TUF13B	872	377	2800	318.7	YES	N.A.	N.A.	ENGINE
500	360	832	5TUF13B	876	379	3000	337.5	YES	N.A.	N.A.	ENGINE
500	360	832	5TUF13B	886	384	3300	366.0	YES	N.A.	N.A.	ENGINE
500	365	843	4TUF11	892	386	3550	297.0	300	300	300	MOTOR
500	365	843	4TUF11	903	391	3300	302.9	YES	YES	YES	ENGINE
500	365	843	5TUF13B	886	384	2950	337.4	300	N.A.	N.A.	MOTOR
500	365	843	5TUF13B	908	393	3550	381.8	350	N.A.	N.A.	MOTOR
500	365	843	5TUF13B	883	382	2800	323.0	YES	N.A.	N.A.	ENGINE
500	365	843	5TUF13B	887	384	3000	342.1	YES	N.A.	N.A.	ENGINE
500	365	843	5TUF13B	897	388	3300	370.8	YES	N.A.	N.A.	ENGINE
500	370	855	4TUF11	900	390	3550	303.0	300	300	300	MOTOR
500	370	855	4TUF11	911	394	3300	308.9	YES	YES	YES	ENGINE
500	370	855	5TUF13B	898	389	2950	342.3	300	N.A.	N.A.	MOTOR
500	370	855	5TUF13B	919	398	3550	387.5	350	N.A.	N.A.	MOTOR
500	370	855	5TUF13B	895	387	2800	327.6	YES	N.A.	N.A.	ENGINE
500	370	855	5TUF13B	899	389	3000	345.0	YES	N.A.	N.A.	ENGINE
500	370	855	5TUF13B	908	393	3300	376.1	YES	N.A.	N.A.	ENGINE
500	372	859	5TUF13B	899	389	2800	329.2	YES	N.A.	N.A.	ENGINE
500	375	866	4TUF11	916	397	3550	309.0	300	300	300	MOTOR
500	375	866	4TUF11	927	401	3300	314.9	YES	YES	YES	ENGINE
500	375	866	5TUF13B	909	394	2950	345.0	300	N.A.	N.A.	MOTOR
500	375	866	5TUF13B	930	403	3550	392.7	350	N.A.	N.A.	MOTOR
500	375	866	5TUF13B	910	394	3000	351.7	YES	N.A.	N.A.	ENGINE
500	375	866	5TUF13B	919	398	3300	381.0	YES	N.A.	N.A.	ENGINE
500	380	878	4TUF11	932	403	3550	316.0	300	300	300	MOTOR
500	380	878	4TUF11	943	408	3300	321.9	YES	YES	YES	ENGINE
500	380	878	5TUF13B	920	398	2950	351.7	350	N.A.	N.A.	MOTOR
500	380	878	5TUF13B	941	407	3550	398.4	350	N.A.	N.A.	MOTOR
500	380	878	5TUF13B	921	399	3000	356.7	YES	N.A.	N.A.	ENGINE
500	380	878	5TUF13B	930	403	3300	386.3	YES	N.A.	N.A.	ENGINE
500	384	887	4TUF11	941	407	3300	392.2	YES	YES	YES	ENGINE
500	385	889	4TUF11	948	410	3550	322.0	300	300	300	MOTOR
500	385	889	5TUF13B	931	403	2950	356.2	350	N.A.	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	385	889	5TUF13B	951	412	3550	402.5	350	N.A.	N.A.	MOTOR
500	385	889	5TUF13B	932	403	3000	361.3	YES	N.A.	N.A.	ENGINE
500	385	889	5TUF13B	941	407	3300	391.1	YES	N.A.	N.A.	ENGINE
500	390	901	4TUF11	964	417	3550	329.0	300	300	300	MOTOR
500	390	901	5TUF13B	943	408	2950	361.1	350	N.A.	N.A.	MOTOR
500	390	901	5TUF13B	963	417	3550	409.3	400	N.A.	N.A.	MOTOR
500	390	901	5TUF13B	944	409	3000	366.2	YES	N.A.	N.A.	ENGINE
500	390	901	5TUF13B	952	412	3300	396.4	YES	N.A.	N.A.	ENGINE
500	395	912	4TUF11	980	424	3550	335.0	300	300	300	MOTOR
500	395	912	5TUF13B	954	413	2950	365.6	350	N.A.	N.A.	MOTOR
500	395	912	5TUF13B	973	421	3550	414.5	400	N.A.	N.A.	MOTOR
500	395	912	5TUF13B	955	413	3000	370.8	YES	N.A.	N.A.	ENGINE
500	395	912	5TUF13B	962	416	3300	401.3	YES	N.A.	N.A.	ENGINE
500	400	924	4TUF11	996	431	3550	342.0	300	300	300	MOTOR
500	400	924	5TUF13B	966	418	2950	370.5	350	N.A.	N.A.	MOTOR
500	400	924	5TUF13B	985	426	3550	420.2	400	N.A.	N.A.	MOTOR
500	400	924	5TUF13B	967	419	3000	375.8	YES	N.A.	N.A.	ENGINE
500	400	924	5TUF13B	974	422	3300	406.6	YES	N.A.	N.A.	ENGINE
500	405	936	4TUF11	1012	438	3550	348.0	350	350	350	MOTOR
500	405	935	5TUF13B	977	423	2950	375.0	350	N.A.	N.A.	MOTOR
500	405	935	5TUF13B	995	431	3550	425.4	400	N.A.	N.A.	MOTOR
500	405	935	5TUF13B	978	423	3000	380.4	YES	N.A.	N.A.	ENGINE
500	405	935	5TUF13B	984	426	3300	411.5	YES	N.A.	N.A.	ENGINE
500	410	947	4TUF11	1028	445	3550	355.0	350	350	350	MOTOR
500	410	947	5TUF13B	988	428	2950	379.9	350	N.A.	N.A.	MOTOR
500	410	947	5TUF13B	1007	436	3550	431.1	400	N.A.	N.A.	MOTOR
500	410	947	5TUF13B	990	429	3000	385.3	YES	N.A.	N.A.	ENGINE
500	410	947	5TUF13B	996	431	3300	416.9	YES	N.A.	N.A.	ENGINE
500	414	956	5TUF13B	997	432	2950	383.6	350	N.A.	N.A.	MOTOR
500	415	959	4TUF11	1044	452	3550	361.0	350	350	350	MOTOR
500	415	958	5TUF13B	1017	440	3550	436.3	400	N.A.	N.A.	MOTOR
500	415	958	5TUF13B	1000	433	3000	389.9	YES	N.A.	N.A.	ENGINE
500	415	958	5TUF13B	1007	436	3300	421.9	YES	N.A.	N.A.	ENGINE
500	420	970	4TUF11	1060	459	3550	368.0	350	350	350	MOTOR
500	420	970	5TUF13B	1029	445	3550	442.0	400	N.A.	N.A.	MOTOR
500	420	970	5TUF13B	1012	438	3000	394.9	YES	N.A.	N.A.	ENGINE
500	420	970	5TUF13B	1019	441	3300	427.4	YES	N.A.	N.A.	ENGINE
500	425	982	4TUF11	1076	466	3550	374.0	350	350	350	MOTOR
500	425	981	5TUF13B	1039	450	3550	447.3	400	N.A.	N.A.	MOTOR
500	425	981	5TUF13B	1023	443	3000	399.4	YES	N.A.	N.A.	ENGINE
500	425	981	5TUF13B	1030	446	3300	432.5	YES	N.A.	N.A.	ENGINE
500	429	991	5TUF13B	1033	447	3000	402.5	YES	N.A.	N.A.	ENGINE
500	430	993	4TUF11	1092	473	3550	381.0	350	350	350	MOTOR
500	430	993	5TUF13B	1051	455	3550	453.0	400	N.A.	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
500	430	993	5TUF13B	1042	451	3300	437.9	YES	N.A.	N.A.	ENGINE
500	435	1005	4TUF11	1108	480	3550	387.0	350	350	350	MOTOR
500	435	1004	5TUF13B	1061	459	3550	458.2	400	N.A.	N.A.	MOTOR
500	435	1004	5TUF13B	1052	455	3300	443.0	YES	N.A.	N.A.	ENGINE
500	440	1016	4TUF11	1124	487	3550	394.0	350	350	350	MOTOR
500	440	1016	5TUF13B	1073	465	3550	460.0	400	N.A.	N.A.	MOTOR
500	440	1016	5TUF13B	1064	461	3300	448.5	YES	N.A.	N.A.	ENGINE
500	445	1027	5TUF13B	1083	469	3550	469.2	450	N.A.	N.A.	MOTOR
500	445	1027	5TUF13B	1075	465	3300	453.5	YES	N.A.	N.A.	ENGINE
500	446	1030	4TUF11	1140	494	3550	400.0	350	350	350	MOTOR
500	450	1040	5TUF13B	1096	474	3550	475.4	450	N.A.	N.A.	MOTOR
500	450	1040	5TUF13B	1088	471	3300	459.4	YES	N.A.	N.A.	ENGINE
500	455	1051	5TUF13B	1106	479	3550	480.7	450	N.A.	N.A.	MOTOR
500	455	1051	5TUF13B	1099	476	3300	464.4	YES	N.A.	N.A.	ENGINE
500	460	1063	5TUF13B	1118	484	3550	486.4	450	N.A.	N.A.	MOTOR
500	465	1074	5TUF13B	1128	488	3550	491.6	450	N.A.	N.A.	MOTOR
500	470	1086	5TUF13B	1140	494	3550	497.4	450	N.A.	N.A.	MOTOR
500	475	1097	5TUF13B	1150	498	3550	502.7	450	N.A.	N.A.	MOTOR
500	480	1109	5TUF13B	1162	503	3550	508.6	450	N.A.	N.A.	MOTOR
500	485	1120	5TUF13B	1173	508	3550	514.0	450	N.A.	N.A.	MOTOR
500	490	1132	5TUF13B	1185	513	3550	517.5	450	N.A.	N.A.	MOTOR
500	495	1143	5TUF13B	1196	518	3550	525.3	500	N.A.	N.A.	MOTOR
500	500	1155	5TUF13B	1208	523	3550	531.2	500	N.A.	N.A.	MOTOR
500	505	1166	5TUF13B	1218	527	3550	536.6	500	N.A.	N.A.	MOTOR
500	510	1178	5TUF13B	1230	532	3550	542.5	500	N.A.	N.A.	MOTOR
500	515	1190	5TUF13B	1242	538	3550	548.4	500	N.A.	N.A.	MOTOR
500	520	1201	5TUF13B	1253	542	3550	553.8	500	N.A.	N.A.	MOTOR
500	525	1213	5TUF13B	1268	549	3550	561.1	500	N.A.	N.A.	MOTOR
750	40	92	4AEF11	106	46	1760	24.0	25	25	25	MOTOR
750	40	92	4AEF11	107	46	1760	25.0	YES	YES	YES	ENGINE
750	45	104	4AEF11	118	51	1760	28.0	25	25	25	MOTOR
750	45	104	4AEF11	120	52	1760	29.0	YES	YES	YES	ENGINE
750	50	116	4AEF11	130	56	1760	33.0	30	30	30	MOTOR
750	50	116	4AEF11	132	57	1760	34.0	YES	YES	YES	ENGINE
750	50	116	5AEF14	128	55	1760	39.0	40	40	40	MOTOR
750	50	116	5AEF14	128	55	1760	39.0	YES	YES	YES	ENGINE
750	50	116	5AEF8	149	65	2950	31.0	30	30	N.A.	MOTOR
750	50	116	5AEF8G	139	60	2950	36.0	N.A.	40	40	MOTOR
750	50	116	6AEF12	129	56	1760	40.0	40	40	40	MOTOR
750	50	116	6AEF12	130	56	1760	41.0	YES	YES	YES	ENGINE
750	54	125	5AEF8	156	68	2950	34.0	30	30	30	MOTOR
750	55	127	4AEF11	141	61	1760	39.0	40	40	40	MOTOR
750	55	127	4AEF11	142	61	1760	39.0	YES	YES	YES	ENGINE
750	55	127	5AEF14	138	60	1760	43.0	40	40	40	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	55	127	5AEF14	140	61	1760	43.0	YES	YES	YES	ENGINE
750	55	127	5AEF8	159	69	2950	35.0	40	40	40	MOTOR
750	55	127	5AEF8G	150	65	2950	41.0	N.A.	40	40	MOTOR
750	55	127	6AEF12	138	60	1760	44.0	40	40	40	MOTOR
750	55	127	6AEF12	143	62	1760	45.0	YES	YES	YES	ENGINE
750	58	134	5AEF11	156	68	2600	41.0	YES	YES	N.A.	ENGINE
750	60	139	5AEF11	161	70	2600	43.0	YES	YES	N.A.	ENGINE
750	60	139	5AEF14	148	64	1760	46.0	40	40	40	MOTOR
750	60	139	5AEF14	152	66	1760	47.0	YES	YES	YES	ENGINE
750	60	139	5AEF8	171	74	2950	39.0	40	40	40	MOTOR
750	60	139	5AEF8	175	76	3550	41.0	N.A.	N.A.	40	MOTOR
750	60	139	5AEF8	173	75	3000	40.0	YES	YES	YES	ENGINE
750	60	139	5AEF8G	161	70	2950	45.0	N.A.	40	40	MOTOR
750	60	139	6AEF12	153	66	1760	49.0	50	50	50	MOTOR
750	60	139	6AEF12	154	67	1760	49.0	YES	YES	YES	ENGINE
750	62	143	4THF15	190	82	2200	46.0	YES	NO	YES	ENGINE
750	62	144	5AEF8	180	78	3550	43.0	40	40	40	MOTOR
750	65	150	5AEF11	172	74	2600	47.0	YES	YES	N.A.	ENGINE
750	65	150	5AEF11	178	77	2800	50.0	N.A.	YES	YES	ENGINE
750	65	150	5AEF14	162	70	1760	50.0	50	50	50	MOTOR
750	65	150	5AEF14	164	71	1760	51.0	YES	YES	YES	ENGINE
750	65	150	5AEF8	183	79	2950	44.0	40	40	40	MOTOR
750	65	150	5AEF8	185	80	3550	44.0	40	40	40	MOTOR
750	65	150	5AEF8	185	80	3000	45.0	YES	YES	YES	ENGINE
750	65	150	5AEF8	187	81	3550	44.0	YES	YES	YES	ENGINE
750	65	150	5AEF8G	171	74	2950	49.0	N.A.	50	50	MOTOR
750	65	150	6AEF12	165	71	1760	53.0	50	50	50	MOTOR
750	65	150	6AEF12	166	72	1760	53.0	YES	YES	YES	ENGINE
750	69	159	4THF15	210	91	2300	52.0	YES	NO	YES	ENGINE
750	70	162	5AEF11	184	80	2600	51.0	YES	YES	N.A.	ENGINE
750	70	162	5AEF11	183	79	2800	52.0	YES	YES	YES	ENGINE
750	70	162	5AEF14	174	75	1760	53.0	50	50	50	MOTOR
750	70	162	5AEF14	176	76	1760	54.0	YES	YES	YES	ENGINE
750	70	162	5AEF8	194	84	2950	49.0	50	50	50	MOTOR
750	70	162	5AEF8	196	85	3550	47.0	50	50	50	MOTOR
750	70	162	5AEF8	197	85	3000	49.0	YES	YES	YES	ENGINE
750	70	162	5AEF8	196	85	3300	47.0	YES	YES	YES	ENGINE
750	70	162	5AEF8	198	86	3550	48.0	YES	YES	YES	ENGINE
750	70	162	5AEF8G	184	80	3550	55.0	N.A.	50	50	MOTOR
750	70	162	5THF15	205	89	2200	58.0	YES	NO	YES	ENGINE
750	70	162	6AEF12	173	75	1760	60.0	60	60	60	MOTOR
750	70	162	6AEF12	173	75	1760	60.0	YES	YES	YES	ENGINE
750	74	171	5THF11	200	87	2950	55.0	50	N.A.	50	MOTOR
750	75	173	5AEF11	195	84	2600	55.0	YES	YES	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	75	173	5AEF11	195	84	2800	56.0	YES	YES	YES	ENGINE
750	75	173	5AEF14	181	78	1760	55.0	50	50	50	MOTOR
750	75	173	5AEF14	187	81	1760	58.0	YES	YES	YES	ENGINE
750	75	173	5AEF14	182	79	2100	65.0	YES	YES	N.A.	ENGINE
750	75	173	5AEF8	206	89	2950	54.0	50	50	50	MOTOR
750	75	173	5AEF8	207	90	3550	51.0	50	50	50	MOTOR
750	75	173	5AEF8	208	90	3000	54.0	YES	YES	YES	ENGINE
750	75	173	5AEF8	208	90	3300	52.0	YES	YES	YES	ENGINE
750	75	173	5AEF8	209	90	3550	52.0	YES	YES	YES	ENGINE
750	75	173	5AEF8G	197	85	3550	61.0	N.A.	60	60	MOTOR
750	77	178	4THF15	230	100	2400	60.0	YES	NO	YES	ENGINE
750	78	180	5THF15	230	100	2300	62.0	YES	NO	YES	ENGINE
750	80	185	5AEF11	207	90	2600	60.0	YES	YES	N.A.	ENGINE
750	80	185	5AEF11	206	89	2800	60.0	YES	YES	YES	ENGINE
750	80	185	5AEF14	196	85	1760	63.0	60	60	60	MOTOR
750	80	185	5AEF14	198	86	1760	64.0	YES	YES	YES	ENGINE
750	80	185	5AEF14	192	83	2100	70.0	YES	YES	N.A.	ENGINE
750	80	185	5AEF8	218	94	3550	55.0	50	50	50	MOTOR
750	80	185	5AEF8	220	95	3300	58.0	YES	YES	YES	ENGINE
750	80	185	5AEF8	220	95	3550	55.0	YES	YES	YES	ENGINE
750	80	185	5AEF8G	208	90	3550	66.0	N.A.	60	60	MOTOR
750	82	189	4AEF10	226	98	3300	56.0	YES	YES	YES	ENGINE
750	82	189	4THF15	172	74	2100	40.0	YES	NO	YES	ENGINE
750	83	192	4AEF10	231	100	2950	52.0	50	50	50	MOTOR
750	83	192	4AEF10	230	100	2800	53.0	YES	YES	YES	ENGINE
750	84	194	4AEF10	236	102	3550	59.0	YES	YES	YES	ENGINE
750	85	196	4AEF10	235	102	2950	54.0	50	50	50	MOTOR
750	85	196	4AEF10	235	102	3550	57.0	50	50	50	MOTOR
750	85	196	4AEF10	235	102	2800	54.0	YES	YES	YES	ENGINE
750	85	196	4AEF10	235	102	3300	58.0	YES	YES	YES	ENGINE
750	85	196	4AEF10	238	103	3550	60.0	YES	YES	YES	ENGINE
750	85	196	4THF15	245	106	2500	65.0	YES	NO	YES	ENGINE
750	85	196	5AEF11	219	95	2600	65.0	YES	YES	N.A.	ENGINE
750	85	196	5AEF11	217	94	2800	64.0	YES	YES	YES	ENGINE
750	85	196	5AEF14	207	90	1760	69.0	60	60	60	MOTOR
750	85	196	5AEF14	209	90	1760	70.0	YES	YES	YES	ENGINE
750	85	196	5AEF14	204	88	2100	75.0	YES	YES	N.A.	ENGINE
750	85	196	5AEF8	229	99	3550	60.0	60	60	60	MOTOR
750	85	196	5AEF8	232	100	3300	63.0	YES	YES	YES	ENGINE
750	85	196	5AEF8	231	100	3550	61.0	YES	YES	YES	ENGINE
750	85	196	5AEF8G	220	95	3550	71.0	N.A.	75	75	MOTOR
750	86	199	4AEF10	238	103	3000	56.0	YES	YES	YES	ENGINE
750	88	203	5THF15	225	97	2400	70.0	YES	NO	YES	ENGINE
750	90	208	4AEF10	246	106	2950	57.0	50	50	50	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	90	208	4AEF10	246	106	3550	62.0	60	60	60	MOTOR
750	90	208	4AEF10	240	104	2800	54.0	YES	YES	YES	ENGINE
750	90	208	4AEF10	250	108	3000	59.0	YES	YES	YES	ENGINE
750	90	208	4AEF10	249	108	3300	61.0	YES	YES	YES	ENGINE
750	90	208	4AEF10	249	108	3550	63.0	YES	YES	YES	ENGINE
750	90	208	5AEF11	232	100	2600	70.0	YES	YES	N.A.	ENGINE
750	90	208	5AEF11	228	99	2800	67.0	YES	YES	YES	ENGINE
750	90	208	5AEF14	213	92	1760	72.0	75	75	75	MOTOR
750	90	208	5AEF14	209	90	1760	70.0	YES	YES	YES	ENGINE
750	90	208	5AEF14	216	94	2100	80.0	YES	YES	N.A.	ENGINE
750	90	208	5AEF8	241	104	3550	65.0	60	60	60	MOTOR
750	90	208	5AEF8	243	105	3300	68.0	YES	YES	YES	ENGINE
750	90	208	5AEF8	243	105	3550	66.0	YES	YES	YES	ENGINE
750	90	208	5AEF8G	230	100	3550	77.0	N.A.	75	75	MOTOR
750	90	208	5THF15	190	82	2100	50.0	YES	NO	YES	ENGINE
750	93	215	4AEF10	253	110	2800	58.0	YES	YES	YES	ENGINE
750	93	215	5AEF14	219	95	2300	87.0	YES	YES	N.A.	ENGINE
750	94	217	4THF15	275	119	2600	75.0	YES	NO	YES	ENGINE
750	94	217	5AEF14	225	97	1760	85.0	75	75	75	MOTOR
750	94	217	5AEF14	225	97	1760	86.0	YES	YES	YES	ENGINE
750	95	219	4AEF10	258	112	2950	60.0	60	60	60	MOTOR
750	95	219	4AEF10	257	111	3550	65.0	60	60	60	MOTOR
750	95	219	4AEF10	260	113	3000	62.0	YES	YES	YES	ENGINE
750	95	219	4AEF10	259	112	3300	64.0	YES	YES	YES	ENGINE
750	95	219	4AEF10	260	113	3550	66.0	YES	YES	YES	ENGINE
750	95	219	4AEF12	267	116	2950	64.0	60	60	60	MOTOR
750	95	219	4THF10	260	113	3550	70.0	70	N.A.	70	MOTOR
750	95	219	5AEF11	244	106	2600	75.0	YES	YES	N.A.	ENGINE
750	95	219	5AEF11	240	104	2800	72.0	YES	YES	YES	ENGINE
750	95	219	5AEF14	228	99	2100	84.0	YES	YES	N.A.	ENGINE
750	95	219	5AEF14	223	97	2300	89.0	YES	YES	N.A.	ENGINE
750	95	219	5AEF8	253	110	3550	71.0	75	75	75	MOTOR
750	95	219	5AEF8	255	110	3300	74.0	YES	YES	YES	ENGINE
750	95	219	5AEF8	255	110	3550	72.0	YES	YES	YES	ENGINE
750	95	219	5AEF8G	241	104	3550	82.0	N.A.	75	75	MOTOR
750	95	219	5THF12	240	104	2950	80.0	75	N.A.	75	MOTOR
750	97	224	5THF15	275	119	2500	80.0	YES	NO	YES	ENGINE
750	100	231	4AEF10	269	116	2950	64.0	60	60	60	MOTOR
750	100	231	4AEF10	268	116	3550	68.0	60	60	75	MOTOR
750	100	231	4AEF10	273	118	3000	66.0	YES	YES	YES	ENGINE
750	100	231	4AEF10	271	117	3300	68.0	YES	YES	YES	ENGINE
750	100	231	4AEF10	270	117	3550	70.0	YES	YES	YES	ENGINE
750	100	231	4AEF12	280	121	2950	67.0	60	60	60	MOTOR
750	100	231	4AEF12	285	123	3000	69.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	100	231	5AEF11	252	109	2600	77.0	YES	YES	N.A.	ENGINE
750	100	231	5AEF11	251	109	2800	77.0	YES	YES	YES	ENGINE
750	100	231	5AEF14	240	104	2100	88.0	YES	YES	N.A.	ENGINE
750	100	231	5AEF14	236	102	2300	95.0	YES	YES	N.A.	ENGINE
750	100	231	5AEF14	235	102	2350	96.0	YES	YES	N.A.	ENGINE
750	100	231	5AEF8	265	115	3550	77.0	75	75	75	MOTOR
750	100	231	5AEF8	267	116	3550	76.0	YES	YES	YES	ENGINE
750	100	231	5AEF8G	250	108	3550	86.0	N.A.	75	75	MOTOR
750	100	231	5TUF7	268	116	1760	66.0	YES	YES	YES	ENGINE
750	105	243	4AEF10	281	122	2950	68.0	60	60	60	MOTOR
750	105	243	4AEF10	279	121	3550	72.0	75	75	75	MOTOR
750	105	243	4AEF10	285	123	3000	70.0	YES	YES	YES	ENGINE
750	105	243	4AEF10	283	123	3300	72.0	YES	YES	YES	ENGINE
750	105	243	4AEF10	281	122	3550	73.0	YES	YES	YES	ENGINE
750	105	243	4AEF12	293	127	2950	69.0	60	60	60	MOTOR
750	105	243	4AEF12	297	129	3000	72.0	YES	YES	YES	ENGINE
750	105	243	5AEF11	264	114	2800	82.0	YES	YES	YES	ENGINE
750	105	243	5AEF14	252	109	2100	92.0	YES	YES	N.A.	ENGINE
750	105	243	5AEF14	248	107	2300	101.0	YES	YES	N.A.	ENGINE
750	105	242	5AEF14	245	106	2350	103.0	YES	YES	N.A.	ENGINE
750	105	243	5AEF14	247	107	2350	102.0	YES	YES	N.A.	ENGINE
750	105	243	5AEF8	277	120	3550	82.0	75	75	75	MOTOR
750	105	243	5AEF8	279	121	3550	83.0	YES	YES	YES	ENGINE
750	105	243	5THF15	290	126	2600	95.0	YES	NO	YES	ENGINE
750	105	243	5TUF7	280	121	1760	70.0	YES	YES	YES	ENGINE
750	106	245	5AEF11	260	113	2600	78.0	YES	YES	N.A.	ENGINE
750	106	245	5THF10	280	121	3550	92.0	100	N.A.	100	MOTOR
750	107	247	4AEF10	281	122	2950	68.0	60	60	60	MOTOR
750	108	249	4THF15	325	141	2100	75.0	YES	NO	YES	ENGINE
750	110	254	4AEF10	290	126	3550	75.0	75	75	75	MOTOR
750	110	254	4AEF10	297	129	3000	71.0	YES	YES	YES	ENGINE
750	110	254	4AEF10	294	127	3300	75.0	YES	YES	YES	ENGINE
750	110	254	4AEF10	292	126	3550	77.0	YES	YES	YES	ENGINE
750	110	254	4AEF12	305	132	2950	73.0	75	75	75	MOTOR
750	110	254	4AEF12	310	134	3000	75.0	YES	YES	YES	ENGINE
750	110	254	5AEF11	276	119	2800	88.0	YES	YES	YES	ENGINE
750	110	254	5AEF14	263	114	2100	97.0	YES	YES	N.A.	ENGINE
750	110	254	5AEF14	260	113	2300	106.0	YES	YES	N.A.	ENGINE
750	110	254	5AEF14	259	112	2350	107.0	YES	YES	N.A.	ENGINE
750	110	254	5AEF14	258	112	2350	109.0	YES	YES	N.A.	ENGINE
750	110	254	5AEF8	291	126	3550	89.0	YES	YES	YES	ENGINE
750	110	254	5TUF7	292	126	1760	74.0	YES	YES	YES	ENGINE
750	111	256	5THF11	290	126	3550	95.0	100	N.A.	100	MOTOR
750	111	256	5THF11G	290	126	2950	80.0	80	N.A.	80	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	112	259	4THF15	320	139	2800	90.0	YES	NO	YES	ENGINE
750	115	266	4AEF10	301	130	3550	79.0	75	75	75	MOTOR
750	115	266	4AEF10	306	132	3300	79.0	YES	YES	YES	ENGINE
750	115	266	4AEF10	303	131	3550	80.0	YES	YES	YES	ENGINE
750	115	266	4AEF12	318	138	2950	77.0	75	75	75	MOTOR
750	115	266	4AEF12	322	139	3000	79.0	YES	YES	YES	ENGINE
750	115	266	5AEF11	288	125	2800	93.0	YES	YES	YES	ENGINE
750	115	266	5AEF14	274	119	2100	104.0	YES	YES	N.A.	ENGINE
750	115	266	5AEF14	272	118	2300	111.0	YES	YES	N.A.	ENGINE
750	115	266	5AEF14	271	117	2350	113.0	YES	YES	N.A.	ENGINE
750	115	266	5AEF14	270	117	2350	115.0	YES	YES	N.A.	ENGINE
750	115	266	5TUF7	303	131	1760	79.0	YES	YES	YES	ENGINE
750	120	277	4AEF10	312	135	3550	83.0	75	75	75	MOTOR
750	120	277	4AEF10	318	138	3300	83.0	YES	YES	YES	ENGINE
750	120	277	4AEF10	315	136	3550	84.0	YES	YES	YES	ENGINE
750	120	277	4AEF12	331	143	2950	81.0	75	75	75	MOTOR
750	120	277	4AEF12	335	145	3000	83.0	YES	YES	YES	ENGINE
750	120	277	5AEF11	294	127	2800	96.0	YES	YES	YES	ENGINE
750	120	277	5AEF14	286	124	2100	111.0	YES	YES	N.A.	ENGINE
750	120	277	5AEF14	284	123	2300	115.0	YES	YES	N.A.	ENGINE
750	120	277	5AEF14	283	123	2350	118.0	YES	YES	N.A.	ENGINE
750	120	277	5AEF14	282	122	2350	120.0	YES	YES	N.A.	ENGINE
750	120	277	5TUF7	315	136	1760	82.0	75	75	75	MOTOR
750	120	277	5TUF7	315	136	1760	83.0	YES	YES	YES	ENGINE
750	121	280	4AEF12	334	145	3300	89.0	YES	YES	YES	ENGINE
750	121	280	4THF15	340	147	2900	130.0	YES	NO	YES	ENGINE
750	121	280	5THF15	325	141	2100	92.0	YES	NO	YES	ENGINE
750	122	282	4THF15	345	149	2200	87.0	YES	NO	YES	ENGINE
750	124	286	4THF15	350	152	2950	110.0	100	N.A.	100	MOTOR
750	124	286	5THF15	340	147	2800	115.0	YES	NO	YES	ENGINE
750	125	289	4AEF10	324	140	3550	87.0	75	75	75	MOTOR
750	125	289	4AEF10	329	142	3300	87.0	YES	YES	YES	ENGINE
750	125	289	4AEF10	326	141	3550	88.0	YES	YES	YES	ENGINE
750	125	289	4AEF12	343	148	2950	85.0	75	75	75	MOTOR
750	125	289	4AEF12	347	150	3000	87.0	YES	YES	YES	ENGINE
750	125	289	4AEF12	337	146	3300	89.0	YES	YES	YES	ENGINE
750	125	289	5AEF14	297	129	2100	118.0	YES	YES	N.A.	ENGINE
750	125	289	5AEF14	296	128	2300	119.0	YES	YES	N.A.	ENGINE
750	125	289	5AEF14	295	128	2350	122.0	YES	YES	N.A.	ENGINE
750	125	289	5AEF14	294	127	2350	125.0	YES	YES	N.A.	ENGINE
750	125	289	5TUF7	327	142	1760	86.0	75	75	100	MOTOR
750	125	289	5TUF7	327	142	1760	87.0	YES	YES	YES	ENGINE
750	129	298	4THF10	355	154	3550	96.0	100	N.A.	100	MOTOR
750	130	300	4AEF10	335	145	3550	91.0	100	100	100	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	130	300	4AEF10	341	148	3300	91.0	YES	YES	YES	ENGINE
750	130	300	4AEF10	338	146	3550	93.0	YES	YES	YES	ENGINE
750	130	300	4AEF12	354	153	2950	89.0	100	100	100	MOTOR
750	130	300	4AEF12	359	155	3000	91.0	YES	YES	YES	ENGINE
750	130	300	4AEF12	349	151	3300	92.0	YES	YES	YES	ENGINE
750	130	300	5AEF14	307	133	2100	122.0	YES	YES	YES	ENGINE
750	130	300	5AEF14	307	133	2300	123.0	YES	YES	N.A.	ENGINE
750	130	300	5AEF14	306	132	2350	126.0	YES	YES	N.A.	ENGINE
750	130	300	5AEF14	306	132	2350	129.0	YES	YES	N.A.	ENGINE
750	130	300	5THF11G	340	147	3550	110.0	100	N.A.	100	MOTOR
750	130	300	5TUF7	339	147	1760	91.0	100	100	100	MOTOR
750	130	300	5TUF7	333	144	1760	91.0	YES	YES	YES	ENGINE
750	131	303	4THF15	360	156	3000	115.0	YES	NO	YES	ENGINE
750	134	310	5THF11	350	152	2950	105.0	100	N.A.	100	MOTOR
750	134	310	5THF15	365	158	2200	105.0	YES	NO	YES	ENGINE
750	135	312	4AEF10	347	150	3550	95.0	100	100	100	MOTOR
750	135	312	4AEF10	358	155	3300	95.0	YES	YES	YES	ENGINE
750	135	312	4AEF10	349	151	3550	97.0	YES	YES	YES	ENGINE
750	135	312	4AEF12	370	160	2950	93.0	100	100	100	MOTOR
750	135	312	4AEF12	373	161	3000	95.0	YES	YES	YES	ENGINE
750	135	312	4AEF12	362	157	3300	96.0	YES	YES	YES	ENGINE
750	135	312	5AEF14	321	139	2100	139.0	YES	YES	YES	ENGINE
750	135	312	5AEF14	319	138	2300	130.0	YES	YES	N.A.	ENGINE
750	135	312	5AEF14	319	138	2350	130.0	YES	YES	N.A.	ENGINE
750	135	312	5AEF14	318	138	2350	134.0	YES	YES	N.A.	ENGINE
750	135	312	5TUF7	350	152	1760	95.0	100	100	100	MOTOR
750	135	311	5TUF7	342	148	1760	96.0	YES	YES	YES	ENGINE
750	136	314	4THF13	350	152	2950	125.0	NO	NO	125	MOTOR
750	136	314	5AEF12	343	148	2950	110.0	100	100	100	MOTOR
750	136	314	5THF15	360	156	2900	130.0	YES	NO	YES	ENGINE
750	137	316	4THF15	380	165	2300	100.0	YES	NO	YES	ENGINE
750	139	321	4AEF10	358	155	3300	95.0	YES	YES	YES	ENGINE
750	140	323	4AEF10	359	155	3550	100.0	100	100	100	MOTOR
750	140	323	4AEF10	361	156	3550	101.0	YES	YES	YES	ENGINE
750	140	323	4AEF12	383	166	2950	96.0	100	100	100	MOTOR
750	140	323	4AEF12	386	167	3000	99.0	YES	YES	YES	ENGINE
750	140	323	4AEF12	374	162	3300	99.0	YES	YES	YES	ENGINE
750	140	323	5AEF12	352	152	2950	115.0	100	100	100	MOTOR
750	140	323	5AEF14	330	143	2300	138.0	YES	YES	N.A.	ENGINE
750	140	323	5AEF14	330	143	2350	136.0	YES	YES	N.A.	ENGINE
750	140	323	5AEF14	329	142	2350	138.0	YES	YES	N.A.	ENGINE
750	140	323	5TUF7	362	157	1760	100.0	100	100	100	MOTOR
750	140	324	5TUF7	358	155	1760	102.0	YES	YES	YES	ENGINE
750	141	326	5AEF12	357	155	3000	119.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	141	326	5THF12	350	152	3550	150.0	150	N.A.	150	MOTOR
750	141	326	5THF15	380	165	2950	130.0	125	N.A.	125	MOTOR
750	142	328	5THF11G	368	159	2950	118.0	125	N.A.	125	MOTOR
750	144	333	5THF10	370	160	3550	127.0	125	N.A.	125	MOTOR
750	145	335	4AEF10	370	160	3550	104.0	100	100	100	MOTOR
750	145	335	4AEF10	372	161	3550	105.0	YES	YES	YES	ENGINE
750	145	335	4AEF12	399	173	2950	100.0	100	100	100	MOTOR
750	145	335	4AEF12	402	174	3000	102.0	YES	YES	YES	ENGINE
750	145	335	4AEF12	387	168	3300	103.0	YES	YES	YES	ENGINE
750	145	335	5AEF12	363	157	2950	123.0	125	125	125	MOTOR
750	145	335	5AEF12	365	158	3000	123.0	YES	YES	YES	ENGINE
750	145	335	5AEF14	342	148	2300	146.0	YES	YES	N.A.	ENGINE
750	145	335	5AEF14	341	148	2350	143.0	YES	YES	N.A.	ENGINE
750	145	335	5AEF14	342	148	2350	145.0	YES	YES	N.A.	ENGINE
750	145	335	5TUF7	374	162	1760	104.0	100	100	100	MOTOR
750	145	336	5TUF7	370	160	1760	106.0	YES	YES	YES	ENGINE
750	146	337	5THF15	390	169	3000	150.0	YES	NO	YES	ENGINE
750	147	339	4AEF12	386	167	3550	110.0	100	100	100	MOTOR
750	147	339	4AEF12	386	167	3550	110.0	YES	YES	YES	ENGINE
750	148	342	5THF15	395	171	2300	121.0	YES	NO	YES	ENGINE
750	149	344	4THF15	420	182	2400	114.0	YES	NO	YES	ENGINE
750	150	347	4AEF10	382	165	3550	108.0	100	100	100	MOTOR
750	150	347	4AEF10	384	166	3550	110.0	YES	YES	YES	ENGINE
750	150	347	4AEF12	413	179	2950	103.0	100	100	100	MOTOR
750	150	347	4AEF12	386	167	3550	110.0	100	100	100	MOTOR
750	150	347	4AEF12	417	181	3000	106.0	YES	YES	YES	ENGINE
750	150	347	4AEF12	399	173	3300	108.0	YES	YES	YES	ENGINE
750	150	347	4AEF12	391	169	3550	111.0	YES	YES	YES	ENGINE
750	150	346	5AEF12	374	162	2950	128.0	125	125	125	MOTOR
750	150	347	5AEF12	376	163	3000	129.0	YES	YES	YES	ENGINE
750	150	347	5AEF14	354	153	2300	154.0	YES	YES	N.A.	ENGINE
750	150	347	5AEF14	353	153	2350	152.0	YES	YES	N.A.	ENGINE
750	150	347	5AEF14	354	153	2350	153.0	YES	YES	N.A.	ENGINE
750	150	347	5TUF7	386	167	1760	108.0	100	100	100	MOTOR
750	150	347	5TUF7	381	165	1760	110.0	YES	YES	YES	ENGINE
750	155	358	4AEF10	395	171	3550	113.0	100	100	100	MOTOR
750	155	358	4AEF10	396	171	3550	114.0	YES	YES	YES	ENGINE
750	155	358	4AEF12	428	185	2950	107.0	100	100	100	MOTOR
750	155	358	4AEF12	398	172	3550	113.0	100	100	100	MOTOR
750	155	358	4AEF12	431	187	3000	110.0	YES	YES	YES	ENGINE
750	155	358	4AEF12	411	178	3300	112.0	YES	YES	YES	ENGINE
750	155	358	4AEF12	403	174	3550	115.0	YES	YES	YES	ENGINE
750	155	358	5AEF12	385	167	2950	135.0	125	125	125	MOTOR
750	155	358	5AEF12	388	168	3000	135.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	155	358	5AEF14	364	158	2300	161.0	YES	YES	N.A.	ENGINE
750	155	358	5AEF14	364	158	2350	160.0	YES	YES	N.A.	ENGINE
750	155	358	5AEF14	365	158	2350	161.0	YES	YES	N.A.	ENGINE
750	155	358	5TUF7	398	172	1760	112.0	100	100	125	MOTOR
750	155	358	5TUF7	390	169	1760	114.0	YES	YES	YES	ENGINE
750	156	360	5AEF12	397	172	3300	137.0	YES	YES	YES	ENGINE
750	160	370	4AEF10	406	176	3550	118.0	125	125	125	MOTOR
750	160	370	4AEF10	406	176	3550	118.0	YES	YES	YES	ENGINE
750	160	370	4AEF12	439	190	2950	109.0	100	100	100	MOTOR
750	160	370	4AEF12	410	177	3550	117.0	125	125	125	MOTOR
750	160	370	4AEF12	446	193	3000	113.0	YES	YES	YES	ENGINE
750	160	370	4AEF12	424	184	3300	117.0	YES	YES	YES	ENGINE
750	160	370	4AEF12	415	180	3550	118.0	YES	YES	YES	ENGINE
750	160	370	5AEF12	397	172	2950	142.0	125	125	125	MOTOR
750	160	370	5AEF12	399	173	3000	142.0	YES	YES	YES	ENGINE
750	160	370	5AEF12	400	173	3300	138.0	YES	YES	YES	ENGINE
750	160	370	5AEF14	380	165	2300	176.0	YES	YES	N.A.	ENGINE
750	160	370	5AEF14	377	163	2350	169.0	YES	YES	N.A.	ENGINE
750	160	370	5AEF14	377	163	2350	170.0	YES	YES	N.A.	ENGINE
750	160	370	5TUF7	409	177	1760	117.0	125	125	125	MOTOR
750	160	370	5TUF7	402	174	1760	118.0	YES	YES	YES	ENGINE
750	162	374	5THF15	430	186	2400	138.0	YES	NO	YES	ENGINE
750	164	379	4AEF10	406	176	3550	118.0	YES	YES	YES	ENGINE
750	164	379	4AEF12	440	190	2950	113.0	N.A.	100	100	MOTOR
750	164	379	4THF15	460	199	2500	127.0	YES	NO	YES	ENGINE
750	165	381	4AEF12	422	183	3550	120.0	125	125	125	MOTOR
750	165	381	4AEF12	454	197	3000	115.0	YES	YES	YES	ENGINE
750	165	381	4AEF12	436	189	3300	121.0	YES	YES	YES	ENGINE
750	165	381	4AEF12	430	186	3550	122.0	YES	YES	YES	ENGINE
750	165	381	5AEF12	407	176	2950	149.0	150	150	150	MOTOR
750	165	381	5AEF12	410	177	3000	149.0	YES	YES	YES	ENGINE
750	165	381	5AEF12	410	177	3300	145.0	YES	YES	YES	ENGINE
750	165	381	5AEF14	390	169	2350	175.0	YES	YES	YES	ENGINE
750	165	381	5AEF14	388	168	2350	177.0	YES	YES	N.A.	ENGINE
750	165	381	5THF12	415	180	2950	157.0	150	N.A.	150	MOTOR
750	165	381	5TUF7	421	182	1760	121.0	125	125	125	MOTOR
750	165	382	5TUF7	413	179	1760	122.0	YES	YES	YES	ENGINE
750	165	382	5TUF7	416	180	2100	133.0	YES	YES	YES	ENGINE
750	170	393	4AEF12	435	188	3550	124.0	125	125	125	MOTOR
750	170	393	4AEF12	456	197	3000	115.0	YES	YES	YES	ENGINE
750	170	393	4AEF12	448	194	3300	125.0	YES	YES	YES	ENGINE
750	170	393	4AEF12	440	190	3550	126.0	YES	YES	YES	ENGINE
750	170	393	5AEF12	419	181	2950	156.0	150	150	150	MOTOR
750	170	393	5AEF12	421	182	3000	156.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	170	393	5AEF12	422	183	3300	152.0	YES	YES	YES	ENGINE
750	170	393	5AEF14	394	171	2350	182.0	YES	YES	YES	ENGINE
750	170	393	5AEF14	396	171	2350	183.0	YES	YES	N.A.	ENGINE
750	170	393	5TUF7	433	187	1760	125.0	125	125	125	MOTOR
750	170	393	5TUF7	425	184	1760	126.0	YES	YES	YES	ENGINE
750	170	392	5TUF7	427	185	2100	138.0	YES	YES	YES	ENGINE
750	173	400	5AEF14	400	173	2350	190.0	YES	YES	YES	ENGINE
750	175	404	4AEF12	447	194	3550	129.0	125	125	125	MOTOR
750	175	404	4AEF12	463	200	3300	129.0	YES	YES	YES	ENGINE
750	175	404	4AEF12	452	196	3550	131.0	YES	YES	YES	ENGINE
750	175	404	5AEF12	429	186	2950	163.0	150	150	150	MOTOR
750	175	404	5AEF12	431	187	3000	163.0	YES	YES	YES	ENGINE
750	175	404	5AEF12	432	187	3300	158.0	YES	YES	YES	ENGINE
750	175	404	5AEF14	410	177	2350	192.0	YES	YES	YES	ENGINE
750	175	404	5TUF7	445	193	1760	129.0	125	125	125	MOTOR
750	175	404	5TUF7	434	188	1760	131.0	YES	YES	YES	ENGINE
750	175	404	5TUF7	439	190	2100	143.0	YES	YES	YES	ENGINE
750	178	411	5THF15	470	203	2500	156.0	YES	NO	YES	ENGINE
750	179	413	4THF15	490	212	2600	145.0	YES	NO	YES	ENGINE
750	180	416	4AEF12	459	199	3550	133.0	125	125	125	MOTOR
750	180	416	4AEF12	477	206	3300	133.0	YES	YES	YES	ENGINE
750	180	416	4AEF12	465	201	3550	135.0	YES	YES	YES	ENGINE
750	180	416	5AEF12	441	191	2950	170.0	150	150	150	MOTOR
750	180	416	5AEF12	443	192	3000	171.0	YES	YES	YES	ENGINE
750	180	416	5AEF12	444	192	3300	165.0	YES	YES	YES	ENGINE
750	180	416	5AEF14	420	182	2350	200.0	YES	YES	YES	ENGINE
750	180	416	5TUF7	458	198	1760	134.0	125	125	125	MOTOR
750	180	416	5TUF7	457	198	1760	137.0	YES	YES	YES	ENGINE
750	180	416	5TUF7	450	195	2100	148.0	YES	YES	YES	ENGINE
750	181	418	5TUTF16B	480	208	1760	103.0	YES	YES	N.A.	ENGINE
750	185	427	4AEF12	471	204	3550	138.0	125	125	125	MOTOR
750	185	427	4AEF12	491	213	3300	137.0	YES	YES	YES	ENGINE
750	185	427	4AEF12	477	206	3550	140.0	YES	YES	YES	ENGINE
750	185	427	5AEF12	455	197	3300	171.0	YES	YES	YES	ENGINE
750	185	427	5THF11G	475	206	3550	168.0	150	N.A.	150	MOTOR
750	185	427	5TUF7	462	200	2100	153.0	YES	YES	YES	ENGINE
750	185	427	5TUTF16B	492	213	1760	117.0	125	125	125	MOTOR
750	185	427	5TUTF16B	490	212	1760	105.0	YES	YES	YES	ENGINE
750	186	430	5AEF12	457	198	3000	185.0	YES	YES	YES	ENGINE
750	188	434	5AEF12	466	202	3300	179.0	YES	YES	YES	ENGINE
750	188	434	5TUF13B	531	230	2800	184.3	YES	N.A.	N.A.	ENGINE
750	190	439	4AEF12	484	210	3550	143.0	125	125	125	MOTOR
750	190	439	4AEF12	506	219	3300	141.0	YES	YES	YES	ENGINE
750	190	439	4AEF12	489	212	3550	145.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	190	439	5TUF13B	535	232	2800	186.2	YES	N.A.	N.A.	ENGINE
750	190	439	5TUF7	474	205	2100	158.0	YES	YES	YES	ENGINE
750	190	439	5TUTF16B	501	217	1760	122.0	125	125	125	MOTOR
750	190	439	5TUTF16B	504	218	1760	124.0	YES	YES	YES	ENGINE
750	193	446	5THF15	510	221	2600	177.0	YES	NO	YES	ENGINE
750	195	450	4AEF12	496	215	3550	147.0	150	150	150	MOTOR
750	195	450	4AEF12	520	225	3300	145.0	YES	YES	YES	ENGINE
750	195	450	4AEF12	501	217	3550	149.0	YES	YES	YES	ENGINE
750	195	450	5AEF12	478	207	3300	185.0	YES	YES	YES	ENGINE
750	195	450	5TUF13B	546	236	2800	190.3	YES	N.A.	N.A.	ENGINE
750	195	450	5TUF7	485	210	2100	163.0	YES	YES	YES	ENGINE
750	195	450	5TUTF16B	514	223	1760	127.0	125	125	125	MOTOR
750	199	460	4TUF11	618	268	2800	155.0	YES	YES	YES	ENGINE
750	199	460	5THF11	510	221	3550	174.0	200	N.A.	200	MOTOR
750	200	462	4AEF12	508	220	3550	152.0	150	150	150	MOTOR
750	200	462	4AEF12	534	231	3300	148.0	YES	YES	YES	ENGINE
750	200	462	4AEF12	514	223	3550	154.0	YES	YES	YES	ENGINE
750	200	462	4TUF11	628	272	2800	160.0	YES	YES	YES	ENGINE
750	200	462	5AEF12	489	212	3300	192.0	YES	YES	YES	ENGINE
750	200	462	5TUF13B	557	241	2800	194.7	YES	N.A.	N.A.	ENGINE
750	200	462	5TUF7	497	215	2100	168.0	YES	YES	YES	ENGINE
750	200	462	5TUTF16B	526	228	1760	132.0	125	125	125	MOTOR
750	200	462	5TUTF16B	527	228	1760	134.0	YES	YES	YES	ENGINE
750	205	474	4AEF12	518	224	3550	156.0	150	150	150	MOTOR
750	205	474	4AEF12	550	238	3300	153.0	YES	YES	YES	ENGINE
750	205	474	4AEF12	527	228	3550	159.0	YES	YES	YES	ENGINE
750	205	474	4TUF11	638	276	2800	164.0	YES	YES	YES	ENGINE
750	205	474	5AEF12	500	216	3300	201.0	YES	YES	YES	ENGINE
750	205	473	5TUF13B	567	245	2800	198.7	YES	N.A.	N.A.	ENGINE
750	205	473	5TUF7	508	220	2100	173.0	YES	YES	YES	ENGINE
750	208	480	5THF12	510	221	3550	230.0	200	N.A.	200	MOTOR
750	210	485	4AEF12	534	231	3550	161.0	150	150	150	MOTOR
750	210	485	4AEF12	541	234	3550	163.0	YES	YES	YES	ENGINE
750	210	485	4TUF11	648	281	2800	169.0	YES	YES	YES	ENGINE
750	210	485	5AEF12	511	221	3300	209.0	YES	YES	YES	ENGINE
750	210	485	5TUF13B	578	250	2800	203.2	YES	N.A.	N.A.	ENGINE
750	210	485	5TUF7	520	225	2100	178.0	YES	YES	YES	ENGINE
750	210	485	5TUTF16B	549	238	1760	141.0	125	125	125	MOTOR
750	210	485	5TUTF16B	550	238	1760	143.0	YES	YES	YES	ENGINE
750	212	490	5TUF13B	590	255	2950	215.0	200	N.A.	N.A.	MOTOR
750	213	492	4THF13	510	221	2950	227.0	NO	NO	200	MOTOR
750	215	497	4AEF12	549	238	3550	165.0	150	150	150	MOTOR
750	215	497	4AEF12	555	240	3550	167.0	YES	YES	YES	ENGINE
750	215	497	4TUF11	659	285	2800	174.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	215	497	5AEF12	522	226	3300	217.0	YES	YES	YES	ENGINE
750	215	496	5TUF13B	596	258	2950	217.3	200	N.A.	N.A.	MOTOR
750	215	496	5TUF13B	589	255	2800	207.3	YES	N.A.	N.A.	ENGINE
750	215	496	5TUF7	531	230	2100	184.0	YES	YES	YES	ENGINE
750	216	499	4THF15	575	249	2800	180.0	YES	NO	YES	ENGINE
750	220	508	4AEF12	563	244	3550	169.0	150	150	150	MOTOR
750	220	508	4AEF12	569	246	3550	171.0	YES	YES	YES	ENGINE
750	220	508	4TUF11	669	290	2800	179.0	YES	YES	YES	ENGINE
750	220	508	5AEF12	533	231	3300	225.0	YES	YES	YES	ENGINE
750	220	508	5TUF13B	598	259	2950	218.2	200	N.A.	N.A.	MOTOR
750	220	508	5TUF13B	591	256	2800	208.1	YES	N.A.	N.A.	ENGINE
750	220	508	5TUF13B	603	261	3000	222.4	YES	N.A.	N.A.	ENGINE
750	220	508	5TUF7	543	235	2100	189.0	YES	YES	YES	ENGINE
750	220	508	5TUTF16B	575	249	1760	151.0	150	150	150	MOTOR
750	220	508	5TUTF16B	575	249	1760	152.0	YES	YES	YES	ENGINE
750	225	520	4AEF12	576	249	3550	172.0	150	150	150	MOTOR
750	225	520	4AEF12	583	252	3550	175.0	YES	YES	YES	ENGINE
750	225	520	4TUF11	679	294	2800	183.0	YES	YES	YES	ENGINE
750	225	520	5AEF12	544	235	3300	233.0	YES	YES	YES	ENGINE
750	225	519	5TUF13B	608	263	2950	222.4	200	N.A.	N.A.	MOTOR
750	225	519	5TUF13B	601	260	2800	212.1	YES	N.A.	N.A.	ENGINE
750	225	519	5TUF13B	611	265	3000	225.8	YES	N.A.	N.A.	ENGINE
750	225	520	5TUF7	554	240	2100	194.0	YES	YES	YES	ENGINE
750	227	524	4TUF11	690	299	2950	183.0	200	200	200	MOTOR
750	227	524	5THF15	575	249	2800	219.0	YES	NO	YES	ENGINE
750	230	531	4AEF12	590	255	3550	177.0	200	200	200	MOTOR
750	230	531	4AEF12	597	258	3550	179.0	YES	YES	YES	ENGINE
750	230	531	4TUF11	694	300	2950	184.0	200	200	200	MOTOR
750	230	531	4TUF11	690	299	2800	188.0	YES	YES	YES	ENGINE
750	230	531	5AEF12	555	240	3300	241.0	YES	YES	YES	ENGINE
750	230	531	5TUF13B	619	268	2950	216.0	200	N.A.	N.A.	MOTOR
750	230	531	5TUF13B	612	265	2800	216.5	YES	N.A.	N.A.	ENGINE
750	230	531	5TUF13B	622	269	3000	230.5	YES	N.A.	N.A.	ENGINE
750	230	531	5TUF7	566	245	2100	199.0	YES	YES	YES	ENGINE
750	230	531	5TUTF16B	598	259	1760	161.0	150	150	150	MOTOR
750	230	531	5TUTF16B	598	259	1760	161.0	YES	YES	YES	ENGINE
750	233	538	4THF15	620	268	2900	243.0	YES	NO	YES	ENGINE
750	234	541	4TUF11	707	306	3000	191.0	YES	YES	YES	ENGINE
750	234	540	5AEF12	562	243	3300	246.0	YES	YES	YES	ENGINE
750	235	543	4AEF12	604	261	3550	181.0	200	200	200	MOTOR
750	235	543	4AEF12	611	265	3550	183.0	YES	YES	YES	ENGINE
750	235	543	4TUF11	706	306	2950	190.0	200	200	200	MOTOR
750	235	543	4TUF11	700	303	2800	193.0	YES	YES	YES	ENGINE
750	235	543	4TUF11	707	306	3000	191.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	235	542	5TUF13B	630	273	2950	220.2	200	N.A.	N.A.	MOTOR
750	235	542	5TUF13B	622	269	2800	220.5	YES	N.A.	N.A.	ENGINE
750	235	542	5TUF13B	632	274	3000	223.5	YES	N.A.	N.A.	ENGINE
750	235	543	5TUF7	578	250	2100	204.0	YES	YES	YES	ENGINE
750	240	554	4AEF12	618	268	3550	185.0	200	200	200	MOTOR
750	240	554	4AEF12	625	271	3550	187.0	YES	YES	YES	ENGINE
750	240	554	4TUF11	718	311	2950	196.0	200	200	200	MOTOR
750	240	554	4TUF11	710	307	2800	197.0	YES	YES	YES	ENGINE
750	240	554	4TUF11	718	311	3000	196.0	YES	YES	YES	ENGINE
750	240	554	5TUF13B	641	277	2950	224.8	200	N.A.	N.A.	MOTOR
750	240	554	5TUF13B	634	274	2800	224.8	YES	N.A.	N.A.	ENGINE
750	240	554	5TUF13B	643	278	3000	228.2	YES	N.A.	N.A.	ENGINE
750	240	554	5TUF7	589	255	2100	209.0	YES	YES	YES	ENGINE
750	240	554	5TUTF16B	621	269	1760	171.0	150	150	150	MOTOR
750	240	554	5TUTF16B	624	270	1760	170.0	YES	YES	YES	ENGINE
750	243	561	4THF15	640	277	2950	216.0	200	N.A.	200	MOTOR
750	245	566	4AEF12	632	274	3550	189.0	200	200	200	MOTOR
750	245	566	4AEF12	636	275	3550	190.0	YES	YES	YES	ENGINE
750	245	566	4TUF11	729	316	2950	201.0	200	200	200	MOTOR
750	245	566	4TUF11	729	316	3000	201.0	YES	YES	YES	ENGINE
750	245	566	5THF15	620	268	2900	246.0	YES	NO	YES	ENGINE
750	245	565	5TUF13B	651	282	2950	229.0	200	N.A.	N.A.	MOTOR
750	245	565	5TUF13B	644	279	2800	228.8	YES	N.A.	N.A.	ENGINE
750	245	565	5TUF13B	653	283	3000	230.0	YES	N.A.	N.A.	ENGINE
750	245	566	5TUF7	600	260	2100	214.0	YES	YES	YES	ENGINE
750	250	578	4AEF12	636	275	3550	190.0	200	200	200	MOTOR
750	250	578	4TUF11	741	321	2950	207.0	200	200	200	MOTOR
750	250	578	4TUF11	740	320	3000	206.0	YES	YES	YES	ENGINE
750	250	577	5TUF13B	662	287	2950	233.6	250	N.A.	N.A.	MOTOR
750	250	577	5TUF13B	655	284	2800	230.0	YES	N.A.	N.A.	ENGINE
750	250	577	5TUF13B	664	287	3000	237.2	YES	N.A.	N.A.	ENGINE
750	250	578	5TUF7	612	265	2100	219.0	YES	YES	YES	ENGINE
750	250	578	5TUTF16B	645	279	1760	180.0	200	200	200	MOTOR
750	250	578	5TUTF16B	647	280	1760	178.0	YES	YES	YES	ENGINE
750	251	580	4AEF12	R.F.	R.F.	3550	R.F.	R.F.	R.F.	R.F.	MOTOR
750	252	582	4THF15	660	286	3000	227.5	YES	NO	YES	ENGINE
750	255	588	4AEF12	R.F.	R.F.	3550	R.F.	R.F.	N.A.	N.A.	MOTOR
750	255	589	4TUF11	753	326	2950	213.0	200	200	200	MOTOR
750	255	589	4TUF11	751	325	3000	211.0	YES	YES	YES	ENGINE
750	255	589	5THF15	640	277	2950	257.0	250	N.A.	250	MOTOR
750	255	588	5TUF13B	672	291	2950	237.8	250	N.A.	N.A.	MOTOR
750	255	588	5TUF13B	665	288	2800	237.2	YES	N.A.	N.A.	ENGINE
750	255	588	5TUF13B	674	292	3000	241.4	YES	N.A.	N.A.	ENGINE
750	255	589	5TUF7	624	270	2100	224.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	260	600	4AEF12	R.F.	R.F.	3550	R.F.	R.F.	N.A.	N.A.	MOTOR
750	260	601	4TUF11	765	331	2950	219.0	200	200	200	MOTOR
750	260	601	4TUF11	762	330	3000	217.0	YES	YES	YES	ENGINE
750	260	600	5TUF13B	683	296	2950	242.4	250	N.A.	N.A.	MOTOR
750	260	600	5TUF13B	676	293	2800	241.6	YES	N.A.	N.A.	ENGINE
750	260	600	5TUF13B	686	297	3000	246.1	YES	N.A.	N.A.	ENGINE
750	260	600	5TUF7	635	275	2100	230.0	YES	YES	YES	ENGINE
750	260	601	5TUTF16B	670	290	1760	190.0	200	200	200	MOTOR
750	260	600	5TUTF16B	670	290	1760	188.0	YES	YES	YES	ENGINE
750	264	610	5THF15	660	286	3000	273.0	YES	NO	YES	ENGINE
750	265	612	4TUF11	777	336	2950	224.0	200	200	200	MOTOR
750	265	612	4TUF11	772	334	3000	222.0	YES	YES	YES	ENGINE
750	265	611	5TUF13B	693	300	2950	246.6	250	N.A.	N.A.	MOTOR
750	265	611	5TUF13B	686	297	2800	245.6	YES	N.A.	N.A.	ENGINE
750	265	611	5TUF13B	696	301	3000	250.4	YES	N.A.	N.A.	ENGINE
750	265	612	5TUF7	647	280	2100	235.0	YES	YES	YES	ENGINE
750	270	624	4TUF11	789	342	2950	230.0	200	200	200	MOTOR
750	270	624	4TUF11	783	339	3000	227.0	YES	YES	YES	ENGINE
750	270	624	5TUF13B	705	305	2950	251.6	250	N.A.	N.A.	MOTOR
750	270	624	5TUF13B	698	302	2800	250.4	YES	N.A.	N.A.	ENGINE
750	270	624	5TUF13B	708	306	3000	255.5	YES	N.A.	N.A.	ENGINE
750	270	624	5TUTF16B	693	300	1760	200.0	200	200	200	MOTOR
750	270	624	5TUTF16B	693	300	1760	197.0	YES	YES	YES	ENGINE
750	272	628	4TUF11	789	342	2950	230.0	200	200	200	MOTOR
750	275	635	4TUF11	794	344	3000	232.0	YES	YES	YES	ENGINE
750	275	635	5TUF13B	716	310	2950	255.8	250	N.A.	N.A.	MOTOR
750	275	635	5TUF13B	709	307	2800	254.4	YES	N.A.	N.A.	ENGINE
750	275	635	5TUF13B	718	311	3000	259.8	YES	N.A.	N.A.	ENGINE
750	280	647	4TUF11	805	348	3000	237.0	YES	YES	YES	ENGINE
750	280	647	5TUF13B	727	315	2950	260.5	250	N.A.	N.A.	MOTOR
750	280	647	5TUF13B	721	312	2800	259.0	YES	N.A.	N.A.	ENGINE
750	280	647	5TUF13B	729	316	3000	264.5	YES	N.A.	N.A.	ENGINE
750	280	647	5TUTF16B	716	310	1760	210.0	200	200	200	MOTOR
750	280	647	5TUTF16B	721	312	1760	206.0	YES	YES	YES	ENGINE
750	285	658	4TUF11	816	353	3000	242.0	YES	YES	YES	ENGINE
750	285	658	5TUF13B	737	319	2950	275.7	250	N.A.	N.A.	MOTOR
750	285	658	5TUF13B	732	317	2800	263.5	YES	N.A.	N.A.	ENGINE
750	285	658	5TUF13B	739	320	3000	268.8	YES	N.A.	N.A.	ENGINE
750	286	661	4TUF11	816	353	3000	242.0	YES	YES	YES	ENGINE
750	290	670	5TUF13B	748	324	2950	280.3	250	N.A.	N.A.	MOTOR
750	290	670	5TUF13B	744	322	2800	268.3	YES	N.A.	N.A.	ENGINE
750	290	670	5TUF13B	751	325	3000	273.5	YES	N.A.	N.A.	ENGINE
750	290	670	5TUF13B	766	332	3300	298.0	YES	N.A.	N.A.	ENGINE
750	290	670	5TUTF16B	739	320	1760	220.0	200	200	200	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	290	670	5TUTF16B	739	320	1760	223.0	YES	YES	YES	ENGINE
750	295	681	4TUF11	860	372	3300	253.0	YES	YES	YES	ENGINE
750	295	681	5TUF13B	758	328	2950	284.6	250	N.A.	N.A.	MOTOR
750	295	681	5TUF13B	755	327	2800	272.7	YES	N.A.	N.A.	ENGINE
750	295	681	5TUF13B	761	329	3000	277.8	YES	N.A.	N.A.	ENGINE
750	295	681	5TUF13B	776	336	3300	302.7	YES	N.A.	N.A.	ENGINE
750	300	693	4TUF11	872	377	3300	259.0	YES	YES	YES	ENGINE
750	300	693	5TUF13B	770	333	2950	289.2	300	N.A.	N.A.	MOTOR
750	300	693	5TUF13B	767	332	2800	277.4	YES	N.A.	N.A.	ENGINE
750	300	693	5TUF13B	772	334	3000	282.5	YES	N.A.	N.A.	ENGINE
750	300	693	5TUF13B	787	341	3300	307.9	YES	N.A.	N.A.	ENGINE
750	300	693	5TUTF16B	765	331	1760	230.0	200	200	200	MOTOR
750	300	693	5TUTF16B	767	332	1760	235.0	YES	YES	YES	ENGINE
750	305	705	4TUF11	883	382	3300	266.0	YES	YES	YES	ENGINE
750	305	704	5TUF13B	780	338	2950	293.4	300	N.A.	N.A.	MOTOR
750	305	704	5TUF13B	778	337	2800	281.8	YES	N.A.	N.A.	ENGINE
750	305	704	5TUF13B	782	339	3000	286.8	YES	N.A.	N.A.	ENGINE
750	305	704	5TUF13B	797	345	3300	312.6	YES	N.A.	N.A.	ENGINE
750	310	716	4TUF11	895	387	3300	272.0	YES	YES	YES	ENGINE
750	310	716	5TUF13B	791	342	2950	297.9	300	N.A.	N.A.	MOTOR
750	310	716	5TUF13B	791	342	2800	286.6	YES	N.A.	N.A.	ENGINE
750	310	716	5TUF13B	793	343	3000	291.5	YES	N.A.	N.A.	ENGINE
750	310	716	5TUF13B	808	350	3300	317.8	YES	N.A.	N.A.	ENGINE
750	310	716	5TUTF16B	770	333	1760	246.0	250	250	250	MOTOR
750	310	716	5TUTF16B	755	327	1760	251.0	YES	YES	YES	ENGINE
750	315	728	4TUF11	907	393	3300	278.0	YES	YES	YES	ENGINE
750	315	727	5TUF13B	802	347	2950	302.7	300	N.A.	N.A.	MOTOR
750	315	727	5TUF13B	802	347	2800	291.0	YES	N.A.	N.A.	ENGINE
750	315	727	5TUF13B	804	348	3000	295.8	YES	N.A.	N.A.	ENGINE
750	315	727	5TUF13B	819	355	3300	322.5	YES	N.A.	N.A.	ENGINE
750	320	739	4TUF11	919	398	3300	285.0	YES	YES	YES	ENGINE
750	320	739	5TUF13B	814	352	2950	307.8	300	N.A.	N.A.	MOTOR
750	320	739	5TUF13B	814	352	2800	295.7	YES	N.A.	N.A.	ENGINE
750	320	739	5TUF13B	818	354	3000	301.8	YES	N.A.	N.A.	ENGINE
750	320	739	5TUF13B	830	359	3300	327.7	YES	N.A.	N.A.	ENGINE
750	320	739	5TUTF16B	793	343	1760	262.0	250	250	N.A.	MOTOR
750	320	739	5TUTF16B	779	337	1760	267.0	YES	YES	N.A.	ENGINE
750	325	751	4TUF11	930	403	3300	291.0	YES	YES	YES	ENGINE
750	325	750	5TUF13B	826	358	2950	312.4	300	N.A.	N.A.	MOTOR
750	325	750	5TUF13B	825	357	2800	300.1	YES	N.A.	N.A.	ENGINE
750	325	750	5TUF13B	826	358	3000	305.1	YES	N.A.	N.A.	ENGINE
750	325	750	5TUF13B	840	364	3300	332.4	YES	N.A.	N.A.	ENGINE
750	330	762	4TUF11	942	408	3300	298.0	YES	YES	YES	ENGINE
750	330	762	5TUF13B	838	363	2950	317.4	300	N.A.	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	330	762	5TUF13B	837	362	2800	304.8	YES	N.A.	N.A.	ENGINE
750	330	762	5TUF13B	838	363	3000	310.2	YES	N.A.	N.A.	ENGINE
750	330	762	5TUF13B	851	368	3300	337.6	YES	N.A.	N.A.	ENGINE
750	330	762	5TUTF16B	803	348	1760	278.0	250	250	N.A.	MOTOR
750	330	762	5TUTF16B	803	348	1760	284.0	YES	YES	N.A.	ENGINE
750	335	774	4TUF11	954	413	3300	304.0	YES	YES	YES	ENGINE
750	335	773	5TUF13B	849	368	2950	322.0	300	N.A.	N.A.	MOTOR
750	335	773	5TUF13B	848	367	2800	309.2	YES	N.A.	N.A.	ENGINE
750	335	773	5TUF13B	849	368	3000	314.9	YES	N.A.	N.A.	ENGINE
750	335	773	5TUF13B	861	373	3300	342.3	YES	N.A.	N.A.	ENGINE
750	337	778	5TUF13B	879	381	3550	367.7	350	N.A.	N.A.	MOTOR
750	340	785	4TUF11	966	418	3300	310.0	YES	YES	YES	ENGINE
750	340	785	5TUF13B	861	373	2950	327.0	300	N.A.	N.A.	MOTOR
750	340	785	5TUF13B	886	384	3550	370.9	350	N.A.	N.A.	MOTOR
750	340	785	5TUF13B	860	372	2800	313.9	YES	N.A.	N.A.	ENGINE
750	340	785	5TUF13B	861	373	3000	320.0	YES	N.A.	N.A.	ENGINE
750	340	785	5TUF13B	873	378	3300	345.0	YES	N.A.	N.A.	ENGINE
750	340	785	5TUTF16B	827	358	1760	295.0	300	300	N.A.	MOTOR
750	340	785	5TUTF16B	827	358	1760	301.0	YES	YES	N.A.	ENGINE
750	345	797	4TUF11	977	423	3300	317.0	YES	YES	YES	ENGINE
750	345	796	5TUF13B	872	377	2950	331.6	300	N.A.	N.A.	MOTOR
750	345	796	5TUF13B	896	388	3550	376.0	350	N.A.	N.A.	MOTOR
750	345	796	5TUF13B	871	377	2800	318.3	YES	N.A.	N.A.	ENGINE
750	345	796	5TUF13B	872	377	3000	324.7	YES	N.A.	N.A.	ENGINE
750	345	796	5TUF13B	883	382	3300	352.2	YES	N.A.	N.A.	ENGINE
750	350	809	4TUF11	989	428	3300	323.0	YES	YES	YES	ENGINE
750	350	808	5TUF13B	884	383	2950	336.6	300	N.A.	N.A.	MOTOR
750	350	808	5TUF13B	907	393	3550	381.6	350	N.A.	N.A.	MOTOR
750	350	808	5TUF13B	883	382	2800	323.0	YES	N.A.	N.A.	ENGINE
750	350	808	5TUF13B	884	383	3000	329.8	YES	N.A.	N.A.	ENGINE
750	350	808	5TUF13B	894	387	3300	357.4	YES	N.A.	N.A.	ENGINE
750	350	809	5TUTF16B	851	368	1760	314.0	300	300	N.A.	MOTOR
750	350	809	5TUTF16B	851	368	1760	320.0	YES	YES	N.A.	ENGINE
750	352	813	4TUF11	989	428	3300	323.0	YES	YES	YES	ENGINE
750	355	820	5TUF13B	896	388	2950	341.6	300	N.A.	N.A.	MOTOR
750	355	820	5TUF13B	918	397	3550	387.1	350	N.A.	N.A.	MOTOR
750	355	820	5TUF13B	895	387	2800	327.7	YES	N.A.	N.A.	ENGINE
750	355	820	5TUF13B	896	388	3000	334.9	YES	N.A.	N.A.	ENGINE
750	355	820	5TUF13B	905	392	3300	362.6	YES	N.A.	N.A.	ENGINE
750	360	832	5TUF13B	908	393	2950	345.0	300	N.A.	N.A.	MOTOR
750	360	832	5TUF13B	930	403	3550	392.7	350	N.A.	N.A.	MOTOR
750	360	832	5TUF13B	907	393	2800	332.5	YES	N.A.	N.A.	ENGINE
750	360	832	5TUF13B	908	393	3000	340.0	YES	N.A.	N.A.	ENGINE
750	360	832	5TUF13B	916	397	3300	367.8	YES	N.A.	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	360	832	5TUTF16B	875	379	1760	331.0	300	300	N.A.	MOTOR
750	360	832	5TUTF16B	875	379	1760	337.0	YES	YES	N.A.	ENGINE
750	364	841	5TUF13B	916	397	2800	336.0	YES	N.A.	N.A.	ENGINE
750	365	843	5TUF13B	919	398	2950	351.2	350	N.A.	N.A.	MOTOR
750	365	843	5TUF13B	940	407	3550	397.8	350	N.A.	N.A.	MOTOR
750	365	843	5TUF13B	920	398	3000	344.7	YES	N.A.	N.A.	ENGINE
750	365	843	5TUF13B	927	401	3300	372.6	YES	N.A.	N.A.	ENGINE
750	370	855	5TUF13B	931	403	2950	356.2	350	N.A.	N.A.	MOTOR
750	370	855	5TUF13B	951	412	3550	402.5	350	N.A.	N.A.	MOTOR
750	370	855	5TUF13B	932	403	3000	349.7	YES	N.A.	N.A.	ENGINE
750	370	855	5TUF13B	938	406	3300	377.8	YES	N.A.	N.A.	ENGINE
750	370	855	5TUTF16B	899	389	1760	348.0	350	350	N.A.	MOTOR
750	370	855	5TUTF16B	899	389	1760	355.0	YES	YES	N.A.	ENGINE
750	375	866	5TUF13B	942	408	2950	360.8	350	N.A.	N.A.	MOTOR
750	375	866	5TUF13B	961	416	3550	408.5	400	N.A.	N.A.	MOTOR
750	375	866	5TUF13B	943	408	3000	354.4	YES	N.A.	N.A.	ENGINE
750	375	866	5TUF13B	948	410	3300	382.5	YES	N.A.	N.A.	ENGINE
750	380	878	5TUF13B	954	413	2950	365.7	350	N.A.	N.A.	MOTOR
750	380	878	5TUF13B	973	421	3550	414.1	400	N.A.	N.A.	MOTOR
750	380	878	5TUF13B	955	413	3000	359.5	YES	N.A.	N.A.	ENGINE
750	380	878	5TUF13B	959	415	3300	387.7	YES	N.A.	N.A.	ENGINE
750	380	878	5TUTF16B	923	400	1760	365.0	350	350	N.A.	MOTOR
750	381	880	5TUTF16B	923	400	1760	372.0	YES	YES	N.A.	ENGINE
750	385	889	5TUF13B	965	418	2950	370.3	350	N.A.	N.A.	MOTOR
750	385	889	5TUF13B	983	426	3550	419.2	400	N.A.	N.A.	MOTOR
750	385	889	5TUF13B	966	418	3000	364.1	YES	N.A.	N.A.	ENGINE
750	385	889	5TUF13B	970	420	3300	392.5	YES	N.A.	N.A.	ENGINE
750	390	901	5TUF13B	977	423	2950	375.3	350	N.A.	N.A.	MOTOR
750	390	901	5TUF13B	994	430	3550	424.8	400	N.A.	N.A.	MOTOR
750	390	901	5TUF13B	978	423	3000	369.2	YES	N.A.	N.A.	ENGINE
750	390	901	5TUF13B	981	425	3300	397.7	YES	N.A.	N.A.	ENGINE
750	390	901	5TUTF16B	935	405	1760	373.0	350	350	N.A.	MOTOR
750	395	912	5TUF13B	988	428	2950	379.8	350	N.A.	N.A.	MOTOR
750	395	912	5TUF13B	1004	435	3550	429.9	400	N.A.	N.A.	MOTOR
750	395	912	5TUF13B	989	428	3000	373.8	YES	N.A.	N.A.	ENGINE
750	395	912	5TUF13B	989	428	3300	401.6	YES	N.A.	N.A.	ENGINE
750	400	924	5TUF13B	1000	433	2950	384.8	350	N.A.	N.A.	MOTOR
750	400	924	5TUF13B	1016	440	3550	435.5	400	N.A.	N.A.	MOTOR
750	400	924	5TUF13B	1001	433	3000	378.9	YES	N.A.	N.A.	ENGINE
750	400	924	5TUF13B	1003	434	3300	408.2	YES	N.A.	N.A.	ENGINE
750	405	935	5TUF13B	1011	438	2950	389.3	350	N.A.	N.A.	MOTOR
750	405	935	5TUF13B	1026	444	3550	440.6	400	N.A.	N.A.	MOTOR
750	405	935	5TUF13B	1012	438	3000	383.5	YES	N.A.	N.A.	ENGINE
750	405	935	5TUF13B	1015	439	3300	413.3	YES	N.A.	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
750	407	940	5TUF13B	1016	440	2950	391.4	350	N.A.	N.A.	MOTOR
750	410	947	5TUF13B	1037	449	3550	446.2	400	N.A.	N.A.	MOTOR
750	410	947	5TUF13B	1024	443	3000	388.5	YES	N.A.	N.A.	ENGINE
750	410	947	5TUF13B	1027	445	3300	418.9	YES	N.A.	N.A.	ENGINE
750	415	958	5TUF13B	1047	453	3550	451.3	400	N.A.	N.A.	MOTOR
750	415	958	5TUF13B	1035	448	3000	393.2	YES	N.A.	N.A.	ENGINE
750	415	958	5TUF13B	1038	449	3300	424.0	YES	N.A.	N.A.	ENGINE
750	420	970	5TUF13B	1059	458	3550	456.9	400	N.A.	N.A.	MOTOR
750	420	970	5TUF13B	1047	453	3000	398.2	YES	N.A.	N.A.	ENGINE
750	420	970	5TUF13B	1050	455	3300	429.6	YES	N.A.	N.A.	ENGINE
750	425	981	5TUF13B	1069	463	3550	460.0	400	N.A.	N.A.	MOTOR
750	425	981	5TUF13B	1061	459	3300	434.7	YES	N.A.	N.A.	ENGINE
750	430	993	5TUF13B	1080	468	3550	467.7	450	N.A.	N.A.	MOTOR
750	430	993	5TUF13B	1073	465	3300	440.3	YES	N.A.	N.A.	ENGINE
750	435	1004	5TUF13B	1090	472	3550	472.8	450	N.A.	N.A.	MOTOR
750	435	1004	5TUF13B	1084	469	3300	445.4	YES	N.A.	N.A.	ENGINE
750	440	1016	5TUF13B	1102	477	3550	478.5	450	N.A.	N.A.	MOTOR
750	440	1016	5TUF13B	1096	474	3300	450.9	YES	N.A.	N.A.	ENGINE
750	445	1027	5TUF13B	1112	481	3550	483.6	450	N.A.	N.A.	MOTOR
750	450	1040	5TUF13B	1124	487	3550	489.7	450	N.A.	N.A.	MOTOR
750	455	1051	5TUF13B	1135	491	3550	494.8	450	N.A.	N.A.	MOTOR
750	460	1063	5TUF13B	1145	496	3550	500.0	450	N.A.	N.A.	MOTOR
750	465	1074	5TUF13B	1157	501	3550	506.0	450	N.A.	N.A.	MOTOR
750	470	1086	5TUF13B	1169	506	3550	512.0	450	N.A.	N.A.	MOTOR
750	475	1097	5TUF13B	1180	511	3550	517.5	450	N.A.	N.A.	MOTOR
750	480	1109	5TUF13B	1192	516	3550	523.5	500	N.A.	N.A.	MOTOR
750	485	1120	5TUF13B	1203	521	3550	529.0	500	N.A.	N.A.	MOTOR
750	490	1132	5TUF13B	1215	526	3550	534.9	500	N.A.	N.A.	MOTOR
750	495	1143	5TUF13B	1226	531	3550	540.4	500	N.A.	N.A.	MOTOR
750	500	1155	5TUF13B	1238	536	3550	546.4	500	N.A.	N.A.	MOTOR
750	505	1166	5TUF13B	1249	541	3550	551.8	500	N.A.	N.A.	MOTOR
750	510	1178	5TUF13B	1261	546	3550	557.8	500	N.A.	N.A.	MOTOR
1000	45	104	6AEF14	119	52	1760	41.0	40	40	40	MOTOR
1000	45	104	6AEF14	120	52	1760	42.0	YES	YES	YES	ENGINE
1000	50	116	6AEF14	132	57	1760	46.0	40	40	40	MOTOR
1000	50	116	6AEF14	133	58	1760	46.0	YES	YES	YES	ENGINE
1000	55	127	6AEF14	145	63	1760	50.0	50	50	50	MOTOR
1000	55	127	6AEF14	146	63	1760	51.0	YES	YES	YES	ENGINE
1000	55	127	6AEF16	145	63	1460	49.0	N.A.	50	50	MOTOR
1000	57	131	6AEF16	150	65	1460	52.0	50	50	50	MOTOR
1000	60	139	5AEF8N	181	78	3550	53.0	YES	YES	YES	ENGINE
1000	60	139	6AEF14	155	67	1760	55.0	50	50	50	MOTOR
1000	60	139	6AEF14	158	68	1760	56.0	YES	YES	YES	ENGINE
1000	60	139	6AEF16	156	68	1460	54.0	50	50	50	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	65	150	5AEF8G	188	81	3565	57.0	60	60	60	MOTOR
1000	65	150	5AEF8N	189	82	3550	56.0	YES	YES	YES	ENGINE
1000	65	150	6AEF14	169	73	1760	60.0	60	60	60	MOTOR
1000	65	150	6AEF14	171	74	1760	61.0	YES	YES	YES	ENGINE
1000	65	150	6AEF14G	156	68	2100	72.0	YES	YES	YES	ENGINE
1000	65	150	6AEF16	168	73	1460	59.0	60	60	60	MOTOR
1000	70	162	5AEF11	193	84	2950	61.0	N.A.	60	60	MOTOR
1000	70	162	5AEF8G	199	86	3565	62.0	60	60	60	MOTOR
1000	70	162	5AEF8N	199	86	3550	59.0	YES	YES	YES	ENGINE
1000	70	162	6AEF10	187	81	2800	67.0	YES	YES	YES	ENGINE
1000	70	162	6AEF14	181	78	1760	66.0	60	60	60	MOTOR
1000	70	162	6AEF14	182	79	1760	66.0	YES	YES	YES	ENGINE
1000	70	162	6AEF14G	166	72	2100	79.0	YES	YES	YES	ENGINE
1000	70	162	6AEF16	180	78	1460	65.0	60	60	60	MOTOR
1000	74	172	5AEF11	203	88	2950	65.0	60	60	60	MOTOR
1000	75	173	5AEF11	206	89	2950	66.0	60	60	60	MOTOR
1000	75	173	5AEF11	206	89	3000	67.0	N.A.	YES	YES	ENGINE
1000	75	173	5AEF8G	208	90	3565	66.0	60	60	60	MOTOR
1000	75	173	5AEF8N	211	91	3550	63.0	YES	YES	YES	ENGINE
1000	75	173	6AEF10	199	86	2800	74.0	YES	YES	YES	ENGINE
1000	75	173	6AEF14	193	84	1760	73.0	75	75	75	MOTOR
1000	75	173	6AEF14	193	84	1760	74.0	YES	YES	YES	ENGINE
1000	75	173	6AEF14G	177	77	2100	88.0	YES	YES	YES	ENGINE
1000	75	173	6AEF16	192	83	1460	71.0	75	75	75	MOTOR
1000	75	173	6AEF16N	197	85	1780	64.0	60	60	60	MOTOR
1000	75	173	6AEF16N	200	87	1760	65.0	YES	YES	YES	ENGINE
1000	76	176	5AEF11	210	91	3000	69.0	YES	YES	YES	ENGINE
1000	80	185	5AEF11	222	96	2950	67.0	60	60	60	MOTOR
1000	80	185	5AEF11	214	93	3000	70.0	YES	YES	YES	ENGINE
1000	80	185	5AEF8G	223	97	3565	73.0	75	75	75	MOTOR
1000	80	185	5AEF8N	223	97	3550	67.0	YES	YES	YES	ENGINE
1000	80	185	6AEF10	208	90	2950	78.0	75	75	75	MOTOR
1000	80	185	6AEF10	211	91	2800	81.0	YES	YES	YES	ENGINE
1000	80	185	6AEF14	204	88	1760	81.0	75	75	75	MOTOR
1000	80	185	6AEF14	205	89	1760	81.0	YES	YES	YES	ENGINE
1000	80	185	6AEF14G	188	81	2100	95.0	YES	YES	YES	ENGINE
1000	80	185	6AEF16	204	88	1460	79.0	75	75	75	MOTOR
1000	80	185	6AEF16N	209	90	1780	69.0	60	60	75	MOTOR
1000	80	185	6AEF16N	212	92	1760	70.0	YES	YES	YES	ENGINE
1000	85	196	5AEF11	233	101	2950	71.0	75	75	75	MOTOR
1000	85	196	5AEF11	236	102	3000	73.0	YES	YES	YES	ENGINE
1000	85	196	5AEF11G	235	102	3300	76.0	YES	YES	YES	ENGINE
1000	85	196	5AEF8G	233	101	3565	78.0	75	75	75	MOTOR
1000	85	196	5AEF8N	236	102	3550	71.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	85	196	6AEF10	220	95	2950	86.0	75	75	75	MOTOR
1000	85	196	6AEF10	223	97	2800	89.0	YES	YES	YES	ENGINE
1000	85	196	6AEF10	221	96	3000	86.0	YES	YES	YES	ENGINE
1000	85	196	6AEF14	211	91	1760	86.0	75	75	75	MOTOR
1000	85	196	6AEF14	211	91	1760	85.0	YES	YES	YES	ENGINE
1000	85	196	6AEF14G	200	87	2100	104.0	YES	YES	YES	ENGINE
1000	85	196	6AEF16	214	93	1460	79.0	75	75	75	MOTOR
1000	85	196	6AEF16N	221	96	1780	74.0	75	75	75	MOTOR
1000	85	196	6AEF16N	223	97	1760	76.0	YES	YES	YES	ENGINE
1000	85	196	6THF19	220	95	1760	100.0	100	N.A.	100	MOTOR
1000	89	206	5THF12	240	104	2950	80.0	75	N.A.	75	MOTOR
1000	90	208	5AEF11	245	106	2950	76.0	75	75	75	MOTOR
1000	90	208	5AEF11	247	107	3000	77.0	YES	YES	YES	ENGINE
1000	90	208	5AEF11G	249	108	3300	82.0	YES	YES	YES	ENGINE
1000	90	208	5AEF8	262	113	3550	75.0	75	75	75	MOTOR
1000	90	208	5AEF8	265	115	3550	77.0	YES	YES	N.A.	ENGINE
1000	90	208	5AEF8G	243	105	3565	83.0	75	75	75	MOTOR
1000	90	208	5AEF8N	248	107	3550	75.0	YES	YES	YES	ENGINE
1000	90	208	6AEF10	232	100	2950	94.0	100	100	100	MOTOR
1000	90	208	6AEF10	235	102	2800	96.0	YES	YES	YES	ENGINE
1000	90	208	6AEF10	233	101	3000	94.0	YES	YES	YES	ENGINE
1000	90	208	6AEF14G	212	92	2100	114.0	YES	YES	YES	ENGINE
1000	90	208	6AEF16N	232	100	1780	80.0	75	75	75	MOTOR
1000	90	208	6AEF16N	234	101	1760	81.0	YES	YES	YES	ENGINE
1000	90	208	6THF13	235	102	2800	110.0	YES	NO	YES	ENGINE
1000	95	219	5AEF11	256	111	2950	80.0	75	75	75	MOTOR
1000	95	219	5AEF11	258	112	3000	82.0	YES	YES	YES	ENGINE
1000	95	219	5AEF11	257	111	3300	85.0	YES	YES	YES	ENGINE
1000	95	219	5AEF11G	262	113	3300	84.0	YES	YES	YES	ENGINE
1000	95	219	5AEF14	237	103	2350	97.0	YES	YES	N.A.	ENGINE
1000	95	219	5AEF8	273	118	3550	81.0	75	75	75	MOTOR
1000	95	219	5AEF8	273	118	3550	81.0	75	75	75	MOTOR
1000	95	219	5AEF8	276	119	3550	82.0	YES	YES	YES	ENGINE
1000	95	219	5AEF8G	249	108	3565	86.0	75	75	75	MOTOR
1000	95	219	5AEF8N	261	113	3550	79.0	YES	YES	YES	ENGINE
1000	95	219	6AEF10	244	106	2950	102.0	100	100	100	MOTOR
1000	95	219	6AEF10	247	107	2800	104.0	YES	YES	YES	ENGINE
1000	95	219	6AEF10	245	106	3000	102.0	YES	YES	YES	ENGINE
1000	95	219	6AEF14G	223	97	2100	123.0	YES	YES	YES	ENGINE
1000	95	219	6AEF16N	243	105	1780	86.0	75	75	100	MOTOR
1000	95	219	6AEF16N	244	106	1760	87.0	YES	YES	YES	ENGINE
1000	97	224	6THF13	260	113	2950	125.0	125	N.A.	125	MOTOR
1000	99	229	5THF10	280	121	3550	92.0	100	N.A.	100	MOTOR
1000	100	231	5AEF11	267	116	2950	84.0	75	75	75	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	100	231	5AEF11	269	116	3000	86.0	YES	YES	YES	ENGINE
1000	100	231	5AEF11	268	116	3300	90.0	YES	YES	YES	ENGINE
1000	100	231	5AEF11G	272	118	3550	92.0	100	100	100	MOTOR
1000	100	231	5AEF11G	273	118	3300	89.0	YES	YES	YES	ENGINE
1000	100	231	5AEF11G	274	119	3550	93.0	YES	YES	YES	ENGINE
1000	100	231	5AEF14	249	108	2350	103.0	YES	YES	N.A.	ENGINE
1000	100	231	5AEF14	248	107	2400	103.0	YES	YES	N.A.	ENGINE
1000	100	231	5AEF8	285	123	3550	86.0	75	75	75	MOTOR
1000	100	231	5AEF8	287	124	3550	87.0	YES	YES	YES	ENGINE
1000	100	231	5AEF8G	259	112	3565	91.0	100	N.A.	N.A.	MOTOR
1000	100	231	5AEF8N	275	119	3550	83.0	YES	YES	YES	ENGINE
1000	100	231	5THF11G	290	126	2950	80.0	80	N.A.	80	MOTOR
1000	100	231	6AEF10	256	111	2950	110.0	100	100	100	MOTOR
1000	100	231	6AEF10	259	112	2800	111.0	YES	YES	YES	ENGINE
1000	100	231	6AEF10	257	111	3000	110.0	YES	YES	YES	ENGINE
1000	100	231	6AEF14G	235	102	2100	134.0	YES	YES	YES	ENGINE
1000	100	231	6AEF16N	254	110	1780	92.0	100	100	100	MOTOR
1000	100	231	6AEF16N	258	112	1760	93.0	YES	YES	YES	ENGINE
1000	101	233	6THF19	255	110	1900	125.0	YES	NO	YES	ENGINE
1000	105	243	5AEF11	279	121	2950	90.0	100	100	100	MOTOR
1000	105	243	5AEF11	281	122	3000	91.0	YES	YES	YES	ENGINE
1000	105	243	5AEF11	279	121	3300	95.0	YES	YES	YES	ENGINE
1000	105	243	5AEF11G	283	123	3550	96.0	100	100	100	MOTOR
1000	105	243	5AEF11G	285	123	3300	93.0	YES	YES	YES	ENGINE
1000	105	243	5AEF11G	285	123	3550	97.0	YES	YES	YES	ENGINE
1000	105	243	5AEF14	261	113	2350	108.0	YES	YES	N.A.	ENGINE
1000	105	243	5AEF14	260	113	2400	109.0	YES	YES	N.A.	ENGINE
1000	105	243	5AEF8	294	127	3550	87.0	100	100	100	MOTOR
1000	105	243	5AEF8	294	127	3550	90.0	YES	YES	N.A.	ENGINE
1000	105	243	5AEF8N	285	123	3550	86.0	YES	YES	YES	ENGINE
1000	105	243	6AEF10	269	116	2950	118.0	125	125	125	MOTOR
1000	105	243	6AEF10	264	114	3550	115.0	100	100	125	MOTOR
1000	105	243	6AEF10	270	117	2800	113.0	YES	YES	YES	ENGINE
1000	105	243	6AEF10	270	117	3000	118.0	YES	YES	YES	ENGINE
1000	105	243	6AEF10	266	115	3300	114.0	YES	YES	YES	ENGINE
1000	105	243	6AEF10	267	116	3550	117.0	YES	YES	YES	ENGINE
1000	105	243	6AEF14G	245	106	2100	143.0	YES	YES	YES	ENGINE
1000	105	243	6AEF16N	268	116	1780	98.0	100	100	100	MOTOR
1000	105	243	6AEF16N	258	112	1760	93.0	YES	YES	YES	ENGINE
1000	108	254	6AEF16N	282	122	1760	100.0	YES	YES	YES	ENGINE
1000	110	254	5AEF11	291	126	2950	95.0	100	100	100	MOTOR
1000	110	254	5AEF11	293	127	3000	96.0	YES	YES	YES	ENGINE
1000	110	254	5AEF11	291	126	3300	99.0	YES	YES	YES	ENGINE
1000	110	254	5AEF11G	293	127	3550	101.0	100	100	100	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	110	254	5AEF11G	296	128	3300	97.0	YES	YES	YES	ENGINE
1000	110	254	5AEF11G	296	128	3550	102.0	YES	YES	YES	ENGINE
1000	110	254	5AEF14	273	118	2350	114.0	YES	YES	N.A.	ENGINE
1000	110	254	5AEF14	271	117	2400	115.0	YES	YES	N.A.	ENGINE
1000	110	254	6AEF10	281	122	2950	126.0	125	125	125	MOTOR
1000	110	254	6AEF10	276	119	3550	122.0	125	125	125	MOTOR
1000	110	254	6AEF10	282	122	3000	127.0	YES	YES	YES	ENGINE
1000	110	254	6AEF10	278	120	3300	122.0	YES	YES	YES	ENGINE
1000	110	254	6AEF10	277	120	3550	122.0	YES	YES	YES	ENGINE
1000	110	254	6AEF14G	257	111	2100	153.0	YES	YES	YES	ENGINE
1000	110	254	6AEF16N	282	122	1780	104.0	100	100	100	MOTOR
1000	115	266	5AEF11	303	131	2950	101.0	100	100	100	MOTOR
1000	115	266	5AEF11	305	132	3000	102.0	YES	YES	YES	ENGINE
1000	115	266	5AEF11	302	131	3300	104.0	YES	YES	YES	ENGINE
1000	115	266	5AEF11G	304	132	3550	105.0	100	100	100	MOTOR
1000	115	266	5AEF11G	309	134	3300	102.0	YES	YES	YES	ENGINE
1000	115	266	5AEF11G	307	133	3550	106.0	YES	YES	YES	ENGINE
1000	115	266	5AEF14	285	123	2350	118.0	YES	YES	N.A.	ENGINE
1000	115	266	5AEF14	283	123	2400	120.0	YES	YES	N.A.	ENGINE
1000	115	266	6AEF10	287	124	3550	127.0	125	125	125	MOTOR
1000	115	266	6AEF10	294	127	3000	135.0	YES	YES	YES	ENGINE
1000	115	266	6AEF10	290	126	3300	131.0	YES	YES	YES	ENGINE
1000	115	266	6AEF10	288	125	3550	128.0	YES	YES	YES	ENGINE
1000	115	266	6AEF14G	269	116	2100	163.0	YES	YES	YES	ENGINE
1000	115	266	6TUF10	287	124	1760	108.0	125	125	125	MOTOR
1000	115	266	6TUF10B	333	144	1760	110.0	YES	YES	YES	ENGINE
1000	119	275	5THF11G	340	147	3550	110.0	100	N.A.	100	MOTOR
1000	119	275	6AEF18	277	120	1770	164.8	150	150	150	MOTOR
1000	119	276	6AEF18	277	120	1760	164.1	YES	YES	YES	ENGINE
1000	120	277	5AEF11	315	136	2950	107.0	100	100	100	MOTOR
1000	120	277	5AEF11	317	137	3000	108.0	YES	YES	YES	ENGINE
1000	120	277	5AEF11	313	135	3300	109.0	YES	YES	YES	ENGINE
1000	120	277	5AEF11G	315	136	3550	110.0	100	100	100	MOTOR
1000	120	277	5AEF11G	322	139	3300	106.0	YES	YES	YES	ENGINE
1000	120	277	5AEF11G	317	137	3550	111.0	YES	YES	YES	ENGINE
1000	120	277	5AEF14	297	129	2350	122.0	YES	YES	N.A.	ENGINE
1000	120	277	5AEF14	295	128	2400	125.0	YES	YES	N.A.	ENGINE
1000	120	277	6AEF10	297	129	3550	133.0	125	125	125	MOTOR
1000	120	277	6AEF10	305	132	3000	142.0	YES	YES	YES	ENGINE
1000	120	277	6AEF10	303	131	3300	140.0	YES	YES	YES	ENGINE
1000	120	277	6AEF10	299	129	3550	134.0	YES	YES	YES	ENGINE
1000	120	277	6AEF14G	280	121	2100	173.0	YES	YES	YES	ENGINE
1000	120	277	6AEF18	279	121	1770	166.1	150	150	150	MOTOR
1000	120	277	6AEF18	279	121	1760	165.3	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	120	277	6TUF10	299	129	1760	113.0	125	125	125	MOTOR
1000	120	277	6TUF10B	343	148	1760	115.0	YES	YES	YES	ENGINE
1000	123	284	5THF15	360	156	2900	130.0	YES	NO	YES	ENGINE
1000	125	289	5AEF11	325	141	2950	111.0	100	100	100	MOTOR
1000	125	289	5AEF11	329	142	3000	114.0	YES	YES	YES	ENGINE
1000	125	289	5AEF11	324	140	3300	113.0	YES	YES	YES	ENGINE
1000	125	289	5AEF11G	325	141	3550	114.0	100	100	100	MOTOR
1000	125	289	5AEF11G	334	145	3300	110.0	YES	YES	YES	ENGINE
1000	125	289	5AEF11G	328	142	3550	115.0	YES	YES	YES	ENGINE
1000	125	289	5AEF14	309	134	2350	127.0	YES	YES	N.A.	ENGINE
1000	125	289	5AEF14	307	133	2400	129.0	YES	YES	N.A.	ENGINE
1000	125	289	6AEF10	310	134	3550	143.0	125	125	150	MOTOR
1000	125	289	6AEF10	315	136	3300	150.0	YES	YES	YES	ENGINE
1000	125	289	6AEF10	311	135	3550	144.0	YES	YES	YES	ENGINE
1000	125	289	6AEF14G	292	126	2100	184.0	YES	YES	YES	ENGINE
1000	125	289	6AEF18	291	126	1770	172.5	150	150	150	MOTOR
1000	125	289	6AEF18	291	126	1760	172.7	YES	YES	YES	ENGINE
1000	125	289	6TUF10	312	135	1760	119.0	125	125	125	MOTOR
1000	125	289	6TUF10B	353	153	1760	120.0	YES	YES	YES	ENGINE
1000	126	291	6THF19	315	136	2100	165.0	YES	NO	YES	ENGINE
1000	128	296	5AEF12	354	153	2950	118.0	125	125	125	MOTOR
1000	128	296	5THF15	380	165	2950	130.0	125	N.A.	125	MOTOR
1000	130	300	5AEF11	332	144	2950	114.0	100	100	100	MOTOR
1000	130	300	5AEF11	350	152	3000	117.0	YES	YES	YES	ENGINE
1000	130	300	5AEF11	334	145	3300	117.0	YES	YES	YES	ENGINE
1000	130	300	5AEF11G	337	146	3550	119.0	125	125	125	MOTOR
1000	130	300	5AEF11G	346	150	3300	115.0	YES	YES	YES	ENGINE
1000	130	300	5AEF11G	340	147	3550	120.0	YES	YES	YES	ENGINE
1000	130	300	5AEF12	358	155	2950	120.0	125	125	125	MOTOR
1000	130	300	5AEF14	305	132	2350	131.0	YES	YES	N.A.	ENGINE
1000	130	300	5AEF14	319	138	2400	134.0	YES	YES	N.A.	ENGINE
1000	130	300	6AEF10	322	139	3550	153.0	150	150	150	MOTOR
1000	130	300	6AEF10	328	142	3300	159.0	YES	YES	YES	ENGINE
1000	130	300	6AEF10	323	140	3550	154.0	YES	YES	YES	ENGINE
1000	130	300	6AEF14G	303	131	2100	194.0	YES	YES	YES	ENGINE
1000	130	300	6AEF18	303	131	1770	181.4	200	200	200	MOTOR
1000	130	300	6AEF18	304	132	1760	181.5	YES	YES	YES	ENGINE
1000	130	300	6TUF10	324	140	1760	123.0	125	125	125	MOTOR
1000	130	300	6TUF10B	363	157	1760	125.0	YES	YES	YES	ENGINE
1000	131	303	5THF11G	368	159	2950	118.0	125	N.A.	125	MOTOR
1000	132	305	5AEF12	365	158	3000	123.0	YES	YES	YES	ENGINE
1000	132	305	5THF15	290	126	2600	95.0	YES	NO	YES	ENGINE
1000	132	305	6AEF14G	303	131	2100	194.0	YES	YES	YES	ENGINE
1000	134	310	5THF12	350	152	3550	150.0	150	N.A.	150	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	134	310	5THF15	390	169	3000	150.0	YES	NO	YES	ENGINE
1000	135	312	5AEF11	343	148	3000	120.0	YES	YES	YES	ENGINE
1000	135	312	5AEF11	347	150	3300	125.0	YES	YES	YES	ENGINE
1000	135	312	5AEF11G	349	151	3550	123.0	125	125	125	MOTOR
1000	135	312	5AEF11G	359	155	3300	119.0	YES	YES	YES	ENGINE
1000	135	312	5AEF11G	352	152	3550	124.0	YES	YES	YES	ENGINE
1000	135	312	5AEF12	369	160	2950	125.0	125	125	125	MOTOR
1000	135	312	5AEF12	372	161	3000	127.0	YES	YES	YES	ENGINE
1000	135	312	5AEF14	332	144	2350	137.0	YES	YES	N.A.	ENGINE
1000	135	312	5AEF14	331	143	2400	138.0	YES	YES	N.A.	ENGINE
1000	135	312	6AEF10	335	145	3550	163.0	150	150	150	MOTOR
1000	135	312	6AEF10	341	148	3300	168.0	YES	YES	YES	ENGINE
1000	135	312	6AEF10	336	145	3550	164.0	YES	YES	YES	ENGINE
1000	135	312	6AEF18	317	137	1770	19.2	200	200	200	MOTOR
1000	135	312	6AEF18	317	137	1760	192.2	YES	YES	YES	ENGINE
1000	135	312	6TUF10	336	145	1760	129.0	125	125	125	MOTOR
1000	135	312	6TUF10B	372	161	1760	131.0	YES	YES	YES	ENGINE
1000	137	316	5THF10	370	160	3550	127.0	125	N.A.	125	MOTOR
1000	139	321	6THF19	340	147	2200	200.0	YES	NO	YES	ENGINE
1000	140	323	5AEF11	359	155	3300	131.0	YES	YES	YES	ENGINE
1000	140	323	5AEF11G	361	156	3550	128.0	125	125	125	MOTOR
1000	140	323	5AEF11G	370	160	3300	124.0	YES	YES	YES	ENGINE
1000	140	323	5AEF11G	365	158	3550	129.0	YES	YES	YES	ENGINE
1000	140	323	5AEF12	379	164	2950	131.0	125	125	125	MOTOR
1000	140	323	5AEF12	382	165	3000	133.0	YES	YES	YES	ENGINE
1000	140	323	5AEF14	342	148	2350	145.0	YES	YES	N.A.	ENGINE
1000	140	323	5AEF14	342	148	2400	144.0	YES	YES	N.A.	ENGINE
1000	140	323	5THF15	640	277	2950	257.0	250	N.A.	250	MOTOR
1000	140	323	6AEF10	347	150	3550	173.0	150	150	200	MOTOR
1000	140	323	6AEF10	353	153	3300	177.0	YES	YES	YES	ENGINE
1000	140	323	6AEF10	349	151	3550	174.0	YES	YES	YES	ENGINE
1000	140	323	6AEF18	329	142	1770	202.0	200	200	200	MOTOR
1000	140	323	6AEF18	330	143	1760	202.0	YES	YES	YES	ENGINE
1000	140	323	6TUF10	349	151	1760	133.0	125	125	125	MOTOR
1000	140	323	6TUF10B	381	165	1760	136.0	YES	YES	YES	ENGINE
1000	145	335	5AEF11	371	161	3300	138.0	YES	YES	YES	ENGINE
1000	145	335	5AEF11G	374	162	3550	132.0	125	125	125	MOTOR
1000	145	335	5AEF11G	381	165	3300	130.0	YES	YES	YES	ENGINE
1000	145	335	5AEF11G	377	163	3550	134.0	YES	YES	YES	ENGINE
1000	145	335	5AEF12	390	169	2950	137.0	125	125	125	MOTOR
1000	145	335	5AEF12	395	171	3000	140.0	YES	YES	YES	ENGINE
1000	145	335	5AEF12	397	172	3300	137.0	YES	YES	YES	ENGINE
1000	145	335	5AEF14	353	153	2350	153.0	YES	YES	N.A.	ENGINE
1000	145	335	5AEF14	353	153	2400	151.0	YES	YES	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	145	335	6AEF10	360	156	3550	182.0	200	200	200	MOTOR
1000	145	335	6AEF10	366	158	3300	187.0	YES	YES	YES	ENGINE
1000	145	335	6AEF10	361	156	3550	184.0	YES	YES	YES	ENGINE
1000	145	335	6AEF18	337	146	1770	208.3	200	200	200	MOTOR
1000	145	335	6AEF18	337	146	1760	212.0	YES	YES	YES	ENGINE
1000	145	335	6THF19	370	160	1760	186.0	200	N.A.	200	MOTOR
1000	145	335	6TUF10	362	157	1760	138.0	125	125	125	MOTOR
1000	145	335	6TUF10B	390	169	1760	141.0	YES	YES	YES	ENGINE
1000	150	347	5AEF11	384	166	3300	144.0	YES	YES	YES	ENGINE
1000	150	347	5AEF11G	386	167	3550	137.0	125	125	125	MOTOR
1000	150	347	5AEF11G	392	170	3300	136.0	YES	YES	YES	ENGINE
1000	150	347	5AEF11G	389	168	3550	138.0	YES	YES	YES	ENGINE
1000	150	347	5AEF12	400	173	2950	144.0	125	125	125	MOTOR
1000	150	347	5AEF12	404	175	3000	145.0	YES	YES	YES	ENGINE
1000	150	347	5AEF12	407	176	3300	142.0	YES	YES	YES	ENGINE
1000	150	347	5AEF14	364	158	2350	160.0	YES	YES	N.A.	ENGINE
1000	150	347	5AEF14	364	158	2400	159.0	YES	YES	N.A.	ENGINE
1000	150	347	6AEF10	373	161	3550	193.0	200	200	200	MOTOR
1000	150	347	6AEF10	374	162	3550	194.0	YES	YES	YES	ENGINE
1000	150	347	6TUF10	374	162	1760	143.0	150	150	150	MOTOR
1000	150	347	6TUF10B	397	172	1760	146.0	YES	YES	YES	ENGINE
1000	152	351	6THF19	375	162	2300	215.0	YES	NO	YES	ENGINE
1000	155	358	5AEF11	396	171	3300	151.0	YES	YES	YES	ENGINE
1000	155	358	5AEF11G	398	172	3550	142.0	125	125	125	MOTOR
1000	155	358	5AEF11G	396	171	3300	149.0	YES	YES	YES	ENGINE
1000	155	358	5AEF11G	401	174	3550	143.0	YES	YES	YES	ENGINE
1000	155	358	5AEF12	412	178	2950	152.0	150	150	150	MOTOR
1000	155	358	5AEF12	415	180	3000	153.0	YES	YES	YES	ENGINE
1000	155	358	5AEF12	418	181	3300	149.0	YES	YES	YES	ENGINE
1000	155	358	5AEF14	375	162	2350	168.0	YES	YES	YES	ENGINE
1000	155	358	5AEF14	375	162	2400	167.0	YES	YES	N.A.	ENGINE
1000	155	358	6AEF10	386	167	3550	203.0	200	200	200	MOTOR
1000	155	358	6AEF10	387	168	3550	204.0	YES	YES	YES	ENGINE
1000	155	358	6TUF10	386	167	1760	148.0	150	150	150	MOTOR
1000	155	358	6TUF10B	407	176	1760	151.0	YES	YES	YES	ENGINE
1000	157	363	6THF13	420	182	2800	196.0	YES	NO	YES	ENGINE
1000	159	367	5THF12	415	180	2950	157.0	150	N.A.	150	MOTOR
1000	159	367	5THF15	340	147	2800	115.0	YES	NO	YES	ENGINE
1000	160	370	5AEF11	410	177	3300	157.0	YES	YES	YES	ENGINE
1000	160	370	5AEF11G	410	177	3550	146.0	150	150	150	MOTOR
1000	160	370	5AEF11G	402	174	3300	153.0	YES	YES	YES	ENGINE
1000	160	370	5AEF11G	415	180	3550	148.0	YES	YES	YES	ENGINE
1000	160	370	5AEF12	423	183	2950	159.0	150	150	150	MOTOR
1000	160	370	5AEF12	426	184	3000	160.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	160	370	5AEF12	429	186	3300	155.0	YES	YES	YES	ENGINE
1000	160	370	5AEF14	390	169	2350	175.0	YES	YES	YES	ENGINE
1000	160	370	5AEF14	386	167	2400	175.0	YES	YES	N.A.	ENGINE
1000	160	370	6AEF10	399	173	3550	213.0	200	200	200	MOTOR
1000	160	370	6AEF10	400	173	3550	214.0	YES	YES	YES	ENGINE
1000	160	370	6THF19	390	169	2350	225.0	YES	NO	YES	ENGINE
1000	160	370	6TUF10	399	173	1760	153.0	150	150	150	MOTOR
1000	160	370	6TUF10B	416	180	1760	156.0	YES	YES	YES	ENGINE
1000	165	381	5AEF11	416	180	3300	158.0	YES	YES	YES	ENGINE
1000	165	381	5AEF11G	422	183	3550	152.0	150	150	150	MOTOR
1000	165	381	5AEF11G	408	177	3300	156.0	YES	YES	YES	ENGINE
1000	165	381	5AEF11G	425	184	3550	153.0	YES	YES	YES	ENGINE
1000	165	381	5AEF12	433	187	2950	165.0	150	150	150	MOTOR
1000	165	381	5AEF12	436	189	3000	167.0	YES	YES	YES	ENGINE
1000	165	381	5AEF12	439	190	3300	162.0	YES	YES	YES	ENGINE
1000	165	381	5AEF14	400	173	2350	189.0	YES	YES	YES	ENGINE
1000	165	381	5AEF14	396	171	2400	183.0	YES	YES	YES	ENGINE
1000	165	381	6AEF10	407	176	3550	220.0	200	200	200	MOTOR
1000	165	381	6AEF10	413	179	3550	224.0	YES	YES	YES	ENGINE
1000	165	381	6TUF10	418	181	1760	158.0	150	150	150	MOTOR
1000	165	381	6TUF10B	425	184	1760	161.0	YES	YES	YES	ENGINE
1000	170	393	5AEF11G	433	187	3550	158.0	150	150	150	MOTOR
1000	170	393	5AEF11G	436	189	3550	159.0	YES	YES	YES	ENGINE
1000	170	393	5AEF12	445	193	2950	172.0	150	150	150	MOTOR
1000	170	393	5AEF12	448	194	3000	174.0	YES	YES	YES	ENGINE
1000	170	393	5AEF12	450	195	3300	168.0	YES	YES	YES	ENGINE
1000	170	393	5AEF14	410	177	2400	195.0	YES	YES	YES	ENGINE
1000	170	393	6TUF10	424	184	1760	163.0	150	150	150	MOTOR
1000	170	393	6TUF10B	434	188	1760	166.0	YES	YES	YES	ENGINE
1000	171	395	6AEF18	393	170	2100	277.9	YES	YES	YES	ENGINE
1000	171	395	6THF13	460	199	2950	223.0	200	N.A.	200	MOTOR
1000	171	395	6THF19	425	184	1900	234.5	YES	NO	YES	ENGINE
1000	175	404	5AEF11G	444	192	3550	164.0	150	150	150	MOTOR
1000	175	404	5AEF11G	447	194	3550	166.0	YES	YES	YES	ENGINE
1000	175	404	5AEF12	449	194	2950	175.0	200	200	200	MOTOR
1000	175	404	5AEF12	460	199	3550	170.0	150	150	150	MOTOR
1000	175	404	5AEF12	458	198	3000	181.0	YES	YES	YES	ENGINE
1000	175	404	5AEF12	461	200	3300	175.0	YES	YES	YES	ENGINE
1000	175	404	5AEF12	465	201	3550	173.0	YES	YES	YES	ENGINE
1000	175	404	5AEF14	417	181	2400	201.0	YES	YES	YES	ENGINE
1000	175	404	5THF11G	475	206	3550	168.0	150	N.A.	150	MOTOR
1000	175	405	6AEF18	404	175	2100	285.3	YES	YES	YES	ENGINE
1000	175	404	6TUF10	436	189	1760	168.0	150	150	150	MOTOR
1000	175	404	6TUF10B	444	192	1760	171.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	180	416	5AEF11G	455	197	3550	170.0	150	150	150	MOTOR
1000	180	416	5AEF11G	459	199	3550	172.0	YES	YES	YES	ENGINE
1000	180	416	5AEF12	469	203	3550	176.0	200	200	200	MOTOR
1000	180	416	5AEF12	472	204	3300	181.0	YES	YES	YES	ENGINE
1000	180	416	5AEF12	475	206	3550	180.0	YES	YES	YES	ENGINE
1000	180	416	6AEF18	416	180	2100	293.5	YES	YES	YES	ENGINE
1000	180	416	6TUF10	449	194	1760	174.0	200	200	200	MOTOR
1000	180	416	6TUF10B	453	196	1760	177.0	YES	YES	YES	ENGINE
1000	181	418	5AEF12	464	201	3000	185.0	YES	YES	YES	ENGINE
1000	181	418	5THF15	510	221	2600	177.0	YES	NO	YES	ENGINE
1000	185	427	5AEF11G	460	199	3550	185.0	200	200	200	MOTOR
1000	185	427	5AEF12	480	208	3550	183.0	200	200	200	MOTOR
1000	185	427	5AEF12	483	209	3300	188.0	YES	YES	YES	ENGINE
1000	185	427	5AEF12	484	210	3550	186.0	YES	YES	YES	ENGINE
1000	185	427	6AEF18	428	185	2100	303.8	YES	YES	YES	ENGINE
1000	185	427	6TUF10	462	200	1760	180.0	200	200	200	MOTOR
1000	185	427	6TUF10B	462	200	1760	184.0	YES	YES	YES	ENGINE
1000	190	439	5AEF11G	465	201	3550	194.0	200	200	200	MOTOR
1000	190	439	5AEF12	491	213	3550	190.0	200	200	200	MOTOR
1000	190	439	5AEF12	494	214	3300	196.0	YES	YES	YES	ENGINE
1000	190	439	6AEF18	444	192	2100	316.8	YES	YES	YES	ENGINE
1000	190	439	6TUF10	474	205	1760	186.0	200	200	200	MOTOR
1000	190	439	6TUF10B	471	204	1760	190.0	YES	YES	YES	ENGINE
1000	195	450	5AEF12	502	217	3550	197.0	200	200	200	MOTOR
1000	195	450	5AEF12	505	219	3300	204.0	YES	YES	YES	ENGINE
1000	195	450	6AEF18	455	197	2100	328.8	YES	YES	YES	ENGINE
1000	195	450	6TUF10	486	210	1760	192.0	200	200	200	MOTOR
1000	199	460	5THF12	510	221	3550	230.0	200	N.A.	200	MOTOR
1000	200	462	5AEF12	513	222	3550	204.0	200	200	200	MOTOR
1000	200	462	5AEF12	515	223	3300	212.0	YES	YES	YES	ENGINE
1000	200	462	6AEF18	467	202	2100	341.8	YES	YES	YES	ENGINE
1000	200	462	6TUF10	498	216	1760	197.0	200	200	200	MOTOR
1000	200	462	6TUF10B	490	212	1760	201.0	YES	YES	YES	ENGINE
1000	205	474	5AEF12	524	227	3550	211.0	200	200	200	MOTOR
1000	205	474	5AEF12	526	228	3300	220.0	YES	YES	YES	ENGINE
1000	205	474	6AEF18	474	205	2100	347.5	YES	YES	YES	ENGINE
1000	205	474	6TUF10	510	221	1760	202.0	200	200	200	MOTOR
1000	208	480	6THF19	515	223	2100	313.0	YES	NO	YES	ENGINE
1000	210	485	5AEF12	535	232	3550	219.0	200	200	200	MOTOR
1000	210	485	5AEF12	537	232	3300	228.0	YES	YES	YES	ENGINE
1000	210	485	6TUF10	523	226	1760	208.0	200	200	200	MOTOR
1000	210	485	6TUF10B	515	223	1760	212.0	YES	YES	YES	ENGINE
1000	213	492	5THF15	575	249	2800	219.0	YES	NO	YES	ENGINE
1000	215	497	5AEF12	546	236	3550	226.0	200	200	200	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1000	215	497	5AEF12	548	237	3300	235.0	YES	YES	YES	ENGINE
1000	220	508	5AEF12	553	239	3550	230.0	200	200	200	MOTOR
1000	220	508	5AEF12	562	243	3300	246.0	YES	YES	YES	ENGINE
1000	225	520	5AEF12	568	246	3550	242.0	250	250	250	MOTOR
1000	228	527	6THF19	565	245	2200	360.0	YES	NO	YES	ENGINE
1000	230	531	5AEF12	579	251	3550	250.0	250	250	250	MOTOR
1000	232	536	5THF15	620	268	2900	246.0	YES	NO	YES	ENGINE
1000	235	543	5AEF12	590	255	3550	259.0	250	250	250	MOTOR
1000	240	554	5AEF12	601	260	3550	267.0	250	250	250	MOTOR
1000	245	566	5AEF12	611	265	3550	275.0	250	250	250	MOTOR
1000	250	578	5AEF12	623	270	3550	284.0	250	250	250	MOTOR
1000	250	578	5THF15	660	286	3000	273.0	YES	NO	YES	ENGINE
1000	251	580	6THF19	620	268	2300	412.0	YES	NO	YES	ENGINE
1000	251	580	6THF19	620	268	2350	412.0	YES	NO	YES	ENGINE
1000	255	589	5AEF12	634	274	3550	293.0	300	300	300	MOTOR
1000	260	601	5AEF12	645	279	3550	301.0	300	300	300	MOTOR
1250	40	92	6AEF14	117	51	1760	41.0	YES	YES	YES	ENGINE
1250	45	104	6AEF14	130	56	1760	46.0	YES	YES	YES	ENGINE
1250	50	116	6AEF14	144	62	1760	50.0	YES	YES	YES	ENGINE
1250	55	127	6AEF14	157	68	1760	55.0	YES	YES	YES	ENGINE
1250	55	127	6AEF16	158	68	1460	55.0	50	50	50	MOTOR
1250	60	139	6AEF14	169	73	1760	60.0	YES	YES	YES	ENGINE
1250	60	139	6AEF16	169	73	1460	60.0	60	60	60	MOTOR
1250	60	139	6AEF16	163	71	1780	68.0	60	60	60	MOTOR
1250	60	139	6AEF16	165	71	1760	62.0	YES	YES	YES	ENGINE
1250	64	148	6AEF14G	158	68	2100	73.0	YES	YES	YES	ENGINE
1250	65	150	6AEF10	191	83	2800	69.0	N.A.	N.A.	YES	ENGINE
1250	65	150	6AEF14	181	78	1760	60.0	YES	YES	YES	ENGINE
1250	65	150	6AEF14G	160	69	2100	75.0	YES	YES	YES	ENGINE
1250	65	150	6AEF16	180	78	1460	66.0	60	60	60	MOTOR
1250	65	150	6AEF16	175	76	1780	73.0	75	75	75	MOTOR
1250	65	150	6AEF16	177	77	1760	73.0	YES	YES	YES	ENGINE
1250	66	152	6AEF10	193	84	2800	71.0	YES	N.A.	YES	ENGINE
1250	70	162	6AEF10	200	87	2800	74.0	YES	N.A.	YES	ENGINE
1250	70	162	6AEF14	192	83	1760	73.0	YES	YES	YES	ENGINE
1250	70	162	6AEF14G	171	74	2100	83.0	YES	YES	YES	ENGINE
1250	70	162	6AEF16	192	83	1460	72.0	75	75	75	MOTOR
1250	70	162	6AEF16	187	81	1780	78.0	75	75	75	MOTOR
1250	70	162	6AEF16	189	82	1760	77.0	YES	YES	YES	ENGINE
1250	74	172	6AEF10	204	88	2800	75.0	YES	YES	YES	ENGINE
1250	75	173	6AEF10	221	96	2950	80.0	75	75	75	MOTOR
1250	75	173	6AEF10	206	89	2800	76.0	YES	YES	YES	ENGINE
1250	75	173	6AEF10	212	92	3000	80.0	N.A.	N.A.	YES	ENGINE
1250	75	173	6AEF14	203	88	1760	80.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1250	75	173	6AEF14G	182	79	2100	91.0	YES	YES	YES	ENGINE
1250	75	173	6AEF16	203	88	1460	79.0	75	75	75	MOTOR
1250	75	173	6AEF16	199	86	1780	82.0	75	75	75	MOTOR
1250	75	173	6AEF16	201	87	1760	82.0	YES	YES	YES	ENGINE
1250	76	176	6AEF10	215	93	3000	81.0	YES	YES	YES	ENGINE
1250	76	176	6AEF12	213	92	2600	93.0	YES	YES	N.A.	ENGINE
1250	80	185	6AEF10	220	95	2950	86.0	75	75	75	MOTOR
1250	80	185	6AEF10	216	94	2800	81.0	YES	YES	YES	ENGINE
1250	80	185	6AEF10	224	97	3000	88.0	YES	YES	YES	ENGINE
1250	80	185	6AEF12	221	96	2600	96.0	YES	YES	N.A.	ENGINE
1250	80	185	6AEF14	211	91	1760	86.0	YES	YES	YES	ENGINE
1250	80	185	6AEF14G	193	84	2100	99.0	YES	YES	YES	ENGINE
1250	80	185	6AEF16	214	93	1460	86.0	75	75	75	MOTOR
1250	80	185	6AEF16	209	90	1780	87.0	100	100	100	MOTOR
1250	80	185	6AEF16	212	92	1760	87.0	YES	YES	YES	ENGINE
1250	81	187	6THF19	220	95	1760	100.0	100	N.A.	100	MOTOR
1250	82	189	5THF12	240	104	2950	80.0	75	N.A.	75	MOTOR
1250	84	194	6THF13	235	102	2800	110.0	YES	NO	YES	ENGINE
1250	85	196	6AEF10	233	101	2950	95.0	100	100	100	MOTOR
1250	85	196	6AEF10	231	100	2800	90.0	YES	YES	YES	ENGINE
1250	85	196	6AEF10	235	102	3000	95.0	YES	YES	YES	ENGINE
1250	85	196	6AEF12	229	99	2600	100.0	YES	YES	N.A.	ENGINE
1250	85	196	6AEF14G	204	88	2100	108.0	YES	YES	YES	ENGINE
1250	85	196	6AEF16	221	96	1780	92.0	100	100	100	MOTOR
1250	85	196	6AEF16	223	97	1760	93.0	YES	YES	YES	ENGINE
1250	90	208	6AEF10	245	106	2950	103.0	100	100	100	MOTOR
1250	90	208	6AEF10	241	104	2800	94.0	YES	YES	YES	ENGINE
1250	90	208	6AEF10	247	107	3000	103.0	YES	YES	YES	ENGINE
1250	90	208	6AEF12	240	104	2600	105.0	YES	YES	N.A.	ENGINE
1250	90	208	6AEF12	240	104	2800	112.0	YES	YES	YES	ENGINE
1250	90	208	6AEF14G	216	94	2100	117.0	YES	YES	YES	ENGINE
1250	90	208	6AEF16	234	101	1780	99.0	100	100	100	MOTOR
1250	90	208	6AEF16	235	102	1760	99.0	YES	YES	YES	ENGINE
1250	93	215	6THF13	260	113	2950	125.0	125	N.A.	125	MOTOR
1250	95	219	6AEF10	256	111	2950	110.0	100	100	100	MOTOR
1250	95	219	6AEF10	263	114	2800	103.0	YES	YES	YES	ENGINE
1250	95	219	6AEF10	258	112	3000	111.0	YES	YES	YES	ENGINE
1250	95	219	6AEF12	251	109	2600	112.0	YES	YES	N.A.	ENGINE
1250	95	219	6AEF12	250	108	2800	113.0	YES	YES	YES	ENGINE
1250	95	219	6AEF14G	227	98	2100	127.0	YES	YES	YES	ENGINE
1250	95	219	6AEF16	246	106	1780	106.0	100	100	100	MOTOR
1250	95	219	6AEF16	247	107	1760	106.0	YES	YES	YES	ENGINE
1250	96	222	8THF14E	240	104	2800	140.0	YES	NO	YES	ENGINE
1250	97	224	6AEF10	261	113	3550	110.0	100	100	100	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1250	97	224	6AEF10	262	113	3300	111.0	YES	YES	YES	ENGINE
1250	97	224	6AEF10	262	113	3550	115.0	YES	YES	YES	ENGINE
1250	97	224	6THF19	255	110	1900	125.0	YES	NO	YES	ENGINE
1250	100	231	6AEF10	269	116	2950	118.0	125	125	125	MOTOR
1250	100	231	6AEF10	267	116	3550	117.0	125	125	125	MOTOR
1250	100	231	6AEF10	270	117	2800	113.0	YES	YES	YES	ENGINE
1250	100	231	6AEF10	270	117	3000	119.0	YES	YES	YES	ENGINE
1250	100	231	6AEF10	269	116	3300	116.0	YES	YES	YES	ENGINE
1250	100	231	6AEF10	269	116	3550	118.0	YES	YES	YES	ENGINE
1250	100	231	6AEF12	258	112	2950	131.0	125	125	125	MOTOR
1250	100	231	6AEF12	264	114	2600	120.0	YES	YES	N.A.	ENGINE
1250	100	231	6AEF12	260	113	2800	121.0	YES	YES	YES	ENGINE
1250	100	231	6AEF14G	239	103	2100	137.0	YES	YES	YES	ENGINE
1250	100	231	6AEF16	253	110	1780	110.0	100	100	100	MOTOR
1250	100	231	6AEF16	259	112	1760	113.0	YES	YES	YES	ENGINE
1250	103	238	6AEF10	270	117	2800	113.0	YES	YES	YES	ENGINE
1250	105	243	6AEF10	281	122	2950	126.0	125	125	125	MOTOR
1250	105	243	6AEF10	279	121	3550	123.0	125	125	125	MOTOR
1250	105	243	6AEF10	283	123	3000	127.0	YES	YES	YES	ENGINE
1250	105	243	6AEF10	281	122	3300	124.0	YES	YES	YES	ENGINE
1250	105	243	6AEF10	280	121	3550	124.0	YES	YES	YES	ENGINE
1250	105	243	6AEF12	269	116	2950	133.0	125	125	125	MOTOR
1250	105	243	6AEF12	277	120	2600	128.0	YES	YES	N.A.	ENGINE
1250	105	243	6AEF12	271	117	2800	128.0	YES	YES	YES	ENGINE
1250	105	243	6AEF12	262	113	3000	138.0	YES	YES	YES	ENGINE
1250	105	243	6AEF14G	249	108	2100	146.0	YES	YES	YES	ENGINE
1250	105	243	6AEF16	269	116	1780	120.0	125	125	125	MOTOR
1250	105	243	6AEF16	270	117	1760	120.0	YES	YES	YES	ENGINE
1250	108	249	8THF14E	260	113	2950	170.0	150	N.A.	150	MOTOR
1250	110	254	6AEF10	292	126	2950	133.0	125	125	125	MOTOR
1250	110	254	6AEF10	289	125	3550	129.0	125	125	125	MOTOR
1250	110	254	6AEF10	294	127	3000	135.0	YES	YES	YES	ENGINE
1250	110	254	6AEF10	292	126	3300	133.0	YES	YES	YES	ENGINE
1250	110	254	6AEF10	291	126	3550	130.0	YES	YES	YES	ENGINE
1250	110	254	6AEF12	280	121	2950	139.0	125	125	125	MOTOR
1250	110	254	6AEF12	289	125	2600	135.0	YES	YES	N.A.	ENGINE
1250	110	254	6AEF12	282	122	2800	133.0	YES	YES	YES	ENGINE
1250	110	254	6AEF12	274	119	3000	142.0	YES	YES	YES	ENGINE
1250	110	254	6AEF14G	261	113	2100	156.0	YES	YES	YES	ENGINE
1250	110	254	6AEF16	280	121	1780	126.0	125	125	125	MOTOR
1250	110	254	6AEF16	281	122	1760	126.0	YES	YES	YES	ENGINE
1250	110	254	6AEF18	268	116	1760	148.0	N.A.	YES	YES	ENGINE
1250	115	266	6AEF10	300	130	3550	136.0	125	125	125	MOTOR
1250	115	266	6AEF10	305	132	3000	142.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1250	115	266	6AEF10	304	132	3300	142.0	YES	YES	YES	ENGINE
1250	115	266	6AEF10	302	131	3550	137.0	YES	YES	YES	ENGINE
1250	115	266	6AEF12	291	126	2950	143.0	125	125	150	MOTOR
1250	115	266	6AEF12	302	131	2600	142.0	YES	YES	N.A.	ENGINE
1250	115	266	6AEF12	300	130	2800	143.0	YES	YES	YES	ENGINE
1250	115	266	6AEF12	288	125	3000	148.0	YES	YES	YES	ENGINE
1250	115	266	6AEF14G	272	118	2100	166.0	YES	YES	YES	ENGINE
1250	115	266	6AEF16	292	126	1780	135.0	125	125	125	MOTOR
1250	115	266	6AEF16	294	127	1760	137.0	YES	YES	YES	ENGINE
1250	115	266	6AEF18	279	121	1770	150.0	150	150	150	MOTOR
1250	115	266	6AEF18	278	120	1760	150.0	YES	YES	YES	ENGINE
1250	120	277	6AEF10	311	135	3550	144.0	150	150	150	MOTOR
1250	120	277	6AEF10	316	137	3300	150.0	YES	YES	YES	ENGINE
1250	120	277	6AEF10	311	135	3550	144.0	YES	YES	YES	ENGINE
1250	120	277	6AEF12	301	130	2950	149.0	150	150	150	MOTOR
1250	120	277	6AEF12	313	135	2600	148.0	YES	YES	N.A.	ENGINE
1250	120	277	6AEF12	310	134	2800	151.0	YES	YES	YES	ENGINE
1250	120	277	6AEF12	300	130	3000	153.0	YES	YES	YES	ENGINE
1250	120	277	6AEF14G	284	123	2100	176.0	YES	YES	YES	ENGINE
1250	120	277	6AEF16	303	131	1780	144.0	150	150	150	MOTOR
1250	120	277	6AEF16	306	132	1760	146.0	YES	YES	YES	ENGINE
1250	120	277	6AEF18	287	124	1770	156.0	150	150	150	MOTOR
1250	120	277	6AEF18	288	125	1760	156.0	YES	YES	YES	ENGINE
1250	122	282	6THF19	315	136	2100	165.0	YES	NO	YES	ENGINE
1250	125	289	5THF12	350	152	3550	150.0	150	N.A.	150	MOTOR
1250	125	289	6AEF10	324	140	3550	154.0	150	150	150	MOTOR
1250	125	289	6AEF10	328	142	3300	159.0	YES	YES	YES	ENGINE
1250	125	289	6AEF10	326	141	3550	156.0	YES	YES	YES	ENGINE
1250	125	289	6AEF12	312	135	2950	156.0	150	150	150	MOTOR
1250	125	289	6AEF12	325	141	2600	154.0	YES	YES	N.A.	ENGINE
1250	125	289	6AEF12	324	140	2800	160.0	YES	YES	YES	ENGINE
1250	125	289	6AEF12	312	135	3000	157.0	YES	YES	YES	ENGINE
1250	125	289	6AEF12	313	135	3300	181.0	YES	YES	N.A.	ENGINE
1250	125	289	6AEF14G	295	128	2100	187.0	YES	YES	YES	ENGINE
1250	125	289	6AEF16	316	137	1780	154.0	150	150	150	MOTOR
1250	125	289	6AEF16	313	135	1760	152.0	YES	YES	YES	ENGINE
1250	125	289	6AEF18	297	129	1770	162.0	150	150	150	MOTOR
1250	125	289	6AEF18	300	130	1760	163.0	YES	YES	YES	ENGINE
1250	126	291	6AEF12	316	137	3300	183.0	YES	YES	YES	ENGINE
1250	130	300	6AEF10	335	145	3550	163.0	150	150	150	MOTOR
1250	130	300	6AEF10	336	145	3300	165.0	YES	YES	YES	ENGINE
1250	130	300	6AEF10	337	146	3550	165.0	YES	YES	YES	ENGINE
1250	130	300	6AEF12	325	141	2950	164.0	150	150	150	MOTOR
1250	130	300	6AEF12	336	145	2600	160.0	YES	YES	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1250	130	300	6AEF12	335	145	2800	164.0	YES	YES	YES	ENGINE
1250	130	300	6AEF12	324	140	3000	166.0	YES	YES	YES	ENGINE
1250	130	300	6AEF12	325	141	3300	181.0	YES	YES	YES	ENGINE
1250	130	300	6AEF14G	303	131	2100	194.0	YES	YES	YES	ENGINE
1250	130	300	6AEF18	311	135	1770	170.0	150	150	150	MOTOR
1250	130	300	6AEF18	316	137	1760	172.0	YES	YES	YES	ENGINE
1250	134	310	6THF19	340	147	2200	200.0	YES	NO	YES	ENGINE
1250	135	312	6AEF10	346	150	3550	171.0	150	150	200	MOTOR
1250	135	312	6AEF10	350	152	3300	175.0	YES	YES	YES	ENGINE
1250	135	312	6AEF10	350	152	3550	175.0	YES	YES	YES	ENGINE
1250	135	312	6AEF12	336	145	2950	172.0	150	150	150	MOTOR
1250	135	312	6AEF12	349	151	2600	166.0	YES	YES	N.A.	ENGINE
1250	135	312	6AEF12	347	150	2800	174.0	YES	YES	YES	ENGINE
1250	135	312	6AEF12	336	145	3000	174.0	YES	YES	YES	ENGINE
1250	135	312	6AEF12	336	145	3300	187.0	YES	YES	YES	ENGINE
1250	135	312	6AEF18	324	140	1770	180.0	200	200	200	MOTOR
1250	135	312	6AEF18	325	141	1760	182.0	YES	YES	YES	ENGINE
1250	137	316	6THF13	360	156	3550	220.0	200	N.A.	200	MOTOR
1250	140	323	6AEF10	359	155	3550	182.0	200	200	200	MOTOR
1250	140	323	6AEF10	364	158	3300	185.0	YES	YES	YES	ENGINE
1250	140	323	6AEF10	360	156	3550	183.0	YES	YES	YES	ENGINE
1250	140	323	6AEF12	350	152	2950	182.0	200	200	200	MOTOR
1250	140	323	6AEF12	360	156	2600	172.0	YES	YES	N.A.	ENGINE
1250	140	323	6AEF12	357	155	2800	181.0	YES	YES	YES	ENGINE
1250	140	323	6AEF12	348	151	3000	183.0	YES	YES	YES	ENGINE
1250	140	323	6AEF12	347	150	3300	192.0	YES	YES	YES	ENGINE
1250	140	323	6AEF18	333	144	1770	190.0	200	200	200	MOTOR
1250	140	323	6AEF18	333	144	1760	193.0	YES	YES	YES	ENGINE
1250	142	328	6THF19	370	160	1760	186.0	200	N.A.	200	MOTOR
1250	145	335	6AEF10	372	161	3550	192.0	200	200	200	MOTOR
1250	145	335	6AEF10	369	160	3550	189.0	YES	YES	YES	ENGINE
1250	145	335	6AEF12	364	158	2950	191.0	200	200	200	MOTOR
1250	145	335	6AEF12	362	157	2600	173.0	YES	YES	N.A.	ENGINE
1250	145	335	6AEF12	371	161	2800	187.0	YES	YES	YES	ENGINE
1250	145	335	6AEF12	360	156	3000	190.0	YES	YES	YES	ENGINE
1250	145	335	6AEF12	359	155	3300	198.0	YES	YES	YES	ENGINE
1250	145	335	6AEF18	339	147	1770	198.0	200	200	200	MOTOR
1250	145	335	6AEF18	336	145	1760	195.0	YES	YES	YES	ENGINE
1250	148	342	5THF12	415	180	2950	157.0	150	N.A.	150	MOTOR
1250	148	342	6THF19	375	162	2300	215.0	YES	NO	YES	ENGINE
1250	150	347	6AEF10	385	167	3550	202.0	200	200	200	MOTOR
1250	150	347	6AEF10	386	167	3550	203.0	YES	YES	YES	ENGINE
1250	150	347	6AEF12	376	163	2950	200.0	200	200	200	MOTOR
1250	150	347	6AEF12	371	161	3550	225.0	200	200	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1250	150	347	6AEF12	383	166	2800	195.0	YES	YES	YES	ENGINE
1250	150	347	6AEF12	378	164	3000	202.0	YES	YES	YES	ENGINE
1250	150	347	6AEF12	369	160	3300	203.0	YES	YES	YES	ENGINE
1250	150	347	6AEF12	374	162	3550	225.0	YES	YES	N.A.	ENGINE
1250	150	347	6THF13	420	182	2800	196.0	YES	NO	YES	ENGINE
1250	152	352	6AEF12	376	163	3550	225.0	200	200	200	MOTOR
1250	152	351	6AEF12	378	164	3550	R.F.	YES	YES	YES	ENGINE
1250	155	358	6AEF10	397	172	3550	211.0	200	200	200	MOTOR
1250	155	358	6AEF10	401	174	3550	212.0	YES	YES	YES	ENGINE
1250	155	358	6AEF12	389	168	2950	207.0	200	200	200	MOTOR
1250	155	358	6AEF12	381	165	3550	225.0	200	200	200	MOTOR
1250	155	358	6AEF12	395	171	2800	201.0	YES	YES	YES	ENGINE
1250	155	358	6AEF12	390	169	3000	210.0	YES	YES	YES	ENGINE
1250	155	358	6AEF12	378	164	3300	208.0	YES	YES	YES	ENGINE
1250	155	358	6AEF12	384	166	3550	R.F.	YES	YES	YES	ENGINE
1250	155	358	6THF19	390	169	2350	225.0	YES	NO	YES	ENGINE
1250	160	370	6AEF10	407	176	3550	220.0	200	200	200	MOTOR
1250	160	370	6AEF10	411	178	3550	222.0	YES	YES	YES	ENGINE
1250	160	370	6AEF12	401	174	2950	214.0	200	200	200	MOTOR
1250	160	370	6AEF12	391	169	3550	230.0	200	200	200	MOTOR
1250	160	370	6AEF12	410	177	2800	209.0	YES	YES	YES	ENGINE
1250	160	370	6AEF12	401	174	3000	217.0	YES	YES	YES	ENGINE
1250	160	370	6AEF12	390	169	3300	217.0	YES	YES	YES	ENGINE
1250	160	370	6AEF12	396	171	3550	R.F.	YES	YES	YES	ENGINE
1250	164	379	6AEF10	419	181	3550	229.0	200	200	200	MOTOR
1250	164	379	6AEF10	434	188	3550	226.0	YES	YES	YES	ENGINE
1250	164	379	6THF13	460	199	2950	223.0	200	N.A.	200	MOTOR
1250	165	381	6AEF12	410	177	2950	220.0	200	200	200	MOTOR
1250	165	381	6AEF12	401	174	3550	237.0	250	250	250	MOTOR
1250	165	381	6AEF12	424	184	2800	215.0	YES	YES	YES	ENGINE
1250	165	381	6AEF12	413	179	3000	224.0	YES	YES	YES	ENGINE
1250	165	381	6AEF12	402	174	3300	227.0	YES	YES	YES	ENGINE
1250	165	381	6AEF12	408	177	3550	R.F.	YES	YES	YES	ENGINE
1250	165	381	6AEF18	386	167	2100	252.0	N.A.	YES	YES	ENGINE
1250	166	383	6THF19	425	184	1900	234.5	YES	NO	YES	ENGINE
1250	167	386	6AEF18	390	169	2100	253.0	YES	YES	YES	ENGINE
1250	169	390	6AEF12	434	188	2800	215.0	YES	YES	YES	ENGINE
1250	170	393	6AEF12	424	184	2950	228.0	200	200	200	MOTOR
1250	170	393	6AEF12	411	178	3550	243.0	250	250	250	MOTOR
1250	170	393	6AEF12	425	184	3000	227.0	YES	YES	YES	ENGINE
1250	170	393	6AEF12	415	180	3300	237.0	YES	YES	YES	ENGINE
1250	170	393	6AEF12	420	182	3550	R.F.	YES	YES	YES	ENGINE
1250	170	393	6AEF18	397	172	2100	255.0	YES	YES	YES	ENGINE
1250	174	402	8THF14E	420	182	2800	278.0	YES	NO	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1250	175	404	6AEF12	435	188	2950	234.0	250	250	250	MOTOR
1250	175	404	6AEF12	421	182	3550	248.0	250	250	250	MOTOR
1250	175	404	6AEF12	436	189	3000	238.0	YES	YES	YES	ENGINE
1250	175	404	6AEF12	427	185	3300	246.0	YES	YES	YES	ENGINE
1250	175	404	6AEF12	432	187	3550	R.F.	YES	YES	YES	ENGINE
1250	175	404	6AEF18	408	177	2100	263.0	YES	YES	YES	ENGINE
1250	180	416	6AEF12	447	194	2950	241.0	250	250	250	MOTOR
1250	180	416	6AEF12	443	192	3550	255.0	250	250	250	MOTOR
1250	180	416	6AEF12	448	194	3000	245.0	YES	YES	YES	ENGINE
1250	180	416	6AEF12	443	192	3300	257.0	YES	YES	YES	ENGINE
1250	180	416	6AEF12	444	192	3550	R.F.	YES	YES	YES	ENGINE
1250	180	416	6AEF18	418	181	2100	270.0	YES	YES	YES	ENGINE
1250	185	427	6AEF12	444	192	3550	260.0	250	250	250	MOTOR
1250	185	427	6AEF12	460	199	3000	252.0	YES	YES	YES	ENGINE
1250	185	427	6AEF12	455	197	3300	266.0	YES	YES	YES	ENGINE
1250	185	427	6AEF12	456	197	3550	R.F.	YES	YES	YES	ENGINE
1250	185	427	6AEF18	432	187	2100	280.0	YES	YES	YES	ENGINE
1250	190	439	6AEF12	455	197	3550	272.0	250	250	250	MOTOR
1250	190	439	6AEF12	467	202	3300	276.0	YES	YES	YES	ENGINE
1250	190	439	6AEF12	468	203	3550	R.F.	YES	YES	YES	ENGINE
1250	190	439	6AEF18	447	194	2100	287.0	YES	YES	YES	ENGINE
1250	191	441	5THF12	510	221	3550	230.0	200	N.A.	200	MOTOR
1250	191	441	6THF13	500	216	3550	270.0	250	N.A.	250	MOTOR
1250	195	450	6AEF12	466	202	3550	282.0	250	250	250	MOTOR
1250	195	450	6AEF12	479	207	3300	285.0	YES	YES	YES	ENGINE
1250	195	450	6AEF12	480	208	3550	R.F.	YES	YES	YES	ENGINE
1250	195	450	6AEF18	455	197	2100	299.0	YES	YES	YES	ENGINE
1250	196	453	8THF14E	470	203	2950	324.0	300	N.A.	300	MOTOR
1250	200	462	6AEF12	474	205	3550	287.0	250	250	250	MOTOR
1250	200	462	6AEF12	491	213	3300	292.0	YES	YES	YES	ENGINE
1250	200	462	6AEF12	492	213	3550	R.F.	YES	YES	YES	ENGINE
1250	200	462	6AEF18	468	203	2100	317.0	YES	YES	YES	ENGINE
1250	203	469	6THF19	515	223	2100	313.0	YES	NO	YES	ENGINE
1250	205	474	6AEF12	501	217	3550	303.0	300	300	300	MOTOR
1250	205	474	6AEF12	504	218	3300	300.0	YES	YES	YES	ENGINE
1250	205	474	6AEF12	504	218	3550	R.F.	YES	YES	YES	ENGINE
1250	205	474	6AEF18	475	206	2100	327.0	YES	YES	YES	ENGINE
1250	210	485	6AEF12	512	222	3550	315.0	300	300	300	MOTOR
1250	210	485	6AEF12	516	223	3300	308.0	YES	YES	YES	ENGINE
1250	210	485	6AEF12	516	223	3550	R.F.	YES	YES	YES	ENGINE
1250	215	497	6AEF12	525	227	3550	326.0	300	300	300	MOTOR
1250	215	497	6AEF12	528	229	3300	315.0	YES	YES	YES	ENGINE
1250	215	497	6AEF12	528	229	3550	R.F.	YES	YES	YES	ENGINE
1250	220	508	6AEF12	535	232	3550	335.0	300	300	300	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1250	220	508	6AEF12	540	234	3300	324.0	YES	YES	YES	ENGINE
1250	220	508	6AEF12	540	234	3550	R.F.	YES	YES	YES	ENGINE
1250	225	520	6AEF12	545	236	3550	346.0	350	350	350	MOTOR
1250	225	520	6AEF12	551	239	3300	332.0	YES	YES	YES	ENGINE
1250	225	520	6AEF12	550	238	3550	R.F.	YES	YES	YES	ENGINE
1250	225	520	6THF19	565	245	2200	360.0	YES	NO	YES	ENGINE
1250	229	529	6AEF12	562	243	3300	338.0	YES	YES	YES	ENGINE
1250	230	531	6AEF12	559	242	3550	355.0	350	350	350	MOTOR
1250	230	531	6AEF12	562	243	3550	R.F.	YES	YES	YES	ENGINE
1250	235	543	6AEF12	570	247	3550	363.0	350	350	350	MOTOR
1250	235	543	6AEF12	574	248	3550	R.F.	YES	YES	YES	ENGINE
1250	240	554	6AEF12	580	251	3550	371.0	350	350	350	MOTOR
1250	240	554	6AEF12	588	255	3550	R.F.	YES	YES	YES	ENGINE
1250	245	566	6AEF12	590	255	3550	380.0	350	350	350	MOTOR
1250	245	566	6AEF12	600	260	3550	R.F.	YES	YES	YES	ENGINE
1250	246	568	6THF19	620	268	2300	412.0	YES	NO	YES	ENGINE
1250	246	568	6THF19	620	268	2350	412.0	YES	NO	YES	ENGINE
1250	250	578	6AEF12	600	260	3550	385.0	350	350	350	MOTOR
1250	250	578	6AEF12	612	265	3550	R.F.	YES	YES	YES	ENGINE
1250	255	589	6AEF12	619	268	3550	396.0	350	350	350	MOTOR
1250	255	589	6AEF12	622	269	3550	R.F.	YES	YES	YES	ENGINE
1250	260	601	6AEF12	629	272	3550	402.0	350	350	350	MOTOR
1250	260	601	6AEF12	634	274	3550	R.F.	YES	YES	YES	ENGINE
1250	265	612	6AEF12	640	277	3550	413.0	400	400	400	MOTOR
1250	265	612	6AEF12	646	280	3550	R.F.	YES	YES	YES	ENGINE
1250	270	624	6AEF12	651	282	3550	421.0	400	400	400	MOTOR
1250	270	624	6AEF12	658	285	3550	R.F.	YES	YES	YES	ENGINE
1500	40	92	8AEF13	104	45	1760	54.0	50	50	60	MOTOR
1500	40	92	8AEF13	107	46	1760	58.0	YES	YES	YES	ENGINE
1500	40	92	8AEF15G	108	47	1470	53.0	50	50	50	MOTOR
1500	45	104	6AEF14G	122	53	1760	62.0	60	60	60	MOTOR
1500	45	104	6AEF14G	122	53	1760	58.0	YES	YES	YES	ENGINE
1500	45	104	8AEF13	115	50	1760	65.0	60	60	60	MOTOR
1500	45	104	8AEF13	118	51	1760	66.0	YES	YES	YES	ENGINE
1500	45	104	8AEF15G	121	52	1470	60.0	60	60	60	MOTOR
1500	50	116	6AEF14G	130	56	1760	66.0	60	60	60	MOTOR
1500	50	116	6AEF14G	132	57	1760	67.0	YES	YES	YES	ENGINE
1500	50	116	8AEF13	125	54	1760	74.0	75	75	75	MOTOR
1500	50	116	8AEF13	129	56	1760	74.0	YES	YES	YES	ENGINE
1500	50	116	8AEF15G	135	58	1470	68.0	60	60	60	MOTOR
1500	55	127	6AEF14G	143	62	1760	73.0	75	75	75	MOTOR
1500	55	127	6AEF14G	145	63	1760	73.0	YES	YES	YES	ENGINE
1500	55	127	8AEF13	135	58	1760	83.0	75	75	100	MOTOR
1500	55	127	8AEF13	140	61	1760	84.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1500	55	127	8AEF15G	149	65	1470	75.0	75	75	75	MOTOR
1500	60	139	6AEF14G	155	67	1760	78.0	75	75	75	MOTOR
1500	60	139	6AEF14G	156	68	1760	79.0	YES	YES	YES	ENGINE
1500	60	139	8AEF13	148	64	1760	94.0	100	100	100	MOTOR
1500	60	139	8AEF13	151	65	1760	94.0	YES	YES	YES	ENGINE
1500	60	139	8AEF15G	162	70	1470	81.0	75	75	75	MOTOR
1500	62	143	6AEF14G	160	69	2100	75.0	YES	YES	YES	ENGINE
1500	65	150	6AEF14G	162	70	1760	83.0	75	75	75	MOTOR
1500	65	150	6AEF14G	167	72	1760	86.0	YES	YES	YES	ENGINE
1500	65	150	6AEF14G	167	72	2100	79.0	YES	YES	YES	ENGINE
1500	65	150	8AEF13	159	69	1760	104.0	100	100	100	MOTOR
1500	65	150	8AEF13	162	70	1760	105.0	YES	YES	YES	ENGINE
1500	70	162	6AEF14G	177	77	1760	92.0	100	100	100	MOTOR
1500	70	162	6AEF14G	178	77	1760	93.0	YES	YES	YES	ENGINE
1500	70	162	6AEF14G	178	77	2100	88.0	YES	YES	YES	ENGINE
1500	70	162	8AEF13	170	74	1760	115.0	100	100	100	MOTOR
1500	70	162	8AEF13	173	75	1760	116.0	YES	YES	YES	ENGINE
1500	75	173	6AEF14G	189	82	1760	101.0	100	100	100	MOTOR
1500	75	173	6AEF14G	189	82	1760	101.0	YES	YES	YES	ENGINE
1500	75	173	6AEF14G	189	82	2100	96.0	YES	YES	YES	ENGINE
1500	75	173	8AEF13	182	79	1760	127.0	125	125	125	MOTOR
1500	75	173	8AEF13	184	80	1760	127.0	YES	YES	YES	ENGINE
1500	75	173	8AEF20	194	84	1470	107.0	100	100	100	MOTOR
1500	78	180	6THF13	235	102	2800	110.0	YES	NO	YES	ENGINE
1500	80	185	6AEF14G	200	87	1760	109.0	100	100	100	MOTOR
1500	80	185	6AEF14G	201	87	1760	110.0	YES	YES	YES	ENGINE
1500	80	185	6AEF14G	199	86	2100	104.0	YES	YES	YES	ENGINE
1500	80	185	8AEF20	207	90	1470	114.0	100	100	100	MOTOR
1500	85	196	6AEF14G	208	90	1760	115.0	100	100	100	MOTOR
1500	85	196	6AEF14G	208	90	1760	115.0	YES	YES	YES	ENGINE
1500	85	196	6AEF14G	211	91	2100	113.0	YES	YES	YES	ENGINE
1500	85	196	6AEF16	236	102	1780	101.0	100	100	100	MOTOR
1500	85	196	6AEF16	241	104	1760	102.0	N.A.	YES	YES	ENGINE
1500	85	196	8AEF20	218	94	1470	122.0	125	125	125	MOTOR
1500	87	201	6AEF16	239	103	1760	104.0	YES	YES	YES	ENGINE
1500	88	203	6THF13	260	113	2950	125.0	125	N.A.	125	MOTOR
1500	90	208	6AEF14G	222	96	2100	123.0	YES	YES	YES	ENGINE
1500	90	208	6AEF16	248	107	1780	107.0	100	100	100	MOTOR
1500	90	208	6AEF16	251	109	1760	108.0	YES	YES	YES	ENGINE
1500	90	208	8AEF20	230	100	1470	129.0	125	125	125	MOTOR
1500	91	210	8THF14E	240	104	2800	140.0	YES	NO	YES	ENGINE
1500	95	219	6AEF14G	233	101	2100	132.0	YES	YES	YES	ENGINE
1500	95	219	6AEF16	259	112	1780	113.0	100	100	100	MOTOR
1500	95	219	6AEF16	262	113	1760	115.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1500	95	219	8AEF20	241	104	1470	139.0	125	125	125	MOTOR
1500	97	224	6AEF10	272	118	3550	115.0	100	100	100	MOTOR
1500	97	224	6AEF10	279	121	3550	118.0	YES	YES	YES	ENGINE
1500	100	231	6AEF10	283	123	3550	121.0	125	125	125	MOTOR
1500	100	231	6AEF10	285	123	3300	128.0	YES	YES	YES	ENGINE
1500	100	231	6AEF10	285	123	3550	122.0	YES	YES	YES	ENGINE
1500	100	231	6AEF14G	245	106	2100	142.0	YES	YES	YES	ENGINE
1500	100	231	6AEF16	270	117	1780	120.0	125	125	125	MOTOR
1500	100	231	6AEF16	273	118	1760	121.0	YES	YES	YES	ENGINE
1500	100	231	8AEF20	253	110	1470	149.0	150	150	150	MOTOR
1500	105	242	6AEF10	294	127	3550	126.0	125	125	125	MOTOR
1500	105	242	6AEF10	295	128	3550	127.0	YES	YES	YES	ENGINE
1500	105	243	6AEF10	297	129	3300	136.0	YES	YES	YES	ENGINE
1500	105	243	6AEF14G	255	110	2100	151.0	YES	YES	YES	ENGINE
1500	105	243	6AEF16	281	122	1780	127.0	125	125	125	MOTOR
1500	105	243	6AEF16	285	123	1760	129.0	YES	YES	YES	ENGINE
1500	105	243	6AEF18	270	117	1760	148.0	N.A.	YES	YES	ENGINE
1500	105	243	8AEF20	269	116	1470	156.0	150	150	150	MOTOR
1500	105	243	8THF14E	260	113	2950	170.0	150	N.A.	150	MOTOR
1500	106	245	6AEF10	289	125	3550	128.0	125	125	125	MOTOR
1500	108	249	6AEF18	276	119	1760	150.0	YES	YES	YES	ENGINE
1500	108	249	6THF19	220	95	1760	100.0	100	N.A.	100	MOTOR
1500	110	254	6AEF10	305	132	3550	140.0	125	125	125	MOTOR
1500	110	254	6AEF10	308	133	3300	144.0	YES	YES	YES	ENGINE
1500	110	254	6AEF10	307	133	3550	141.0	YES	YES	YES	ENGINE
1500	110	254	6AEF12	299	129	2950	147.0	150	150	150	MOTOR
1500	110	254	6AEF12	310	134	2600	146.0	YES	YES	N.A.	ENGINE
1500	110	254	6AEF14G	266	115	2100	161.0	YES	YES	YES	ENGINE
1500	110	254	6AEF16	293	127	1780	135.0	125	125	125	MOTOR
1500	110	254	6AEF16	296	128	1760	139.0	YES	YES	YES	ENGINE
1500	110	254	6AEF18	353	153	1780	151.0	150	150	150	MOTOR
1500	110	254	6AEF18	280	121	1760	151.0	YES	YES	YES	ENGINE
1500	110	254	8THF14D	280	121	2800	190.0	YES	NO	YES	ENGINE
1500	112	258	6AEF12	300	130	3000	152.0	YES	YES	YES	ENGINE
1500	115	266	6AEF10	317	137	3550	149.0	150	150	150	MOTOR
1500	115	266	6AEF10	320	139	3300	153.0	YES	YES	YES	ENGINE
1500	115	266	6AEF10	319	138	3550	150.0	YES	YES	YES	ENGINE
1500	115	266	6AEF12	310	134	2950	153.0	150	150	150	MOTOR
1500	115	266	6AEF12	322	139	2600	152.0	YES	YES	N.A.	ENGINE
1500	115	266	6AEF12	313	135	3000	156.0	YES	YES	YES	ENGINE
1500	115	266	6AEF14G	278	120	2100	171.0	YES	YES	YES	ENGINE
1500	115	266	6AEF16	303	131	1780	143.0	125	125	125	MOTOR
1500	115	266	6AEF16	308	133	1760	148.0	YES	YES	YES	ENGINE
1500	115	266	6AEF18	370	160	1780	157.0	150	150	150	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 - Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1500	115	266	6AEF18	290	126	1760	157.0	YES	YES	YES	ENGINE
1500	115	266	6THF19	255	110	1900	125.0	YES	NO	YES	ENGINE
1500	116	268	6THF19	315	136	2100	165.0	YES	NO	YES	ENGINE
1500	120	277	6AEF10	328	142	3550	157.0	150	150	150	MOTOR
1500	120	277	6AEF10	331	143	3300	161.0	YES	YES	YES	ENGINE
1500	120	277	6AEF10	330	143	3550	159.0	YES	YES	YES	ENGINE
1500	120	277	6AEF12	322	139	2950	162.0	150	150	150	MOTOR
1500	120	277	6AEF12	334	145	2600	158.0	YES	YES	N.A.	ENGINE
1500	120	277	6AEF12	329	142	2800	163.0	YES	YES	YES	ENGINE
1500	120	277	6AEF12	325	141	3000	163.0	YES	YES	YES	ENGINE
1500	120	277	6AEF14G	289	125	2100	181.0	YES	YES	YES	ENGINE
1500	120	277	6AEF16	318	138	1780	154.0	150	150	150	MOTOR
1500	120	277	6AEF16	314	136	1760	152.0	YES	YES	YES	ENGINE
1500	120	277	6AEF18	385	167	1780	163.0	150	150	150	MOTOR
1500	120	277	6AEF18	303	131	1760	164.0	YES	YES	YES	ENGINE
1500	121	280	6AEF12	325	141	3300	183.0	YES	YES	YES	ENGINE
1500	125	289	6AEF10	337	146	3550	165.0	150	150	150	MOTOR
1500	125	289	6AEF10	343	148	3300	170.0	YES	YES	YES	ENGINE
1500	125	289	6AEF10	342	148	3550	169.0	YES	YES	YES	ENGINE
1500	125	289	6AEF12	334	145	2950	170.0	150	150	150	MOTOR
1500	125	289	6AEF12	346	150	2600	165.0	YES	YES	N.A.	ENGINE
1500	125	289	6AEF12	341	148	2800	171.0	YES	YES	YES	ENGINE
1500	125	289	6AEF12	337	146	3000	172.0	YES	YES	YES	ENGINE
1500	125	289	6AEF12	330	143	3300	185.0	YES	YES	YES	ENGINE
1500	125	289	6AEF14G	301	130	2100	193.0	YES	YES	YES	ENGINE
1500	125	289	6AEF18	402	174	1780	171.0	150	150	150	MOTOR
1500	125	289	6AEF18	316	137	1760	172.0	YES	YES	YES	ENGINE
1500	128	296	6AEF14G	303	131	2100	193.0	YES	YES	YES	ENGINE
1500	128	296	6THF19	340	147	2200	200.0	YES	NO	YES	ENGINE
1500	130	300	6AEF10	351	152	3550	176.0	200	200	200	MOTOR
1500	130	300	6AEF10	355	154	3300	178.0	YES	YES	YES	ENGINE
1500	130	300	6AEF10	353	153	3550	177.0	YES	YES	YES	ENGINE
1500	130	300	6AEF12	346	150	2950	178.0	200	200	200	MOTOR
1500	130	300	6AEF12	358	155	2600	171.0	YES	YES	N.A.	ENGINE
1500	130	300	6AEF12	353	153	2800	178.0	YES	YES	YES	ENGINE
1500	130	300	6AEF12	349	151	3000	180.0	YES	YES	YES	ENGINE
1500	130	300	6AEF12	342	148	3300	190.0	YES	YES	YES	ENGINE
1500	130	300	6AEF18	324	140	1780	180.0	200	200	N.A.	MOTOR
1500	130	300	6AEF18	325	141	1760	182.0	YES	YES	YES	ENGINE
1500	133	307	6THF13	360	156	3550	220.0	200	N.A.	200	MOTOR
1500	134	310	6AEF12	366	158	2600	175.0	YES	YES	N.A.	ENGINE
1500	135	312	6AEF10	363	157	3550	185.0	200	200	200	MOTOR
1500	135	312	6AEF10	367	159	3300	187.0	YES	YES	YES	ENGINE
1500	135	312	6AEF10	369	160	3550	187.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1500	135	312	6AEF12	359	155	2950	187.0	200	200	200	MOTOR
1500	135	312	6AEF12	366	158	2800	185.0	YES	YES	YES	ENGINE
1500	135	312	6AEF12	361	156	3000	188.0	YES	YES	YES	ENGINE
1500	135	312	6AEF12	354	153	3300	195.0	YES	YES	YES	ENGINE
1500	135	312	6AEF18	334	145	1780	192.0	200	200	N.A.	MOTOR
1500	135	312	6AEF18	336	145	1760	195.0	YES	YES	YES	ENGINE
1500	136	314	6THF19	370	160	1760	186.0	200	N.A.	200	MOTOR
1500	140	323	6AEF10	375	162	3550	194.0	200	200	200	MOTOR
1500	140	323	6AEF10	377	163	3550	196.0	YES	YES	YES	ENGINE
1500	140	323	6AEF12	371	161	2950	195.0	200	200	200	MOTOR
1500	140	323	6AEF12	378	164	2800	192.0	YES	YES	YES	ENGINE
1500	140	323	6AEF12	373	161	3000	197.0	YES	YES	YES	ENGINE
1500	140	323	6AEF12	366	158	3300	201.0	YES	YES	YES	ENGINE
1500	140	323	6AEF18	339	147	1780	198.0	200	200	200	MOTOR
1500	140	323	6AEF18	339	147	1780	198.0	200	200	N.A.	MOTOR
1500	140	323	6AEF18	339	147	1780	198.0	200	200	200	MOTOR
1500	140	323	6AEF18	339	147	1780	198.0	200	200	200	MOTOR
1500	140	323	6AEF18	339	147	1780	198.0	200	200	200	MOTOR
1500	140	323	6AEF18	348	151	1760	202.0	YES	YES	YES	ENGINE
1500	143	330	6THF19	375	162	2300	215.0	YES	NO	YES	ENGINE
1500	144	333	6THF13	420	182	2800	196.0	YES	NO	YES	ENGINE
1500	145	335	6AEF10	387	168	3550	204.0	200	200	200	MOTOR
1500	145	335	6AEF10	389	168	3550	205.0	YES	YES	YES	ENGINE
1500	145	335	6AEF12	383	166	2950	203.0	200	200	200	MOTOR
1500	145	335	6AEF12	390	169	2800	198.0	YES	YES	YES	ENGINE
1500	145	335	6AEF12	385	167	3000	206.0	YES	YES	YES	ENGINE
1500	145	335	6AEF12	376	163	3300	206.0	YES	YES	YES	ENGINE
1500	145	335	6AEF12	395	171	3550	206.0	YES	YES	YES	ENGINE
1500	150	347	6AEF10	399	173	3550	213.0	200	200	200	MOTOR
1500	150	347	6AEF10	401	174	3550	215.0	YES	YES	YES	ENGINE
1500	150	347	6AEF12	395	171	2950	210.0	200	200	200	MOTOR
1500	150	347	6AEF12	482	209	3550	229.0	200	200	200	MOTOR
1500	150	347	6AEF12	401	174	2800	205.0	YES	YES	YES	ENGINE
1500	150	347	6AEF12	397	172	3000	214.0	YES	YES	YES	ENGINE
1500	150	347	6AEF12	386	167	3300	214.0	YES	YES	YES	ENGINE
1500	150	347	6AEF12	407	176	3550	214.0	YES	YES	N.A.	ENGINE
1500	150	347	8TUF15	416	180	1760	206.0	200	200	N.A.	MOTOR
1500	151	349	6THF19	390	169	2350	225.0	YES	NO	YES	ENGINE
1500	151	348	8TUF15	420	182	1760	206.0	YES	YES	N.A.	ENGINE
1500	152	350	6AEF12	408	177	3550	220.0	YES	YES	YES	ENGINE
1500	154	356	8THF14E	375	162	3550	290.0	300	N.A.	300	MOTOR
1500	155	358	6AEF10	408	177	3550	220.0	200	200	200	MOTOR
1500	155	358	6AEF10	413	179	3550	224.0	YES	YES	YES	ENGINE
1500	155	358	6AEF12	407	176	2950	217.0	200	200	200	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 - Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1500	155	358	6AEF12	498	216	3550	234.0	250	250	250	MOTOR
1500	155	358	6AEF12	413	179	2800	212.0	YES	YES	YES	ENGINE
1500	155	358	6AEF12	409	177	3000	221.0	YES	YES	YES	ENGINE
1500	155	358	6AEF12	399	173	3300	223.0	YES	YES	YES	ENGINE
1500	155	358	6AEF12	410	177	3550	223.0	YES	YES	YES	ENGINE
1500	155	358	8TUF15	429	186	1760	216.0	200	200	N.A.	MOTOR
1500	155	358	8TUF15	429	186	1760	216.0	YES	YES	N.A.	ENGINE
1500	157	363	6THF13	460	199	2950	223.0	200	N.A.	200	MOTOR
1500	160	370	6AEF10	420	182	3550	230.0	200	200	200	MOTOR
1500	160	370	6AEF10	418	181	3550	230.0	YES	YES	YES	ENGINE
1500	160	370	6AEF12	419	181	2950	224.0	200	200	200	MOTOR
1500	160	370	6AEF12	514	223	3550	240.0	250	250	250	MOTOR
1500	160	370	6AEF12	425	184	2800	217.0	YES	YES	YES	ENGINE
1500	160	370	6AEF12	421	182	3000	227.0	YES	YES	YES	ENGINE
1500	160	370	6AEF12	411	178	3300	233.0	YES	YES	YES	ENGINE
1500	160	370	6AEF12	415	180	3550	233.0	YES	YES	YES	ENGINE
1500	160	370	6AEF18	384	166	2100	252.0	YES	YES	YES	ENGINE
1500	160	370	8TUF15	444	192	1760	226.0	200	200	N.A.	MOTOR
1500	160	370	8TUF15	444	192	1760	226.0	YES	YES	N.A.	ENGINE
1500	162	374	6THF19	425	184	1900	234.5	YES	NO	YES	ENGINE
1500	165	381	6AEF12	431	187	2950	231.0	250	250	250	MOTOR
1500	165	381	6AEF12	418	181	3550	246.0	250	250	250	MOTOR
1500	165	381	6AEF12	433	187	3000	235.0	YES	YES	YES	ENGINE
1500	165	381	6AEF12	424	184	3300	242.0	YES	YES	YES	ENGINE
1500	165	381	6AEF12	420	182	3550	242.0	YES	YES	YES	ENGINE
1500	165	381	6AEF18	396	171	2100	254.0	YES	YES	YES	ENGINE
1500	165	382	8TUF15	458	198	1760	237.0	250	200	N.A.	MOTOR
1500	165	381	8TUF15	458	198	1760	237.0	YES	YES	N.A.	ENGINE
1500	169	390	8THF14E	420	182	2800	278.0	YES	NO	YES	ENGINE
1500	170	393	6AEF12	443	192	2950	238.0	250	250	250	MOTOR
1500	170	393	6AEF12	427	185	3550	252.0	250	250	250	MOTOR
1500	170	393	6AEF12	445	193	3000	242.0	YES	YES	YES	ENGINE
1500	170	393	6AEF12	436	189	3300	252.0	YES	YES	YES	ENGINE
1500	170	393	6AEF12	430	186	3550	252.0	YES	YES	YES	ENGINE
1500	170	393	6AEF18	406	176	2100	262.0	YES	YES	YES	ENGINE
1500	170	393	8TUF15	471	204	1760	247.0	250	200	N.A.	MOTOR
1500	170	393	8TUF15	471	204	1760	247.0	YES	YES	N.A.	ENGINE
1500	175	404	6AEF12	454	197	2950	244.0	250	250	250	MOTOR
1500	175	404	6AEF12	436	189	3550	258.0	250	250	250	MOTOR
1500	175	404	6AEF12	456	197	3000	249.0	YES	YES	YES	ENGINE
1500	175	404	6AEF12	449	194	3300	261.0	YES	YES	YES	ENGINE
1500	175	404	6AEF12	440	190	3550	261.0	YES	YES	YES	ENGINE
1500	175	404	6AEF18	413	179	2100	267.0	YES	YES	YES	ENGINE
1500	175	404	8TUF15	484	210	1760	257.0	250	200	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1500	175	404	8TUF15	484	210	1760	257.0	YES	YES	N.A.	ENGINE
1500	177	408	6AEF12	460	199	2950	247.0	250	N.A.	250	MOTOR
1500	179	413	8THF14D	460	199	2800	353.0	YES	NO	YES	ENGINE
1500	180	416	6AEF12	466	202	2950	252.0	250	N.A.	N.A.	MOTOR
1500	180	416	6AEF12	448	194	3550	266.0	250	250	250	MOTOR
1500	180	416	6AEF12	468	203	3000	256.0	YES	YES	YES	ENGINE
1500	180	416	6AEF12	462	200	3300	271.0	YES	YES	YES	ENGINE
1500	180	416	6AEF12	451	195	3550	271.0	YES	YES	YES	ENGINE
1500	180	416	6AEF18	431	187	2100	279.0	YES	YES	YES	ENGINE
1500	185	427	6AEF12	458	198	3550	275.0	250	250	250	MOTOR
1500	185	427	6AEF12	474	205	3300	280.0	YES	YES	YES	ENGINE
1500	185	427	6AEF12	462	200	3550	280.0	YES	YES	YES	ENGINE
1500	185	427	6AEF18	442	191	2100	287.0	YES	YES	YES	ENGINE
1500	187	432	6THF13	500	216	3550	270.0	250	N.A.	250	MOTOR
1500	190	439	6AEF12	473	205	3550	287.0	250	250	250	MOTOR
1500	190	439	6AEF12	486	210	3300	288.0	YES	YES	YES	ENGINE
1500	190	439	6AEF12	473	205	3550	288.0	YES	YES	YES	ENGINE
1500	190	439	6AEF18	455	197	2100	299.0	YES	YES	YES	ENGINE
1500	190	439	8THF14E	470	203	2950	324.0	300	N.A.	300	MOTOR
1500	195	450	6AEF12	486	210	3550	298.0	300	300	300	MOTOR
1500	195	450	6AEF12	498	216	3300	296.0	YES	YES	YES	ENGINE
1500	195	450	6AEF12	499	216	3550	296.0	YES	YES	YES	ENGINE
1500	195	450	6AEF18	465	201	2100	312.0	YES	YES	YES	ENGINE
1500	199	460	6THF19	515	223	2100	313.0	YES	NO	YES	ENGINE
1500	200	462	6AEF12	499	216	3550	308.0	300	300	300	MOTOR
1500	200	462	6AEF12	510	221	3300	304.0	YES	YES	YES	ENGINE
1500	200	462	6AEF12	510	221	3550	304.0	YES	YES	YES	ENGINE
1500	200	462	6AEF18	475	206	2100	327.0	YES	YES	YES	ENGINE
1500	202	467	6AEF18	480	208	2100	332.0	YES	YES	YES	ENGINE
1500	202	467	8THF14E	510	221	3550	410.0	400	N.A.	400	MOTOR
1500	205	474	6AEF12	511	221	3550	318.0	300	300	300	MOTOR
1500	205	474	6AEF12	522	226	3300	311.0	YES	YES	YES	ENGINE
1500	205	474	6AEF12	521	226	3550	311.0	YES	YES	YES	ENGINE
1500	210	485	6AEF12	524	227	3550	329.0	300	300	300	MOTOR
1500	210	485	6AEF12	533	231	3300	319.0	YES	YES	YES	ENGINE
1500	210	485	6AEF12	534	231	3550	319.0	YES	YES	YES	ENGINE
1500	215	497	6AEF12	537	232	3550	340.0	300	300	350	MOTOR
1500	215	497	6AEF12	545	236	3300	327.0	YES	YES	YES	ENGINE
1500	215	497	6AEF12	545	236	3550	327.0	YES	YES	YES	ENGINE
1500	220	508	6AEF12	550	238	3550	350.0	350	350	350	MOTOR
1500	220	508	6AEF12	556	241	3300	335.0	YES	YES	YES	ENGINE
1500	220	508	6AEF12	554	240	3550	335.0	YES	YES	YES	ENGINE
1500	220	508	6THF19	565	245	2200	360.0	YES	NO	YES	ENGINE
1500	225	520	6AEF12	561	243	3550	358.0	350	350	350	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
1500	225	520	6AEF12	565	245	3550	361.0	YES	YES	YES	ENGINE
1500	230	531	6AEF12	573	248	3550	366.0	350	350	350	MOTOR
1500	230	531	6AEF12	576	249	3550	369.0	YES	YES	YES	ENGINE
1500	235	543	6AEF12	585	253	3550	374.0	350	350	350	MOTOR
1500	235	543	6AEF12	588	255	3550	378.0	YES	YES	YES	ENGINE
1500	240	554	6AEF12	597	258	3550	383.0	350	350	350	MOTOR
1500	240	554	6AEF12	599	259	3550	386.0	YES	YES	YES	ENGINE
1500	241	557	6THF19	620	268	2300	412.0	YES	NO	YES	ENGINE
1500	243	561	6THF19	620	268	2350	412.0	YES	NO	YES	ENGINE
1500	245	566	6AEF12	608	263	3550	391.0	350	350	350	MOTOR
1500	245	566	6AEF12	617	267	3550	395.0	YES	YES	YES	ENGINE
1500	250	578	6AEF12	620	268	3550	399.0	350	350	350	MOTOR
1500	250	578	6AEF12	629	272	3550	404.0	YES	YES	YES	ENGINE
1500	255	589	6AEF12	632	274	3550	407.0	400	400	400	MOTOR
1500	255	589	6AEF12	639	277	3550	411.0	YES	YES	YES	ENGINE
1500	260	601	6AEF12	643	278	3550	416.0	400	400	400	MOTOR
1500	260	601	6AEF12	651	282	3550	420.0	YES	YES	YES	ENGINE
1500	265	612	6AEF12	660	286	3550	428.0	400	400	400	MOTOR
1500	265	612	6AEF12	662	287	3550	428.0	YES	YES	YES	ENGINE
1500	270	624	6AEF12	670	290	3550	438.0	YES	YES	YES	ENGINE
2000	45	104	8AEF15G	129	56	1780	73.0	N.A.	75	75	MOTOR
2000	45	104	8AEF15G	130	56	1760	73.0	N.A.	YES	YES	ENGINE
2000	48	110	8AEF15G	135	58	1780	78.0	75	75	75	MOTOR
2000	48	111	8AEF15G	138	60	1760	80.0	YES	YES	YES	ENGINE
2000	50	116	8AEF15G	141	61	1780	81.0	75	75	75	MOTOR
2000	50	116	8AEF15G	142	61	1760	82.0	YES	YES	YES	ENGINE
2000	54	125	8AEF17A	132	57	1460	100.0	100	100	100	MOTOR
2000	55	127	8AEF15G	152	66	1780	89.0	100	100	100	MOTOR
2000	55	127	8AEF15G	153	66	1760	90.0	YES	YES	YES	ENGINE
2000	55	127	8AEF17A	134	58	1460	101.0	100	100	100	MOTOR
2000	55	127	8AEF17Q	142	61	1470	95.0	100	100	100	MOTOR
2000	60	139	8AEF15G	164	71	1780	98.0	100	100	100	MOTOR
2000	60	139	8AEF15G	166	72	1760	98.0	YES	YES	YES	ENGINE
2000	60	139	8AEF17A	142	61	1460	112.0	100	100	100	MOTOR
2000	60	139	8AEF17Q	153	66	1470	103.0	100	100	100	MOTOR
2000	63	146	8AEF13	165	71	1760	110.0	100	100	100	MOTOR
2000	63	146	8AEF13	164	71	1760	110.0	YES	YES	YES	ENGINE
2000	65	150	6AEF14Q	176	76	1760	110.0	100	100	N.A.	MOTOR
2000	65	150	6AEF14Q	176	76	1760	110.0	YES	YES	N.A.	ENGINE
2000	65	150	8AEF13	169	73	1760	114.0	100	100	100	MOTOR
2000	65	150	8AEF13	169	73	1760	114.0	YES	YES	YES	ENGINE
2000	65	150	8AEF15G	180	78	1760	108.0	YES	YES	YES	ENGINE
2000	65	150	8AEF17A	151	65	1460	123.0	125	125	125	MOTOR
2000	65	150	8AEF17Q	164	71	1470	113.0	100	100	100	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
2000	67	155	6AEF14Q	183	79	1760	114.0	100	100	100	MOTOR
2000	67	155	6AEF14Q	183	79	1760	115.0	YES	YES	YES	ENGINE
2000	70	162	6AEF14Q	187	81	1760	115.0	100	100	100	MOTOR
2000	70	162	6AEF14Q	187	81	1760	118.0	YES	YES	YES	ENGINE
2000	70	162	8AEF13	179	77	1760	125.0	125	125	125	MOTOR
2000	70	162	8AEF13	180	78	1760	126.0	YES	YES	YES	ENGINE
2000	70	162	8AEF15G	194	84	1760	117.0	YES	YES	YES	ENGINE
2000	70	162	8AEF15G	186	81	2100	125.0	YES	YES	YES	ENGINE
2000	70	162	8AEF17A	167	72	1460	134.0	125	125	125	MOTOR
2000	70	162	8AEF17Q	176	76	1470	125.0	125	125	125	MOTOR
2000	74	171	8AEF13	182	79	1760	128.0	125	125	125	MOTOR
2000	74	171	8AEF13	182	79	1760	127.0	YES	YES	YES	ENGINE
2000	75	173	6AEF14Q	208	90	1760	130.0	125	125	125	MOTOR
2000	75	173	6AEF14Q	208	90	1760	130.0	YES	YES	YES	ENGINE
2000	75	173	8AEF15G	206	89	1780	126.0	125	125	125	MOTOR
2000	75	173	8AEF15G	207	90	1760	126.0	YES	YES	YES	ENGINE
2000	75	173	8AEF15G	197	85	2100	134.0	YES	YES	YES	ENGINE
2000	75	173	8AEF17A	183	79	1460	147.0	150	150	150	MOTOR
2000	75	173	8AEF17Q	187	81	1470	139.0	125	125	125	MOTOR
2000	75	173	8AEF20G	197	85	1470	139.0	125	125	125	MOTOR
2000	80	185	6AEF14Q	222	96	1760	142.0	125	125	125	MOTOR
2000	80	185	6AEF14Q	222	96	1760	140.0	YES	YES	YES	ENGINE
2000	80	185	8AEF15G	220	95	1780	134.0	125	125	125	MOTOR
2000	80	185	8AEF15G	222	96	1760	134.0	YES	YES	YES	ENGINE
2000	80	185	8AEF15G	209	90	2100	144.0	YES	YES	YES	ENGINE
2000	80	185	8AEF17A	196	85	1460	164.0	150	150	150	MOTOR
2000	80	185	8AEF17Q	199	86	1470	152.0	150	150	150	MOTOR
2000	80	185	8AEF20G	209	90	1470	148.0	150	150	150	MOTOR
2000	84	194	8THF14E	240	104	2800	140.0	YES	NO	YES	ENGINE
2000	85	196	6AEF14Q	233	101	1760	127.0	125	125	125	MOTOR
2000	85	196	6AEF14Q	233	101	1760	127.0	YES	YES	YES	ENGINE
2000	85	196	6AEF14Q	227	98	2100	152.0	YES	YES	N.A.	ENGINE
2000	85	196	8AEF15G	234	101	1780	141.0	125	125	150	MOTOR
2000	85	196	8AEF15G	236	102	1760	141.0	YES	YES	YES	ENGINE
2000	85	196	8AEF15G	220	95	2100	154.0	YES	YES	YES	ENGINE
2000	85	196	8AEF17A	206	89	1460	177.0	200	200	200	MOTOR
2000	85	196	8AEF17Q	208	90	1470	163.0	150	150	150	MOTOR
2000	85	196	8AEF20G	220	95	1470	156.0	150	150	150	MOTOR
2000	85	196	8AEF20G	266	115	1470	197.0	200	200	200	MOTOR
2000	87	201	6AEF14Q	232	100	2100	155.0	YES	YES	YES	ENGINE
2000	89	206	8AEF15G	248	107	1760	149.0	YES	YES	YES	ENGINE
2000	90	208	6AEF14Q	247	107	1760	137.0	125	125	125	MOTOR
2000	90	208	6AEF14Q	247	107	1760	137.0	YES	YES	YES	ENGINE
2000	90	208	6AEF14Q	235	102	2100	157.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
2000	90	208	8AEF15G	232	100	2100	164.0	YES	YES	YES	ENGINE
2000	90	208	8AEF17A	213	92	1460	198.0	200	200	200	MOTOR
2000	90	208	8AEF17W	239	103	1780	149.0	150	150	150	MOTOR
2000	90	208	8AEF17W	244	106	1760	146.0	YES	YES	YES	ENGINE
2000	90	208	8AEF20G	231	100	1470	164.0	150	150	150	MOTOR
2000	91	210	8HYF23A	230	100	1475	200.0	N.A.	N.A.	200	MOTOR
2000	94	217	8AEF17A	221	96	1460	216.0	200	200	200	MOTOR
2000	94	217	8HYF23B	252	109	1475	190.0	200	N.A.	200	MOTOR
2000	95	219	6AEF14Q	263	114	1760	151.0	150	150	150	MOTOR
2000	95	219	6AEF14Q	263	114	1760	151.0	YES	YES	YES	ENGINE
2000	95	219	6AEF14Q	245	106	2100	165.0	YES	YES	YES	ENGINE
2000	95	219	8AEF15G	246	106	2100	175.0	YES	YES	YES	ENGINE
2000	95	219	8AEF17W	262	113	1780	153.0	150	150	150	MOTOR
2000	95	219	8AEF17W	270	117	1760	150.0	YES	YES	YES	ENGINE
2000	95	219	8AEF20G	243	105	1470	172.0	150	150	150	MOTOR
2000	95	219	8THF14E	260	113	2950	170.0	150	N.A.	150	MOTOR
2000	97	224	8THF14D	278	120	2960	170.0	150	N.A.	150	MOTOR
2000	100	231	6AEF14Q	263	114	1760	165.0	150	150	150	MOTOR
2000	100	231	6AEF14Q	263	114	1760	165.0	YES	YES	YES	ENGINE
2000	100	231	6AEF14Q	257	111	2100	173.0	YES	YES	YES	ENGINE
2000	100	231	8AEF15G	260	113	2100	186.0	YES	YES	YES	ENGINE
2000	100	231	8AEF17W	290	126	1780	157.0	150	150	150	MOTOR
2000	100	231	8AEF17W	291	126	1760	156.0	YES	YES	YES	ENGINE
2000	100	231	8AEF20G	254	110	1470	184.0	200	200	200	MOTOR
2000	102	236	6AEF14Q	267	116	1760	168.0	150	150	150	MOTOR
2000	102	236	6AEF14Q	267	116	1760	168.0	YES	YES	YES	ENGINE
2000	103	238	8AEF20	276	119	1760	184.0	YES	YES	YES	ENGINE
2000	104	240	8THF14D	280	121	2800	190.0	YES	NO	YES	ENGINE
2000	105	243	6AEF14Q	270	117	2100	182.0	YES	YES	YES	ENGINE
2000	105	243	8AEF15G	273	118	2100	197.0	YES	YES	YES	ENGINE
2000	105	243	8AEF17W	295	128	1780	172.0	150	150	150	MOTOR
2000	105	243	8AEF17W	298	129	1760	174.0	YES	YES	YES	ENGINE
2000	105	243	8AEF20	278	120	1780	184.0	200	200	200	MOTOR
2000	105	243	8AEF20	280	121	1760	185.0	YES	YES	YES	ENGINE
2000	110	254	6AEF14Q	283	123	2100	192.0	YES	YES	YES	ENGINE
2000	110	254	8AEF15G	287	124	2100	208.0	YES	YES	YES	ENGINE
2000	110	254	8AEF17W	301	130	1780	191.0	200	200	200	MOTOR
2000	110	254	8AEF17W	305	132	1760	193.0	YES	YES	YES	ENGINE
2000	110	254	8AEF17W	272	118	2100	214.0	YES	YES	YES	ENGINE
2000	110	254	8AEF20	291	126	1780	194.0	200	200	200	MOTOR
2000	110	254	8AEF20	295	128	1760	195.0	YES	YES	YES	ENGINE
2000	110	254	8AEF20G	277	120	1470	208.0	200	200	200	MOTOR
2000	110	254	8AEF20G	273	118	1760	230.0	YES	YES	YES	ENGINE
2000	115	266	6AEF14Q	296	128	2100	202.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
2000	115	266	8AEF15G	300	130	2100	217.0	YES	YES	YES	ENGINE
2000	115	266	8AEF17W	308	133	1780	209.0	200	200	200	MOTOR
2000	115	266	8AEF17W	308	133	1760	209.0	YES	YES	YES	ENGINE
2000	115	266	8AEF17W	284	123	2100	222.0	YES	YES	YES	ENGINE
2000	115	266	8AEF20	303	131	1780	203.0	200	200	200	MOTOR
2000	115	266	8AEF20	305	132	1760	203.0	YES	YES	YES	ENGINE
2000	115	266	8AEF20G	287	124	1470	220.0	200	200	200	MOTOR
2000	115	266	8AEF20G	285	123	1760	241.0	YES	YES	YES	ENGINE
2000	118	273	8AEF17W	308	133	1780	209.0	200	200	200	MOTOR
2000	118	273	8AEF17W	308	133	1760	209.0	YES	YES	YES	ENGINE
2000	120	277	6AEF14Q	309	134	2100	212.0	YES	YES	YES	ENGINE
2000	120	277	8AEF15G	314	136	2100	225.0	YES	YES	YES	ENGINE
2000	120	277	8AEF17W	298	129	2100	230.0	YES	YES	YES	ENGINE
2000	120	277	8AEF20	317	137	1760	211.0	YES	YES	YES	ENGINE
2000	120	277	8AEF20G	297	129	1760	252.0	YES	YES	YES	ENGINE
2000	125	289	6AEF14Q	323	140	2100	222.0	YES	YES	YES	ENGINE
2000	125	289	8AEF15G	327	142	2100	234.0	YES	YES	YES	ENGINE
2000	125	289	8AEF17W	312	135	2100	239.0	YES	YES	YES	ENGINE
2000	125	289	8AEF20	325	141	1780	220.0	200	200	200	MOTOR
2000	125	289	8AEF20	328	142	1760	220.0	YES	YES	YES	ENGINE
2000	125	289	8AEF20G	308	133	1760	262.0	YES	YES	YES	ENGINE
2000	130	300	6AEF14Q	337	146	2100	233.0	YES	YES	YES	ENGINE
2000	130	300	6AEF14Q	337	146	2100	233.0	YES	YES	YES	ENGINE
2000	130	300	8AEF15G	341	148	2100	242.0	YES	YES	YES	ENGINE
2000	130	300	8AEF17W	329	142	2100	244.0	YES	YES	YES	ENGINE
2000	130	300	8AEF20	338	146	1780	229.0	200	200	200	MOTOR
2000	130	300	8AEF20	339	147	1760	231.0	YES	YES	YES	ENGINE
2000	130	300	8AEF20G	320	139	1760	271.0	YES	YES	YES	ENGINE
2000	135	312	6AEF14Q	353	153	2100	244.0	YES	YES	YES	ENGINE
2000	135	312	8AEF17W	347	150	2100	248.0	YES	YES	YES	ENGINE
2000	135	312	8AEF20	349	151	1780	241.0	250	250	250	MOTOR
2000	135	312	8AEF20	351	152	1760	243.0	YES	YES	YES	ENGINE
2000	135	312	8AEF20G	332	144	1760	281.0	YES	YES	YES	ENGINE
2000	140	323	6AEF14Q	360	156	2100	250.0	YES	YES	YES	ENGINE
2000	140	323	8AEF17W	366	158	2100	252.0	YES	YES	YES	ENGINE
2000	140	323	8AEF20	362	157	1760	256.0	YES	YES	YES	ENGINE
2000	140	323	8AEF20G	342	148	1760	289.0	YES	YES	YES	ENGINE
2000	142	328	8HYF23B	375	162	1750	300.0	300	N.A.	300	MOTOR
2000	145	335	8AEF17W	388	168	2100	255.0	YES	YES	YES	ENGINE
2000	145	335	8AEF20	372	161	1780	266.0	250	250	250	MOTOR
2000	145	335	8AEF20	372	161	1760	266.0	YES	YES	YES	ENGINE
2000	145	335	8AEF20G	356	154	1760	306.0	YES	YES	YES	ENGINE
2000	147	340	8THF14E	375	162	3550	290.0	300	N.A.	300	MOTOR
2000	150	347	8AEF17W	404	175	2100	257.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
2000	150	347	8AEF20	385	167	1780	270.0	250	250	250	MOTOR
2000	150	347	8AEF20	388	168	1760	272.0	YES	YES	YES	ENGINE
2000	150	347	8AEF20	378	164	2100	295.0	YES	YES	YES	ENGINE
2000	150	347	8AEF20G	368	159	1760	321.0	YES	YES	YES	ENGINE
2000	150	347	8HYF23B	380	165	1475	390.0	350	N.A.	350	MOTOR
2000	155	358	8AEF17W	409	177	2100	298.0	YES	YES	YES	ENGINE
2000	155	358	8AEF20	394	171	1780	275.0	250	250	250	MOTOR
2000	155	358	8AEF20	394	171	1760	276.0	YES	YES	YES	ENGINE
2000	155	358	8AEF20	390	169	2100	306.0	YES	YES	YES	ENGINE
2000	155	358	8AEF20G	379	164	1760	335.0	YES	YES	YES	ENGINE
2000	159	367	8THF14E	420	182	2800	278.0	YES	NO	YES	ENGINE
2000	160	370	8AEF17W	418	181	2100	320.0	YES	YES	YES	ENGINE
2000	160	370	8AEF20	403	174	2100	317.0	YES	YES	YES	ENGINE
2000	160	370	8AEF20G	391	169	1760	350.0	YES	YES	YES	ENGINE
2000	164	379	8HYF23A	395	171	1475	500.0	N.A.	N.A.	450	MOTOR
2000	165	381	8AEF17W	427	185	2100	343.0	YES	YES	YES	ENGINE
2000	165	381	8AEF20	415	180	2100	328.0	YES	YES	YES	ENGINE
2000	165	381	8AEF20G	402	174	1760	365.0	YES	YES	YES	ENGINE
2000	169	390	8AEF17W	427	185	2100	343.0	YES	YES	YES	ENGINE
2000	170	393	8AEF20	427	185	2100	338.0	YES	YES	YES	ENGINE
2000	170	393	8AEF20G	414	179	1760	380.0	YES	YES	YES	ENGINE
2000	174	402	8THF14D	460	199	2800	353.0	YES	NO	YES	ENGINE
2000	175	404	8AEF20	439	190	2100	348.0	YES	YES	YES	ENGINE
2000	175	404	8AEF20G	421	182	1760	412.0	YES	YES	YES	ENGINE
2000	179	413	8THF14E	470	203	2950	324.0	300	N.A.	300	MOTOR
2000	180	416	8AEF20	450	195	2100	358.0	YES	YES	YES	ENGINE
2000	185	427	8AEF20	462	200	2100	368.0	YES	YES	YES	ENGINE
2000	190	439	8AEF20	473	205	2100	380.0	YES	YES	YES	ENGINE
2000	195	450	8AEF20	485	210	2100	395.0	YES	YES	YES	ENGINE
2000	196	453	8THF14E	510	221	3550	410.0	400	N.A.	400	MOTOR
2000	197	455	8THF14D	520	225	2960	423.0	400	N.A.	400	MOTOR
2000	200	462	8AEF20	496	215	2100	410.0	YES	YES	YES	ENGINE
2000	205	474	8AEF20	508	220	2100	425.0	YES	YES	YES	ENGINE
2000	210	485	8AEF20	520	225	2100	440.0	YES	YES	YES	ENGINE
2000	212	490	8AEF20	525	227	2100	448.0	YES	YES	YES	ENGINE
2000	214	494	8HYF23B	535	232	1750	580.0	600	N.A.	600	MOTOR
2500	51	118	08AE15	144	62	1760	106.0	100	100	N.A.	MOTOR
2500	51	118	8AEF15	144	62	1760	106.0	YES	YES	N.A.	ENGINE
2500	52	121	08AE15	148	64	1760	113.0	100	100	100	MOTOR
2500	52	120	8AEF15	147	64	1760	109.0	YES	YES	YES	ENGINE
2500	55	127	08AE15	152	66	1760	115.0	100	100	100	MOTOR
2500	55	127	8AEF15	153	66	1760	117.0	YES	YES	YES	ENGINE
2500	60	139	08AE15	164	71	1760	128.0	125	125	125	MOTOR
2500	60	139	8AEF15	165	71	1760	129.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
2500	65	150	08AE15	176	76	1760	140.0	125	125	125	MOTOR
2500	65	150	8AEF15	176	76	1760	140.0	YES	YES	YES	ENGINE
2500	66	152	8AEF17A	166	72	1460	133.4	125	125	125	MOTOR
2500	70	162	08AE15	188	81	1760	153.0	150	150	150	MOTOR
2500	70	162	8AEF15	189	82	1760	154.0	YES	YES	YES	ENGINE
2500	70	162	8AEF17A	179	77	1460	142.0	125	125	125	MOTOR
2500	75	173	08AE15	201	87	1760	165.0	150	150	150	MOTOR
2500	75	173	8AEF15	203	88	1760	167.0	YES	YES	YES	ENGINE
2500	75	173	8AEF17A	192	83	1460	158.0	150	150	150	MOTOR
2500	80	185	08AE15	213	92	1760	176.0	200	200	200	MOTOR
2500	80	185	8AEF15	217	94	1760	179.0	YES	YES	YES	ENGINE
2500	80	185	8AEF17A	204	88	1460	175.0	200	200	200	MOTOR
2500	80	185	8AEF17A	195	84	1780	179.0	200	200	200	MOTOR
2500	80	185	8AEF17A	195	84	1760	177.0	YES	YES	YES	ENGINE
2500	80	185	8AEF17Q	207	90	1780	167.0	150	150	150	MOTOR
2500	80	185	8AEF17Q	207	90	1760	166.0	YES	YES	YES	ENGINE
2500	85	196	08AE15	228	99	1760	190.0	200	200	200	MOTOR
2500	85	196	10AEF20	220	95	1470	199.0	200	200	200	MOTOR
2500	85	196	8AEF15	229	99	1760	191.0	YES	YES	YES	ENGINE
2500	85	196	8AEF17A	213	92	1460	198.0	200	200	200	MOTOR
2500	85	196	8AEF17A	204	88	1780	191.0	200	200	200	MOTOR
2500	85	196	8AEF17A	203	88	1760	191.0	YES	YES	YES	ENGINE
2500	85	196	8AEF17Q	218	94	1780	177.0	200	200	200	MOTOR
2500	85	196	8AEF17Q	218	94	1760	176.0	YES	YES	YES	ENGINE
2500	85	196	8HYF23A	230	100	1475	200.0	N.A.	N.A.	200	MOTOR
2500	90	208	08AE15	242	105	1760	203.0	200	200	200	MOTOR
2500	90	208	10AEF20	234	101	1470	214.0	200	200	200	MOTOR
2500	90	208	8AEF15	242	105	1760	204.0	YES	YES	YES	ENGINE
2500	90	208	8AEF17A	221	96	1460	216.0	200	200	200	MOTOR
2500	90	208	8AEF17A	212	92	1780	204.0	200	200	200	MOTOR
2500	90	208	8AEF17A	211	91	1760	203.0	YES	YES	YES	ENGINE
2500	90	208	8AEF17Q	229	99	1780	188.0	200	200	200	MOTOR
2500	90	208	8AEF17Q	228	99	1760	186.0	YES	YES	YES	ENGINE
2500	95	219	08AE15	253	110	1760	214.0	200	200	200	MOTOR
2500	95	219	10AEF20	246	106	1470	225.0	200	200	200	MOTOR
2500	95	219	8AEF15	253	110	1760	214.0	YES	YES	YES	ENGINE
2500	95	219	8AEF17A	220	95	1780	217.0	200	200	200	MOTOR
2500	95	219	8AEF17A	221	96	1760	216.0	YES	YES	YES	ENGINE
2500	95	219	8AEF17Q	240	104	1780	200.0	200	200	200	MOTOR
2500	95	219	8AEF17Q	240	104	1760	201.0	YES	YES	YES	ENGINE
2500	95	219	8THF14D	280	121	2800	190.0	YES	NO	YES	ENGINE
2500	98	226	08AE15	255	110	1760	216.0	200	200	200	MOTOR
2500	98	226	8AEF15	255	110	1760	216.0	YES	YES	YES	ENGINE
2500	100	231	10AEF20	259	112	1470	238.0	250	250	250	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
2500	100	231	8AEF17A	234	101	1780	230.0	200	200	200	MOTOR
2500	100	231	8AEF17A	237	103	1760	230.0	YES	YES	YES	ENGINE
2500	100	231	8AEF17Q	251	109	1780	215.0	200	200	200	MOTOR
2500	100	231	8AEF17Q	251	109	1760	215.0	YES	YES	YES	ENGINE
2500	100	231	8HYF23B	252	109	1475	190.0	N.A.	N.A.	200	MOTOR
2500	102	236	8THF14D	278	120	2960	170.0	150	N.A.	150	MOTOR
2500	105	243	10AEF20	270	117	1470	253.0	250	250	250	MOTOR
2500	105	243	8AEF15A	269	116	2100	261.0	YES	YES	YES	ENGINE
2500	105	243	8AEF17A	250	108	1780	245.0	250	250	250	MOTOR
2500	105	243	8AEF17A	253	110	1760	244.0	YES	YES	YES	ENGINE
2500	105	243	8AEF17Q	264	114	1780	230.0	200	200	200	MOTOR
2500	105	243	8AEF17Q	263	114	1760	230.0	YES	YES	YES	ENGINE
2500	105	243	8AEF20G	275	119	1780	238.0	250	250	250	MOTOR
2500	105	243	8AEF20G	281	122	1760	238.0	YES	YES	YES	ENGINE
2500	105	243	8THF14E	310	134	2800	205.0	YES	NO	YES	ENGINE
2500	110	254	10AEF20	283	123	1470	269.0	250	250	250	MOTOR
2500	110	254	8AEF15A	282	122	2100	276.0	YES	YES	YES	ENGINE
2500	110	254	8AEF17A	268	116	1780	260.0	250	250	250	MOTOR
2500	110	254	8AEF17A	268	116	1760	261.0	YES	YES	YES	ENGINE
2500	110	254	8AEF17Q	274	119	1780	246.0	250	250	250	MOTOR
2500	110	254	8AEF17Q	275	119	1760	247.0	YES	YES	YES	ENGINE
2500	110	254	8AEF20G	290	126	1780	249.0	250	250	250	MOTOR
2500	110	254	8AEF20G	293	127	1760	248.0	YES	YES	YES	ENGINE
2500	115	266	10AEF20	293	127	1470	287.0	250	250	250	MOTOR
2500	115	266	8AEF15A	292	126	2100	287.0	YES	YES	YES	ENGINE
2500	115	266	8AEF17A	280	121	1780	279.0	250	250	250	MOTOR
2500	115	266	8AEF17A	281	122	1760	281.0	YES	YES	YES	ENGINE
2500	115	266	8AEF17Q	286	124	1780	262.0	250	250	250	MOTOR
2500	115	266	8AEF17Q	287	124	1760	263.0	YES	YES	YES	ENGINE
2500	115	266	8AEF17Q	284	123	2100	269.0	YES	YES	YES	ENGINE
2500	115	266	8AEF20G	302	131	1780	260.0	250	250	250	MOTOR
2500	115	266	8AEF20G	304	132	1760	259.0	YES	YES	YES	ENGINE
2500	119	275	8THF14E	340	147	2950	250.0	N.A.	N.A.	150	MOTOR
2500	120	277	10AEF20	304	132	1470	307.0	300	300	300	MOTOR
2500	120	277	8AEF15A	310	134	2100	306.0	YES	YES	YES	ENGINE
2500	120	277	8AEF17A	292	126	1780	299.0	300	300	300	MOTOR
2500	120	277	8AEF17A	293	127	1760	301.0	YES	YES	YES	ENGINE
2500	120	277	8AEF17Q	298	129	1780	279.0	250	250	250	MOTOR
2500	120	277	8AEF17Q	297	129	1760	277.0	YES	YES	YES	ENGINE
2500	120	277	8AEF17Q	295	128	2100	281.0	YES	YES	YES	ENGINE
2500	120	277	8AEF20G	314	136	1780	270.0	250	250	250	MOTOR
2500	120	277	8AEF20G	315	136	1760	268.0	YES	YES	YES	ENGINE
2500	125	289	10AEF20	310	134	1470	319.0	300	300	300	MOTOR
2500	125	289	8AEF15A	323	140	2100	321.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
2500	125	289	8AEF17A	306	132	1780	321.0	300	300	300	MOTOR
2500	125	289	8AEF17A	304	132	1760	316.0	YES	YES	YES	ENGINE
2500	125	289	8AEF17Q	305	132	1780	287.0	250	250	250	MOTOR
2500	125	289	8AEF17Q	304	132	1760	284.0	YES	YES	YES	ENGINE
2500	125	289	8AEF17Q	306	132	2100	293.0	YES	YES	YES	ENGINE
2500	125	289	8AEF20G	325	141	1780	275.0	250	250	250	MOTOR
2500	127	293	10AEF20	316	137	1470	328.0	300	300	300	MOTOR
2500	130	300	8AEF15A	334	145	2100	334.0	YES	YES	YES	ENGINE
2500	130	300	8AEF17A	309	134	1780	334.0	300	300	300	MOTOR
2500	130	300	8AEF17A	309	134	1760	334.0	YES	YES	YES	ENGINE
2500	130	300	8AEF17Q	317	137	2100	306.0	YES	YES	YES	ENGINE
2500	130	300	8AEF20G	334	145	1780	287.0	250	250	300	MOTOR
2500	130	300	8AEF20G	337	146	1760	286.0	YES	YES	YES	ENGINE
2500	132	305	8HYF23B	375	162	1750	300.0	300	N.A.	300	MOTOR
2500	135	312	8AEF15A	347	150	2100	348.0	YES	YES	YES	ENGINE
2500	135	312	8AEF17A	315	136	1780	352.0	350	350	350	MOTOR
2500	135	312	8AEF17A	315	136	1760	352.0	YES	YES	YES	ENGINE
2500	135	312	8AEF17Q	328	142	2100	319.0	YES	YES	YES	ENGINE
2500	135	312	8AEF20G	347	150	1780	298.0	300	300	300	MOTOR
2500	135	312	8AEF20G	349	151	1760	298.0	YES	YES	YES	ENGINE
2500	137	317	8AEF17A	320	139	1760	370.0	YES	YES	YES	ENGINE
2500	138	319	8AEF17A	320	139	1780	370.0	350	350	350	MOTOR
2500	140	323	8AEF15A	360	156	2100	377.0	YES	YES	YES	ENGINE
2500	140	323	8AEF17Q	339	147	2100	337.0	YES	YES	YES	ENGINE
2500	140	323	8AEF20G	358	155	1780	310.0	300	300	300	MOTOR
2500	140	323	8AEF20G	359	155	1760	311.0	YES	YES	YES	ENGINE
2500	141	326	8HYF23B	380	165	1475	390.0	N.A.	N.A.	350	MOTOR
2500	142	328	8HYF23C	350	152	1475	400.0	350	N.A.	350	MOTOR
2500	144	333	8THF14E	420	182	2800	278.0	YES	NO	YES	ENGINE
2500	145	335	8AEF15A	365	158	2100	395.0	YES	YES	YES	ENGINE
2500	145	335	8AEF17Q	351	152	2100	354.0	YES	YES	YES	ENGINE
2500	145	335	8AEF20G	370	160	1780	324.0	300	300	300	MOTOR
2500	145	335	8AEF20G	371	161	1760	326.0	YES	YES	YES	ENGINE
2500	150	347	8AEF15A	375	162	2100	415.0	YES	YES	YES	ENGINE
2500	150	347	8AEF17Q	363	157	2100	372.0	YES	YES	YES	ENGINE
2500	150	347	8AEF20G	381	165	1780	339.0	300	300	300	MOTOR
2500	150	347	8AEF20G	383	166	1760	341.0	YES	YES	YES	ENGINE
2500	155	358	8AEF15A	383	166	2100	420.0	YES	YES	YES	ENGINE
2500	155	358	8AEF20G	387	168	1780	345.0	300	300	300	MOTOR
2500	155	358	8AEF20G	393	170	1760	354.0	YES	YES	YES	ENGINE
2500	155	358	8AEF20G	387	168	2100	389.0	YES	YES	YES	ENGINE
2500	160	370	8AEF20G	403	174	1780	367.0	350	350	350	MOTOR
2500	160	370	8AEF20G	404	175	1760	368.0	YES	YES	YES	ENGINE
2500	160	370	8AEF20G	399	173	2100	402.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
2500	161	372	8HYF23A	395	171	1475	500.0	N.A.	N.A.	450	MOTOR
2500	163	377	8THF14E	470	203	2950	324.0	N.A.	N.A.	300	MOTOR
2500	164	379	8THF14D	460	199	2800	353.0	YES	NO	YES	ENGINE
2500	165	381	8AEF20G	414	179	1780	382.0	350	350	350	MOTOR
2500	165	381	8AEF20G	414	179	1760	382.0	YES	YES	YES	ENGINE
2500	165	381	8AEF20G	410	177	2100	415.0	YES	YES	YES	ENGINE
2500	167	386	8HYF23C	405	175	1475	530.0	500	N.A.	500	MOTOR
2500	170	393	8AEF20G	425	184	1780	397.0	350	350	350	MOTOR
2500	170	393	8AEF20G	423	183	1760	394.0	YES	YES	YES	ENGINE
2500	170	393	8AEF20G	422	183	2100	428.0	YES	YES	YES	ENGINE
2500	172	397	8AEF20G	432	187	1780	412.0	400	400	400	MOTOR
2500	175	404	8AEF20G	434	188	2100	440.0	YES	YES	YES	ENGINE
2500	180	416	8AEF20G	446	193	2100	451.0	YES	YES	YES	ENGINE
2500	185	427	8AEF20G	457	198	2100	463.0	YES	YES	YES	ENGINE
2500	188	434	8THF14D	520	225	2960	423.0	400	N.A.	400	MOTOR
2500	190	439	8AEF20G	469	203	2100	474.0	YES	YES	YES	ENGINE
2500	195	450	8AEF20G	481	208	2100	485.0	YES	YES	YES	ENGINE
2500	200	462	8AEF20G	493	213	2100	500.0	YES	YES	YES	ENGINE
2500	202	467	8AEF20G	498	216	2100	508.0	YES	YES	YES	ENGINE
2500	208	480	8HYF23B	535	232	1750	580.0	600	N.A.	600	MOTOR
3000	72	166	12HYF20D	182	79	1480	220.0	N.A.	N.A.	200	MOTOR
3000	75	173	10AEF16	201	87	1775	228.0	200	200	250	MOTOR
3000	75	173	10AEF16	197	85	1760	236.0	YES	YES	YES	ENGINE
3000	80	185	10AEF16	211	91	1775	250.0	250	250	250	MOTOR
3000	80	185	10AEF16	211	91	1760	257.0	YES	YES	YES	ENGINE
3000	82	189	12AF19G	196	85	1480	304.0	300	300	N.A.	MOTOR
3000	83	192	12AF19G	196	85	1480	304.0	300	300	300	MOTOR
3000	85	196	10AEF16	221	96	1775	270.0	250	250	250	MOTOR
3000	85	196	10AEF16	221	96	1760	276.0	YES	YES	YES	ENGINE
3000	85	196	10AEF20	241	104	1780	226.0	200	200	200	MOTOR
3000	85	196	10AEF20	239	103	1760	226.0	YES	YES	YES	ENGINE
3000	85	196	12AF19G	208	90	1480	310.0	300	300	300	MOTOR
3000	90	208	10AEF16	230	100	1775	287.0	250	250	250	MOTOR
3000	90	208	10AEF16	232	100	1760	292.0	YES	YES	YES	ENGINE
3000	90	208	10AEF20	249	108	1780	240.0	250	250	250	MOTOR
3000	90	208	10AEF20	248	107	1760	240.0	YES	YES	YES	ENGINE
3000	90	208	12AF19G	219	95	1480	330.0	300	300	300	MOTOR
3000	92	212	10AEF16	241	104	1900	290.9	YES	N.A.	N.A.	ENGINE
3000	95	219	10AEF16	244	106	1775	314.0	300	300	300	MOTOR
3000	95	219	10AEF16	245	106	1760	316.0	YES	YES	YES	ENGINE
3000	95	219	10AEF16	246	106	1900	303.0	YES	N.A.	N.A.	ENGINE
3000	95	219	10AEF20	258	112	1780	256.0	250	250	250	MOTOR
3000	95	219	10AEF20	257	111	1760	256.0	YES	YES	YES	ENGINE
3000	95	219	12AF19G	231	100	1480	350.0	350	350	350	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
3000	97	224	12HYF20C	235	102	1480	350.0	N.A.	N.A.	350	MOTOR
3000	100	231	10AEF16	251	109	1775	326.0	300	300	300	MOTOR
3000	100	231	10AEF16	257	111	1760	342.0	YES	YES	YES	ENGINE
3000	100	231	10AEF16	258	112	1900	327.3	YES	N.A.	N.A.	ENGINE
3000	100	231	10AEF20	267	116	1780	273.0	250	250	250	MOTOR
3000	100	231	10AEF20	267	116	1760	273.0	YES	YES	YES	ENGINE
3000	100	231	12AF19G	243	105	1480	370.0	350	350	350	MOTOR
3000	100	231	8AEF15A	267	116	2100	259.0	YES	YES	YES	ENGINE
3000	102	236	10AEF20	279	121	1900	291.0	YES	YES	YES	ENGINE
3000	105	243	10AEF16	269	116	1775	360.0	350	350	350	MOTOR
3000	105	243	10AEF16	268	116	1760	370.0	YES	YES	YES	ENGINE
3000	105	243	10AEF16	269	116	1900	352.0	YES	N.A.	N.A.	ENGINE
3000	105	242	10AEF20	276	119	1780	287.0	250	250	250	MOTOR
3000	105	243	10AEF20	278	120	1760	289.0	YES	YES	YES	ENGINE
3000	105	243	10AEF20	284	123	1900	293.0	YES	YES	YES	ENGINE
3000	105	243	12AF19G	254	110	1480	390.0	350	350	350	MOTOR
3000	105	243	8AEF15A	281	122	2100	274.0	YES	YES	YES	ENGINE
3000	108	249	12HYF20D	275	119	1780	400.0	N.A.	N.A.	350	MOTOR
3000	110	254	10AEF16	280	121	1775	385.0	350	350	350	MOTOR
3000	110	254	10AEF16	280	121	1760	395.0	YES	YES	YES	ENGINE
3000	110	254	10AEF16	279	121	1900	374.5	YES	N.A.	N.A.	ENGINE
3000	110	254	10AEF20	289	125	1780	306.0	300	300	300	MOTOR
3000	110	254	10AEF20	287	124	1760	302.0	YES	YES	YES	ENGINE
3000	110	254	10AEF20	293	127	1900	310.0	YES	YES	YES	ENGINE
3000	110	254	12AF19G	266	115	1480	410.0	400	400	400	MOTOR
3000	110	254	8AEF15A	295	128	2100	290.0	YES	YES	YES	ENGINE
3000	113	261	12HYF20D	300	130	1480	400.0	N.A.	N.A.	350	MOTOR
3000	115	266	10AEF16	286	124	1775	400.0	350	350	350	MOTOR
3000	115	266	10AEF16	291	126	1760	413.0	YES	YES	YES	ENGINE
3000	115	266	10AEF16	291	126	1900	399.3	YES	N.A.	N.A.	ENGINE
3000	115	266	10AEF20	300	130	1780	322.0	300	300	300	MOTOR
3000	115	266	10AEF20	298	129	1760	320.0	YES	YES	YES	ENGINE
3000	115	266	10AEF20	303	131	1900	328.0	YES	YES	YES	ENGINE
3000	115	266	12AF19G	277	120	1480	430.0	400	400	400	MOTOR
3000	115	266	8AEF15A	309	134	2100	305.0	YES	YES	YES	ENGINE
3000	118	272	10AEF20	331	143	1470	324.0	300	N.A.	N.A.	MOTOR
3000	118	273	12AF19G	289	125	1760	452.0	450	450	450	MOTOR
3000	119	275	12AF19G	289	125	1480	454.0	400	400	400	MOTOR
3000	120	277	10AEF16	302	131	1775	439.0	400	400	400	MOTOR
3000	120	277	10AEF16	302	131	1760	436.0	YES	YES	YES	ENGINE
3000	120	277	10AEF16	302	131	1900	422.2	YES	N.A.	N.A.	ENGINE
3000	120	277	10AEF20	311	135	1780	338.0	300	300	300	MOTOR
3000	120	277	10AEF20	311	135	1760	337.0	YES	YES	YES	ENGINE
3000	120	277	10AEF20	313	135	1900	346.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
3000	120	277	12AF19G	297	129	1760	458.0	450	450	450	MOTOR
3000	120	277	8AEF15A	323	140	2100	320.0	YES	YES	YES	ENGINE
3000	121	280	12HYF20C	309	134	1480	505.0	N.A.	N.A.	450	MOTOR
3000	123	284	10AEF16	307	133	1775	444.0	400	400	400	MOTOR
3000	123	284	10AEF16	305	132	1760	436.0	YES	YES	YES	ENGINE
3000	125	289	10AEF16	313	135	1900	447.3	YES	N.A.	N.A.	ENGINE
3000	125	289	10AEF20	318	138	1780	344.0	300	300	300	MOTOR
3000	125	289	10AEF20	324	140	1760	356.0	YES	YES	YES	ENGINE
3000	125	289	10AEF20	324	140	1900	363.0	YES	YES	YES	ENGINE
3000	125	289	12AF19G	310	134	1760	485.0	500	500	500	MOTOR
3000	125	289	8AEF15A	335	145	2100	335.0	YES	YES	YES	ENGINE
3000	130	300	10AEF16	324	140	1900	470.4	YES	N.A.	N.A.	ENGINE
3000	130	300	10AEF20	333	144	1780	371.0	350	350	350	MOTOR
3000	130	300	10AEF20	335	145	1760	369.0	YES	YES	YES	ENGINE
3000	130	300	10AEF20	335	145	1900	381.0	YES	YES	YES	ENGINE
3000	130	300	12AF19G	323	140	1760	514.0	500	500	500	MOTOR
3000	130	300	8AEF15A	346	150	2100	348.0	YES	YES	YES	ENGINE
3000	135	312	10AEF16	336	145	1900	495.7	YES	N.A.	N.A.	ENGINE
3000	135	312	10AEF20	346	150	1780	384.0	350	350	350	MOTOR
3000	135	312	10AEF20	349	151	1760	383.0	YES	YES	YES	ENGINE
3000	135	312	10AEF20	346	150	1900	398.0	YES	YES	YES	ENGINE
3000	135	312	12AF19G	337	146	1760	544.0	500	500	500	MOTOR
3000	135	312	8AEF15A	360	156	2100	364.0	YES	YES	YES	ENGINE
3000	135	312	8HYF23C	350	152	1475	400.0	350	N.A.	350	MOTOR
3000	140	323	10AEF16	347	150	1900	519.1	YES	N.A.	N.A.	ENGINE
3000	140	323	10AEF20	359	155	1780	397.0	350	350	350	MOTOR
3000	140	323	10AEF20	360	156	1760	396.0	YES	YES	YES	ENGINE
3000	140	323	10AEF20	357	155	1900	415.0	YES	YES	YES	ENGINE
3000	140	323	12AF19G	351	152	1760	575.0	600	600	600	MOTOR
3000	140	323	8AEF15A	364	158	2100	377.0	YES	YES	YES	ENGINE
3000	142	328	12HYF20C	345	149	1780	600.0	N.A.	N.A.	600	MOTOR
3000	144	333	10AEF16	352	152	1900	530.0	YES	N.A.	N.A.	ENGINE
3000	145	335	10AEF20	374	162	1780	415.0	400	400	400	MOTOR
3000	145	335	10AEF20	374	162	1760	414.0	YES	YES	YES	ENGINE
3000	145	335	10AEF20	368	159	1900	432.0	YES	YES	YES	ENGINE
3000	145	335	12AF19G	365	158	1760	596.0	600	600	600	MOTOR
3000	145	335	8AEF15A	370	160	2100	395.0	YES	YES	YES	ENGINE
3000	150	347	10AEF20	384	166	1780	431.0	400	400	400	MOTOR
3000	150	347	10AEF20	385	167	1760	432.0	YES	YES	YES	ENGINE
3000	150	347	10AEF20	379	164	1900	448.0	YES	YES	YES	ENGINE
3000	150	347	12AF19G	379	164	1760	632.0	600	600	600	MOTOR
3000	150	347	8AEF15A	376	163	2100	415.0	YES	YES	YES	ENGINE
3000	155	358	10AEF20	396	171	1780	450.0	400	400	400	MOTOR
3000	155	358	10AEF20	397	172	1760	451.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
3000	155	358	10AEF20	389	168	1900	460.0	YES	YES	YES	ENGINE
3000	155	358	12AF19G	393	170	1760	656.0	600	600	600	MOTOR
3000	160	370	10AEF20	408	177	1780	469.0	450	450	450	MOTOR
3000	160	370	10AEF20	409	177	1760	471.0	YES	YES	YES	ENGINE
3000	160	370	10AEF20	405	175	1900	478.0	YES	YES	YES	ENGINE
3000	160	370	12AF19G	406	176	1760	671.0	600	600	600	MOTOR
3000	162	374	8HYF23C	405	175	1475	530.0	500	N.A.	500	MOTOR
3000	164	379	12AF19G	420	182	1760	711.0	700	700	700	MOTOR
3000	165	381	10AEF20	419	181	1780	489.0	450	450	450	MOTOR
3000	165	381	10AEF20	419	181	1760	493.0	YES	YES	YES	ENGINE
3000	165	381	10AEF20	417	181	1900	493.0	YES	YES	YES	ENGINE
3000	165	381	12HYF20D	430	186	1780	705.0	N.A.	N.A.	700	MOTOR
3000	170	393	10AEF20	430	186	1780	512.0	450	450	450	MOTOR
3000	170	393	10AEF20	430	186	1760	517.0	YES	YES	YES	ENGINE
3000	170	393	10AEF20	429	186	1900	509.0	YES	YES	YES	ENGINE
3000	175	404	10AEF20	441	191	1780	536.0	500	500	500	MOTOR
3000	175	404	10AEF20	441	191	1760	540.0	YES	YES	YES	ENGINE
3000	175	404	10AEF20	439	190	1900	525.0	YES	YES	YES	ENGINE
3000	178	411	12HYF20C	440	190	1780	878.0	N.A.	N.A.	800	MOTOR
3000	180	416	10AEF20	452	196	1780	560.0	500	500	500	MOTOR
3000	180	416	10AEF20	455	197	1760	560.0	YES	YES	YES	ENGINE
3000	180	416	10AEF20	452	196	1900	547.0	YES	YES	YES	ENGINE
3000	185	427	10AEF20	463	200	1780	575.0	500	500	500	MOTOR
3000	185	427	10AEF20	464	201	1900	566.0	YES	YES	YES	ENGINE
3000	188	434	10AEF20	467	202	1780	579.0	600	600	600	MOTOR
3000	190	439	10AEF20	475	206	1900	587.0	YES	YES	YES	ENGINE
3000	195	450	10AEF20	486	210	1900	614.0	YES	YES	YES	ENGINE
3000	200	462	10AEF20	498	216	1900	640.0	YES	YES	YES	ENGINE
3000	205	474	10AEF20	509	220	1900	667.0	YES	YES	YES	ENGINE
3000	210	485	10AEF20	519	225	1900	688.0	YES	YES	YES	ENGINE
3500	69	159	12HYF20D	182	79	1480	220.0	N.A.	N.A.	200	MOTOR
3500	73	169	10AEF16	208	90	1775	240.0	250	250	250	MOTOR
3500	75	173	10AEF16	211	91	1775	247.0	250	250	250	MOTOR
3500	75	173	10AEF16	207	90	1760	249.0	YES	YES	YES	ENGINE
3500	80	185	10AEF16	222	96	1775	267.0	250	250	250	MOTOR
3500	80	185	10AEF16	217	94	1760	270.0	YES	YES	YES	ENGINE
3500	80	185	12AF19G	196	85	1480	304.0	300	300	300	MOTOR
3500	85	196	10AEF16	231	100	1775	287.0	250	250	250	MOTOR
3500	85	196	10AEF16	228	99	1760	289.0	YES	YES	YES	ENGINE
3500	85	196	12AF19G	208	90	1480	320.0	300	300	300	MOTOR
3500	89	205	10AEF16	243	105	1900	296.3	YES	N.A.	N.A.	ENGINE
3500	90	208	10AEF16	241	104	1775	308.0	300	300	300	MOTOR
3500	90	208	10AEF16	239	103	1760	310.0	YES	YES	YES	ENGINE
3500	90	208	10AEF16	243	105	1900	296.3	YES	N.A.	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
3500	90	208	12AF19G	219	95	1480	340.0	300	300	300	MOTOR
3500	95	219	10AEF16	251	109	1775	328.0	300	300	300	MOTOR
3500	95	219	10AEF16	251	109	1760	331.0	YES	YES	YES	ENGINE
3500	95	219	10AEF16	253	110	1900	318.1	YES	N.A.	N.A.	ENGINE
3500	95	219	10AEF20	279	121	1900	291.0	YES	YES	YES	ENGINE
3500	95	219	12AF19G	231	100	1480	360.0	350	350	350	MOTOR
3500	96	222	12HYF20C	235	102	1480	350.0	N.A.	N.A.	350	MOTOR
3500	100	231	10AEF16	259	112	1775	345.0	300	300	300	MOTOR
3500	100	231	10AEF16	264	114	1760	356.0	YES	YES	YES	ENGINE
3500	100	231	10AEF16	264	114	1900	342.0	YES	N.A.	N.A.	ENGINE
3500	100	231	10AEF20	288	125	1900	301.0	YES	YES	YES	ENGINE
3500	100	231	12AF19G	243	105	1480	380.0	350	350	350	MOTOR
3500	105	243	10AEF16	277	120	1775	381.0	350	350	350	MOTOR
3500	105	243	10AEF16	274	119	1760	385.0	YES	YES	YES	ENGINE
3500	105	243	10AEF16	276	119	1900	366.0	YES	N.A.	N.A.	ENGINE
3500	105	243	10AEF20	297	129	1900	318.0	YES	YES	YES	ENGINE
3500	105	243	12AF19G	254	110	1480	400.0	350	350	350	MOTOR
3500	105	243	12HYF20D	275	119	1780	400.0	N.A.	N.A.	350	MOTOR
3500	110	254	10AEF16	287	124	1775	402.0	350	350	350	MOTOR
3500	110	254	10AEF16	286	124	1760	409.0	YES	YES	YES	ENGINE
3500	110	254	10AEF16	286	124	1900	388.2	YES	N.A.	N.A.	ENGINE
3500	110	254	10AEF20	306	132	1900	335.0	YES	YES	YES	ENGINE
3500	110	254	12AF19G	266	115	1480	420.0	400	400	400	MOTOR
3500	111	256	12HYF20D	300	130	1480	400.0	N.A.	N.A.	350	MOTOR
3500	115	266	10AEF16	302	131	1775	434.0	400	400	400	MOTOR
3500	115	266	10AEF16	297	129	1760	436.0	YES	YES	YES	ENGINE
3500	115	266	10AEF16	297	129	1900	412.6	YES	N.A.	N.A.	ENGINE
3500	115	266	10AEF20	317	137	1900	353.0	YES	YES	YES	ENGINE
3500	115	266	12AF19G	277	120	1480	440.0	400	400	400	MOTOR
3500	115	266	12AF19G	289	125	1760	452.0	450	450	450	MOTOR
3500	117	270	12AF19G	289	125	1480	454.0	400	400	400	MOTOR
3500	119	275	12HYF20C	309	134	1480	505.0	N.A.	N.A.	450	MOTOR
3500	120	277	10AEF16	307	133	1775	444.0	400	400	400	MOTOR
3500	120	277	10AEF16	305	132	1760	436.0	YES	YES	YES	ENGINE
3500	120	277	10AEF16	308	133	1900	435.0	YES	N.A.	N.A.	ENGINE
3500	120	277	10AEF20	329	142	1780	366.0	350	350	350	MOTOR
3500	120	277	10AEF20	329	142	1760	361.0	YES	YES	YES	ENGINE
3500	120	277	10AEF20	328	142	1900	370.0	YES	YES	YES	ENGINE
3500	120	277	12AF19G	297	129	1760	458.0	450	450	450	MOTOR
3500	125	289	10AEF16	319	138	1900	459.6	YES	N.A.	N.A.	ENGINE
3500	125	289	10AEF20	340	147	1780	377.0	350	350	350	MOTOR
3500	125	289	10AEF20	342	148	1760	375.0	YES	YES	YES	ENGINE
3500	125	289	10AEF20	339	147	1900	387.0	YES	YES	YES	ENGINE
3500	125	289	12AF19G	310	134	1760	485.0	500	500	500	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
3500	130	300	10AEF16	330	143	1900	482.3	YES	N.A.	N.A.	ENGINE
3500	130	300	10AEF20	351	152	1780	390.0	350	350	350	MOTOR
3500	130	300	10AEF20	353	153	1760	388.0	YES	YES	YES	ENGINE
3500	130	300	10AEF20	350	152	1900	404.0	YES	YES	YES	ENGINE
3500	130	300	12AF19G	323	140	1760	514.0	500	500	500	MOTOR
3500	135	312	10AEF16	341	148	1900	507.1	YES	N.A.	N.A.	ENGINE
3500	135	312	10AEF20	362	157	1780	402.0	350	350	350	MOTOR
3500	135	312	10AEF20	366	158	1760	402.0	YES	YES	YES	ENGINE
3500	135	312	10AEF20	361	156	1900	422.0	YES	YES	YES	ENGINE
3500	135	312	12AF19G	337	146	1760	544.0	500	500	500	MOTOR
3500	140	323	10AEF16	352	152	1900	530.0	YES	N.A.	N.A.	ENGINE
3500	140	323	10AEF20	377	163	1780	420.0	400	400	400	MOTOR
3500	140	323	10AEF20	377	163	1760	419.0	YES	YES	YES	ENGINE
3500	140	323	10AEF20	372	161	1900	439.0	YES	YES	YES	ENGINE
3500	140	323	12AF19G	351	152	1760	575.0	600	600	600	MOTOR
3500	141	326	12HYF20C	345	149	1780	600.0	N.A.	N.A.	600	MOTOR
3500	142	328	10AEF16	352	152	1900	530.0	YES	N.A.	N.A.	ENGINE
3500	145	335	10AEF20	388	168	1780	438.0	400	400	400	MOTOR
3500	145	335	10AEF20	390	169	1760	439.0	YES	YES	YES	ENGINE
3500	145	335	10AEF20	384	166	1900	454.0	YES	YES	YES	ENGINE
3500	145	335	12AF19G	365	158	1760	596.0	600	600	600	MOTOR
3500	150	347	10AEF20	400	173	1780	457.0	400	400	400	MOTOR
3500	150	347	10AEF20	402	174	1760	458.0	YES	YES	YES	ENGINE
3500	150	347	10AEF20	397	172	1900	469.0	YES	YES	YES	ENGINE
3500	150	347	12AF19G	379	164	1760	632.0	600	600	600	MOTOR
3500	155	358	10AEF20	412	178	1780	475.0	450	450	450	MOTOR
3500	155	358	10AEF20	412	178	1760	478.0	YES	YES	YES	ENGINE
3500	155	358	10AEF20	406	176	1900	480.0	YES	YES	YES	ENGINE
3500	155	358	12AF19G	393	170	1760	656.0	600	600	600	MOTOR
3500	160	370	10AEF20	422	183	1780	495.0	450	450	450	MOTOR
3500	160	370	10AEF20	423	183	1760	500.0	YES	YES	YES	ENGINE
3500	160	370	10AEF20	421	182	1900	498.0	YES	YES	YES	ENGINE
3500	160	370	12AF19G	406	176	1760	671.0	600	600	600	MOTOR
3500	162	374	12AF19G	420	182	1760	711.0	700	700	700	MOTOR
3500	163	377	12HYF20D	430	186	1780	705.0	N.A.	N.A.	700	MOTOR
3500	165	381	10AEF20	432	187	1780	517.0	450	450	450	MOTOR
3500	165	381	10AEF20	433	187	1760	522.0	YES	YES	YES	ENGINE
3500	165	381	10AEF20	433	187	1900	515.0	YES	YES	YES	ENGINE
3500	170	393	10AEF20	443	192	1780	541.0	500	500	500	MOTOR
3500	170	393	10AEF20	445	193	1760	548.0	YES	YES	YES	ENGINE
3500	170	393	10AEF20	442	191	1900	530.0	YES	YES	YES	ENGINE
3500	175	404	10AEF20	455	197	1780	567.0	500	500	500	MOTOR
3500	175	404	10AEF20	460	199	1760	560.0	YES	YES	YES	ENGINE
3500	175	404	10AEF20	455	197	1900	553.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
3500	176	407	12HYF20C	440	190	1780	878.0	N.A.	N.A.	800	MOTOR
3500	180	416	10AEF20	468	203	1780	579.0	600	600	600	MOTOR
3500	180	416	10AEF20	467	202	1900	572.0	YES	YES	YES	ENGINE
3500	182	420	10AEF20	468	203	1780	579.0	600	600	600	MOTOR
3500	185	427	10AEF20	478	207	1900	594.0	YES	YES	YES	ENGINE
3500	190	439	10AEF20	488	211	1900	617.0	YES	YES	YES	ENGINE
3500	195	450	10AEF20	500	216	1900	644.0	YES	YES	YES	ENGINE
3500	200	462	10AEF20	511	221	1900	670.0	YES	YES	YES	ENGINE
3500	205	473	10AEF20	519	225	1900	688.0	YES	YES	YES	ENGINE
4000	66	152	12HYF20D	182	79	1480	220.0	N.A.	N.A.	200	MOTOR
4000	78	180	12AF19G	196	85	1480	304.0	300	300	300	MOTOR
4000	80	185	12AF19G	208	90	1480	310.0	300	300	300	MOTOR
4000	84	194	10AEF16	238	103	1900	285.6	YES	N.A.	N.A.	ENGINE
4000	85	196	12AF19G	219	95	1480	330.0	300	300	300	MOTOR
4000	90	208	10AEF16	251	109	1900	312.9	YES	N.A.	N.A.	ENGINE
4000	90	208	12AF19G	231	100	1480	350.0	350	350	350	MOTOR
4000	94	217	12HYF20C	235	102	1480	350.0	N.A.	N.A.	350	MOTOR
4000	95	219	10AEF16	261	113	1900	334.4	YES	N.A.	N.A.	ENGINE
4000	95	219	12AF19G	243	105	1480	370.0	350	350	350	MOTOR
4000	100	231	10AEF16	272	118	1775	372.0	350	350	350	MOTOR
4000	100	231	10AEF16	270	117	1760	375.0	YES	YES	YES	ENGINE
4000	100	231	10AEF16	272	118	1900	358.1	YES	N.A.	N.A.	ENGINE
4000	100	231	12AF19G	254	110	1480	390.0	350	350	350	MOTOR
4000	102	236	12HYF20D	275	119	1780	400.0	N.A.	N.A.	350	MOTOR
4000	105	243	10AEF16	285	123	1775	399.0	350	350	350	MOTOR
4000	105	243	10AEF16	281	122	1760	402.0	YES	YES	YES	ENGINE
4000	105	243	10AEF16	283	123	1900	381.8	YES	N.A.	N.A.	ENGINE
4000	105	243	12AF19G	266	115	1480	410.0	400	400	400	MOTOR
4000	108	249	12HYF20D	300	130	1480	400.0	N.A.	N.A.	350	MOTOR
4000	110	254	10AEF16	297	129	1775	423.0	400	400	400	MOTOR
4000	110	254	10AEF16	293	127	1760	426.0	YES	YES	YES	ENGINE
4000	110	254	10AEF16	293	127	1900	403.7	YES	N.A.	N.A.	ENGINE
4000	110	254	12AF19G	277	120	1480	430.0	400	400	400	MOTOR
4000	112	258	12AF19G	289	125	1760	452.0	450	450	450	MOTOR
4000	112	258	12AF19G	289	125	1760	458.0	YES	YES	YES	ENGINE
4000	115	266	10AEF16	304	132	1775	439.0	400	400	400	MOTOR
4000	115	266	10AEF16	305	132	1760	436.0	YES	YES	YES	ENGINE
4000	115	266	10AEF16	304	132	1900	427.7	YES	N.A.	N.A.	ENGINE
4000	115	266	12AF19G	289	125	1480	450.0	400	400	400	MOTOR
4000	115	266	12AF19G	293	127	1760	458.0	450	450	450	MOTOR
4000	115	266	12AF19G	293	127	1760	463.0	YES	YES	YES	ENGINE
4000	117	270	10AEF16	307	133	1775	444.0	400	400	400	MOTOR
4000	117	270	10AEF16	305	132	1760	436.0	YES	YES	YES	ENGINE
4000	118	273	12HYF20C	309	134	1480	505.0	N.A.	N.A.	450	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
4000	120	277	10AEF16	315	136	1900	449.8	YES	N.A.	N.A.	ENGINE
4000	120	277	12AF19G	307	133	1760	485.0	450	450	450	MOTOR
4000	120	277	12AF19G	307	133	1760	491.0	YES	YES	YES	ENGINE
4000	125	289	10AEF16	326	141	1900	474.0	YES	N.A.	N.A.	ENGINE
4000	125	289	12AF19G	321	139	1760	514.0	450	450	450	MOTOR
4000	125	289	12AF19G	321	139	1760	520.0	YES	YES	YES	ENGINE
4000	130	300	10AEF16	336	145	1900	496.3	YES	N.A.	N.A.	ENGINE
4000	130	300	12AF19G	335	145	1760	544.0	500	500	500	MOTOR
4000	130	300	12AF19G	335	145	1760	550.0	YES	YES	YES	ENGINE
4000	135	312	10AEF16	348	151	1900	520.7	YES	N.A.	N.A.	ENGINE
4000	135	312	12AF19G	349	151	1760	575.0	500	500	500	MOTOR
4000	135	312	12AF19G	349	151	1760	581.0	YES	YES	YES	ENGINE
4000	139	321	10AEF16	352	152	1900	530.0	YES	N.A.	N.A.	ENGINE
4000	139	321	12HYF20C	345	149	1780	600.0	N.A.	N.A.	600	MOTOR
4000	140	323	12AF19G	363	157	1760	596.0	600	600	600	MOTOR
4000	140	323	12AF19G	363	157	1760	602.0	YES	YES	YES	ENGINE
4000	145	335	12AF19G	376	163	1760	632.0	600	600	600	MOTOR
4000	145	335	12AF19G	376	163	1760	638.0	YES	YES	YES	ENGINE
4000	150	347	12AF19G	390	169	1760	656.0	600	600	600	MOTOR
4000	150	347	12AF19G	390	169	1760	662.0	YES	YES	YES	ENGINE
4000	155	358	12AF19G	398	172	1760	671.0	600	600	600	MOTOR
4000	155	358	12AF19G	401	174	1760	678.0	YES	YES	YES	ENGINE
4000	160	370	12AF19G	414	179	1760	711.0	700	700	700	MOTOR
4000	161	372	12AF19G	414	179	1760	711.0	700	700	700	MOTOR
4000	161	372	12AF19G	414	179	1760	711.0	YES	YES	YES	ENGINE
4000	161	372	12HYF20D	430	186	1780	705.0	N.A.	N.A.	700	MOTOR
4000	174	402	12HYF20C	440	190	1780	878.0	N.A.	N.A.	800	MOTOR
4500	63	146	12HYF20D	182	79	1480	220.0	N.A.	N.A.	200	MOTOR
4500	76	176	12AF19G	196	85	1480	304.0	300	300	300	MOTOR
4500	80	185	10AEF16	238	103	1900	286.4	YES	N.A.	N.A.	ENGINE
4500	80	185	12AF19G	208	90	1480	320.0	300	300	300	MOTOR
4500	85	196	10AEF16	248	107	1900	307.7	YES	N.A.	N.A.	ENGINE
4500	85	196	12AF19G	219	95	1480	340.0	300	300	300	MOTOR
4500	90	208	10AEF16	259	112	1900	331.0	YES	N.A.	N.A.	ENGINE
4500	90	208	12AF19G	231	100	1480	360.0	350	350	350	MOTOR
4500	91	210	12HYF20C	235	102	1480	350.0	N.A.	N.A.	350	MOTOR
4500	93	215	10AEF16	265	115	1775	357.0	300	300	300	MOTOR
4500	93	215	10AEF16	265	115	1760	360.0	YES	YES	YES	ENGINE
4500	95	219	10AEF16	262	113	1775	365.0	300	300	300	MOTOR
4500	95	219	10AEF16	266	115	1760	362.0	YES	YES	YES	ENGINE
4500	95	219	10AEF16	269	116	1900	352.4	YES	N.A.	N.A.	ENGINE
4500	95	219	12AF19G	243	105	1480	380.0	350	350	350	MOTOR
4500	99	229	12HYF20D	275	119	1780	400.0	N.A.	N.A.	350	MOTOR
4500	100	231	10AEF16	277	120	1775	391.0	350	350	350	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
4500	100	231	10AEF16	282	122	1760	394.0	YES	YES	YES	ENGINE
4500	100	231	10AEF16	280	121	1900	375.8	YES	N.A.	N.A.	ENGINE
4500	100	231	12AF19G	254	110	1480	400.0	350	350	350	MOTOR
4500	105	243	10AEF16	289	125	1775	417.0	400	400	400	MOTOR
4500	105	243	10AEF16	294	127	1760	420.0	YES	YES	YES	ENGINE
4500	105	243	10AEF16	291	126	1900	399.4	YES	N.A.	N.A.	ENGINE
4500	105	243	12AF19G	266	115	1480	420.0	400	400	400	MOTOR
4500	105	243	12HYF20D	300	130	1480	400.0	N.A.	N.A.	350	MOTOR
4500	109	252	12AF19G	289	125	1760	452.0	450	450	450	MOTOR
4500	109	252	12AF19G	289	125	1760	458.0	YES	YES	YES	ENGINE
4500	110	254	10AEF16	301	130	1775	439.0	400	400	400	MOTOR
4500	110	254	10AEF16	302	131	1760	436.0	YES	YES	YES	ENGINE
4500	110	254	10AEF16	301	130	1900	421.0	YES	N.A.	N.A.	ENGINE
4500	110	254	12AF19G	277	120	1480	440.0	400	400	400	MOTOR
4500	110	254	12AF19G	291	126	1760	458.0	450	450	450	MOTOR
4500	110	254	12AF19G	291	126	1760	463.0	YES	YES	YES	ENGINE
4500	113	261	12AF19G	289	125	1480	454.0	400	400	400	MOTOR
4500	114	263	10AEF16	307	133	1775	444.0	400	400	400	MOTOR
4500	114	263	10AEF16	302	131	1760	436.0	YES	YES	YES	ENGINE
4500	115	266	10AEF16	312	135	1900	444.7	YES	N.A.	N.A.	ENGINE
4500	115	266	12AF19G	302	131	1760	485.0	450	450	450	MOTOR
4500	115	266	12AF19G	302	131	1760	491.0	YES	YES	YES	ENGINE
4500	116	268	12HYF20C	309	134	1480	505.0	N.A.	N.A.	450	MOTOR
4500	120	277	10AEF16	322	139	1900	466.6	YES	N.A.	N.A.	ENGINE
4500	120	277	12AF19G	317	137	1760	507.0	450	450	450	MOTOR
4500	120	277	12AF19G	317	137	1760	514.0	YES	YES	YES	ENGINE
4500	125	289	10AEF16	334	145	1900	490.5	YES	N.A.	N.A.	ENGINE
4500	125	289	12AF19G	328	142	1760	538.0	500	500	500	MOTOR
4500	125	289	12AF19G	328	142	1760	544.0	YES	YES	YES	ENGINE
4500	130	300	10AEF16	344	149	1900	512.5	YES	N.A.	N.A.	ENGINE
4500	130	300	12AF19G	342	148	1760	562.0	500	500	500	MOTOR
4500	130	300	12AF19G	342	148	1760	568.0	YES	YES	YES	ENGINE
4500	135	312	10AEF16	352	152	1900	530.0	YES	N.A.	N.A.	ENGINE
4500	135	312	12AF19G	353	153	1760	588.0	600	600	600	MOTOR
4500	135	312	12AF19G	353	153	1760	584.0	YES	YES	YES	ENGINE
4500	136	314	12HYF20C	345	149	1780	600.0	N.A.	N.A.	600	MOTOR
4500	140	323	12AF19G	367	159	1760	608.0	600	600	600	MOTOR
4500	140	323	12AF19G	367	159	1760	618.0	YES	YES	YES	ENGINE
4500	145	335	12AF19G	378	164	1760	645.0	600	600	600	MOTOR
4500	145	335	12AF19G	378	164	1760	651.0	YES	YES	YES	ENGINE
4500	150	347	12AF19G	388	168	1760	648.0	600	600	600	MOTOR
4500	150	347	12AF19G	390	169	1760	652.0	YES	YES	YES	ENGINE
4500	155	358	12AF19G	401	174	1760	678.0	600	600	600	MOTOR
4500	155	358	12AF19G	403	174	1760	684.0	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Horizontal Split Case Single and Multistage Fire Pumps

US Gpm	Head		Pump Model	Shut-off Head Feet	Shut -Off Head Psi	Speed Rpm	Pump Max Bhp	UL Listed Motor Drive Bhp with 1.15 Serv. Fact. or UL Listed for Engine Drive	ULC Listed Motor Drive Bhp with 1.15 Serv. Fact. or ULC Listed for Engine Drive	FM Approved Motor Drive Bhp with 1.15 Serv. Fact. or FM Approved for Engine Drive	Type Driver
4500	158	365	12HYF20D	430	186	1780	705.0	N.A.	N.A.	700	MOTOR
4500	160	370	12AF19G	414	179	1760	711.0	700	700	700	MOTOR
4500	160	370	12AF19G	414	179	1760	711.0	YES	YES	YES	ENGINE
4500	172	397	12HYF20C	440	190	1780	878.0	N.A.	N.A.	800	MOTOR
5000	106	245	12AF19G	289	125	1760	458.0	YES	YES	NO	ENGINE
5000	107	248	12AF19G	289	125	1760	452.0	450	450	450	MOTOR
5000	110	254	12AF19G	300	130	1760	458.0	450	450	450	MOTOR
5000	110	254	12AF19G	300	130	1760	470.0	YES	YES	YES	ENGINE
5000	115	266	12AF19G	314	136	1760	485.0	450	450	450	MOTOR
5000	115	266	12AF19G	314	136	1760	497.0	YES	YES	YES	ENGINE
5000	120	277	12AF19G	325	141	1760	507.0	450	450	450	MOTOR
5000	120	277	12AF19G	325	141	1760	520.0	YES	YES	YES	ENGINE
5000	125	289	12AF19G	337	146	1760	538.0	500	500	500	MOTOR
5000	125	289	12AF19G	337	146	1760	550.0	YES	YES	YES	ENGINE
5000	130	300	12AF19G	351	152	1760	562.0	500	500	500	MOTOR
5000	130	300	12AF19G	351	152	1760	581.0	YES	YES	YES	ENGINE
5000	135	312	12AF19G	363	157	1760	588.0	600	600	600	MOTOR
5000	135	312	12AF19G	363	157	1760	596.0	YES	YES	YES	ENGINE
5000	140	323	12AF19G	376	163	1760	608.0	600	600	600	MOTOR
5000	140	323	12AF19G	376	163	1760	632.0	YES	YES	YES	ENGINE
5000	145	335	12AF19G	390	169	1760	645.0	600	600	600	MOTOR
5000	145	335	12AF19G	390	169	1760	656.0	YES	YES	YES	ENGINE
5000	150	347	12AF19G	395	171	1760	663.0	600	600	600	MOTOR
5000	150	347	12AF19G	398	172	1760	670.0	YES	YES	YES	ENGINE
5000	155	358	12AF19G	409	177	1760	690.0	600	600	600	MOTOR
5000	155	358	12AF19G	411	178	1760	704.0	YES	YES	YES	ENGINE
5000	157	363	12AF19G	414	179	1760	711.0	700	700	700	MOTOR
5000	157	363	12AF19G	414	179	1760	711.0	YES	YES	YES	ENGINE